

**Tin standard solution 100 µg/ml (Plasma)**

Revision: 12.06.2025

Product code: AC18.01146

Page 1 of 13

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Tin standard solution 100 µg/ml (Plasma)

UFI: 749J-623P-5WCC-73V0

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Reagents and laboratory chemicals

Only for laboratory and analysis purposes.

**Uses advised against**

Do not use for private purposes (household).

**1.3. Details of the supplier of the safety data sheet****Details of the supplier of the safety data sheet**

Company name: AnalytiChem Services, Unipessoal, Lda  
Street: Rua de Júlio Dinis 676 7º  
Place: N-4050-320 Porto  
Telephone: +351 226002917  
E-mail: info@analytichem.com  
Contact person: SDS service department  
E-mail: SDS@analytichem.com  
Internet: www.analytichem.com  
Responsible Department: SDS service department

**Supplier or manufacturer details**

Company name: AnalytiChem Belgium NV  
Street: Industriezone "De Arend" 2  
Place: B-8210 Zedelgem  
Telephone: +32 50 28 83 20  
E-mail: info.be@analytichem.com  
Contact person: SDS service department  
E-mail: SDS@analytichem.com  
Responsible Department: AnalytiChem:  
EU-Belgium: AnalytiChem Belgium, Industriezone "De Arend" 2, 8210 Zedelgem, Belgium, +32 50 28 83 20  
EU-Germany: AnalytiChem Germany, Stempelstrasse 6, 47167 Duisburg, Germany, +49 203 51 94 – 200  
EU-Netherlands: AnalytiChem Netherlands, Communicatieweg 7, 3641 SG Mijdrecht, The Netherlands, +31 297 286848  
UK: AnalytiChem UK, Unit 7 Launton Business Center, Murdock Road, Bicester, OX26 4XB, England, +44 1869 355 500  
USA: AnalytiChem USA, 227 China Road, Winslow, Maine, 04901, United States, +1 800-244-8378  
Canada: AnalytiChem Canada, 21800 Clark Graham Avenue, Baie d'Urfe, H9X 4B6, Canada, +1 514-457-0701  
Australia: ORE Research & Exploration Pty Ltd, 37A Hosie Street, Bayswater North, 3153, Australia, +61 3 9729 0333

**1.4. Emergency telephone****number:**

+44 20 3807 3798 (CHEMTREC)

**Further Information**

No data available

**Tin standard solution 100 µg/ml (Plasma)**

Revision: 12.06.2025

Product code: AC18.01146

Page 2 of 13

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

Met. Corr. 1; H290

Acute Tox. 2; H330

Acute Tox. 3; H311

Acute Tox. 4; H302

Skin Corr. 1; H314

Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

**2.2. Label elements****Regulation (EC) No 1272/2008****Hazard components for labelling**

hydrofluoric acid 1 %

nitric acid 2 %

**Signal word:** Danger**Pictograms:****Hazard statements**

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H330 Fatal if inhaled.

EUH071 Corrosive to the respiratory tract.

**Precautionary statements**

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash hands and face thoroughly after handling.

P280 Wear protective gloves/protective clothing and eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

**2.3. Other hazards**

No data available

**SECTION 3: Composition/information on ingredients****3.2. Mixtures**

## Tin standard solution 100 µg/ml (Plasma)

Revision: 12.06.2025

Product code: AC18.01146

Page 3 of 13

## Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
7697-37-2	nitric acid ... %			1 - < 5 %
	231-714-2	007-004-00-1		
	Ox. Liq. 2, Acute Tox. 1, Skin Corr. 1A; H272 H330 H314 EUH071			
7664-39-3	Hydrofluoric acid ... %			0.1 - < 5 %
	231-634-8	009-003-00-1	01-2119458860-33	
	Acute Tox. 1, Acute Tox. 2, Acute Tox. 2, Skin Corr. 1A, Eye Dam. 1; H310 H330 H300 H314 H318			

Full text of H and EUH statements: see section 16.

## Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
7697-37-2	231-714-2	nitric acid ... %	1 - < 5 %
	inhalation: ATE = 0,05 mg/l (vapours); inhalation: ATE = 0,005 mg/l (dusts or mists) Ox. Liq. 2; H272: >= 99 - 100 Ox. Liq. 3; H272: >= 70 - < 99		
7664-39-3	231-634-8	Hydrofluoric acid ... %	0.1 - < 5 %
	inhalation: ATE = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); inhalation: LC50 = 2240 ppm (gases); dermal: ATE = 5 mg/kg; oral: ATE = 5 mg/kg Skin Corr. 1A; H314: >= 7 - 100 Skin Corr. 1B; H314: >= 1 - < 7 Eye Irrit. 2; H319: >= 0,1 - < 1		

## Further Information

No data available

## SECTION 4: First aid measures

4.1. Description of first aid measures

## General information

First aider: Pay attention to self-protection!

## After inhalation

Provide fresh air.

Call a physician immediately.

## After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

## After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

Protect uninjured eye.

## After ingestion

If swallowed, immediately drink: Water

Do NOT induce vomiting.

Do not allow a neutralisation agent to be drunk.

Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Causes burns.

**Tin standard solution 100 µg/ml (Plasma)**

Revision: 12.06.2025

Product code: AC18.01146

Page 4 of 13

Irritant

**4.3. Indication of any immediate medical attention and special treatment needed**

No data available

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

**Unsuitable extinguishing media**

no restriction

**5.2. Special hazards arising from the substance or mixture**

Non-combustible liquids

Hazardous combustion products

In case of fire may be liberated:

Nitrogen oxides (NOx), Hydrogen fluoride

**5.3. Advice for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing.

**Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Move undamaged containers from immediate hazard area if it can be done safely.

Use water spray jet to protect personnel and to cool endangered containers.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures****General advice**

May be corrosive to metals.

**For non-emergency personnel**

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

To follow: Emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray.

**For emergency responders**

Precautionary statements For emergency responders : Personal protection equipment: see section 8

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

**6.3. Methods and material for containment and cleaning up****For containment**

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Collect in closed and suitable containers for disposal.

**For cleaning up**

Clean contaminated articles and floor according to the environmental legislation.

**Other information**

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

**Tin standard solution 100 µg/ml (Plasma)**

Revision: 12.06.2025

Product code: AC18.01146

Page 5 of 13

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

**6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

Read label before use.

Handle and open container with care.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Do not breathe dust/fume/gas/mist/vapours/spray.

Provide adequate ventilation.

Use extractor hood (laboratory).

**Advice on protection against fire and explosion**

Usual measures for fire prevention.

**Advice on general occupational hygiene**

Keep away from: Food and feedingstuffs

When using do not eat, drink, smoke, sniff.

Provide eye shower and label its location conspicuously

In the immediate working surroundings there must be: Emergency shower installed

**Further information on handling**

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Keep container tightly closed.

Corrosive to metals.

Unsuitable container/equipment material: Metal

Keep locked up. Store in a place accessible by authorized persons only.

**Hints on joint storage**

National regulations

**Further information on storage conditions**

Store in a dry place.

Store in a well-ventilated place.

**7.3. Specific end use(s)**

The product is intended for research, analysis and scientific education.

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters**

## Tin standard solution 100 µg/ml (Plasma)

Revision: 12.06.2025

Product code: AC18.01146

Page 6 of 13

## Exposure limits (EH40)

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
7664-39-3	Hydrogen fluoride (as F)	1.8 3	1.5 2.5		TWA (8 h) STEL (15 min)	WEL WEL
7697-37-2	Nitric acid	1	2.6		STEL (15 min)	WEL

## DNEL/DMEL values

CAS No	Substance	DNEL type	Exposure route	Effect	Value
7664-39-3	Hydrofluoric acid ... %				
	Worker DNEL, long-term		inhalation	systemic	1,5 mg/m <sup>3</sup>
	Worker DNEL, acute		inhalation	systemic	2,5 mg/m <sup>3</sup>
	Worker DNEL, long-term		inhalation	local	1,5 mg/m <sup>3</sup>
	Worker DNEL, acute		inhalation	local	2,5 mg/m <sup>3</sup>
	Consumer DNEL, long-term		inhalation	systemic	0,03 mg/m <sup>3</sup>
	Consumer DNEL, acute		inhalation	systemic	0,03 mg/m <sup>3</sup>
	Consumer DNEL, long-term		inhalation	local	0,2 mg/m <sup>3</sup>
	Consumer DNEL, acute		inhalation	local	1,25 mg/m <sup>3</sup>
	Consumer DNEL, long-term		oral	systemic	0,01 mg/kg bw/day
	Consumer DNEL, acute		oral	systemic	0,01 mg/kg bw/day

## PNEC values

CAS No	Substance	Environmental compartment	Value
7664-39-3	Hydrofluoric acid ... %		
	Freshwater		0,89 mg/l
	Marine water		0,089 mg/l
	Freshwater sediment		3,38 mg/kg
	Marine sediment		0,338 mg/kg
	Micro-organisms in sewage treatment plants (STP)		51 mg/l
	Soil		10,6 mg/kg

## Additional advice on limit values

Observe in addition any national regulations!

**8.2. Exposure controls**

## Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

## Individual protection measures, such as personal protective equipment

## Eye/face protection

goggles

Face protection umbrella

## Hand protection

Tested protective gloves must be worn

**Tin standard solution 100 µg/ml (Plasma)**

Revision: 12.06.2025

Product code: AC18.01146

Page 7 of 13

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

**Skin protection**

Wear suitable protective clothing.

When handling with chemical substances, protective clothing with CE-labels including the four control digits must be worn.

Take off immediately all contaminated clothing and wash it before reuse.

**Respiratory protection**

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

**Thermal hazards**

No data available

**Environmental exposure controls**

Do not allow to enter into surface water or drains.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state:	Liquid
Colour:	colourless
Odour:	No data available
Odour threshold:	No data available
Melting point/freezing point:	~0 °C
Boiling point or initial boiling point and boiling range:	~100 °C
Flammability:	No data available
Lower explosion limits:	No data available
Upper explosion limits:	No data available
Flash point:	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
pH-Value:	<1
Viscosity / kinematic:	No data available
Water solubility:	Yes.
Solubility in other solvents	
No data available	
Dissolution rate:	No data available
Partition coefficient n-octanol/water:	No data available
Dispersion stability:	No data available
Vapour pressure:	No data available
Vapour pressure:	No data available
Density (at 25 °C):	1,02 g/cm <sup>3</sup>
Relative density:	No data available
Bulk density:	No data available
Relative vapour density:	No data available
Particle characteristics:	No data available

**9.2. Other information****Information with regard to physical hazard classes****Explosive properties**

No data available

**Tin standard solution 100 µg/ml (Plasma)**

Revision: 12.06.2025

Product code: AC18.01146

Page 8 of 13

Sustained combustibility:	No data available
Self-ignition temperature	
Solid:	No data available
Gas:	No data available
Oxidizing properties	
No data available	

**Other safety characteristics**

Evaporation rate:	No data available
Solvent separation test:	No data available
Solvent content:	No data available
Solid content:	No data available
Sublimation point:	No data available
Softening point:	No data available
Pour point:	No data available
No data available:	
Viscosity / dynamic:	No data available
Flow time:	No data available

**Further Information**

No data available

**SECTION 10: Stability and reactivity****10.1. Reactivity**

Corrosive to metals.

**10.2. Chemical stability**

The product is stable under storage at normal ambient temperatures.

**10.3. Possibility of hazardous reactions**

Alkali (lye)

**10.4. Conditions to avoid**

No data available

**10.5. Incompatible materials**

Metal

The product develops hydrogen in an aqueous solution in contact with metals.

**10.6. Hazardous decomposition products**

In case of fire may be liberated:

SECTION 5: Firefighting measures

**Further information**

No data available

**SECTION 11: Toxicological information****11.1. Information on hazard classes****Toxicokinetics, metabolism and distribution**

No data available

**Acute toxicity**

Fatal if inhaled.

Toxic in contact with skin.

Harmful if swallowed.

## Tin standard solution 100 µg/ml (Plasma)

Revision: 12.06.2025

Product code: AC18.01146

Page 9 of 13

**ATEmix calculated**

ATE (oral) 500,0 mg/kg; ATE (dermal) 500,0 mg/kg; ATE (inhalation vapour) 2,380 mg/l; ATE (inhalation dust/mist) 0,2380 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7697-37-2	nitric acid ... %				
	inhalation vapour	ATE 0,05 mg/l			
	inhalation dust/mist	ATE 0,005 mg/l			
7664-39-3	Hydrofluoric acid ... %				
	oral	ATE 5 mg/kg			
	dermal	ATE 5 mg/kg			
	inhalation vapour	ATE 0,5 mg/l			
	inhalation dust/mist	ATE 0,05 mg/l			
	inhalation (1 h) gas	LC50 2240 ppm	Rat	Study report (1990)	OECD Guideline 403

**Irritation and corrosivity**

Skin corrosion/irritation: Causes severe skin burns and eye damage. (On basis of test data)

Serious eye damage/eye irritation: Causes serious eye damage. (On basis of test data)

Corrosive to the respiratory tract.

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

**Sensitising effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Information on likely routes of exposure**

No data available

**Specific effects in experiment on an animal**

No data available

**Additional information on tests**

No data available

**Practical experience**

No data available

**11.2. Information on other hazards****Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**Other information**

No data available

## Tin standard solution 100 µg/ml (Plasma)

Revision: 12.06.2025

Product code: AC18.01146

Page 10 of 13

**Further information**

No data available

**SECTION 12: Ecological information****12.1. Toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
7697-37-2	nitric acid ... %					
	Acute fish toxicity	LC50 1559 mg/l	96 h	Topeka shiner	Environmental Toxicology and Chemistry,	other: ASTM E729-26
	Fish toxicity	NOEC 268 mg/l	30 d	juvenile Topeka shiner and with juvenile Fathead m	Study report (2009)	Growth tests estimated the test chemical
	Algae toxicity	NOEC > 419 mg/l	10 d	several benthic diatoms; see results	Marine Biology 43:307-315 (1977)	Ten cultures of benthic diatoms were iso
	Acute bacteria toxicity	EC50 > 1000 mg/l ( )	3 h	Activated sludge	Study report (2008)	OECD Guideline 209
7664-39-3	Hydrofluoric acid ... %					
	Acute fish toxicity	LC50 299 mg/l	96 h	Salmo trutta	REACH Registration Dossier	other: U.S Environmental Protection Agen
	Acute algae toxicity	ErC50 43 mg/l	96 h	various algae species	REACH Registration Dossier	Methods not detailed in the review.
	Crustacea toxicity	NOEC 3,7 mg/l	21 d	Daphnia magna	REACH Registration Dossier	The publication is a review article of v
	Acute bacteria toxicity	EC50 2930 mg/l ( )	3 h	Activated sludge	REACH Registration Dossier	ISO 8192

**12.2. Persistence and degradability**

No data available

**12.3. Bioaccumulative potential**

No data available

**Partition coefficient n-octanol/water**

CAS No	Chemical name	Log Pow
7697-37-2	nitric acid ... %	-0,21

**BCF**

CAS No	Chemical name	BCF	Species	Source
7664-39-3	Hydrofluoric acid ... %	53 - 58	not specified	REACH Registration D

**12.4. Mobility in soil**

No data available

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

**Tin standard solution 100 µg/ml (Plasma)**

Revision: 12.06.2025

Product code: AC18.01146

Page 11 of 13

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**12.7. Other adverse effects**

Discharge into the environment must be avoided.

**Further information**

Do not allow to enter into surface water or drains.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Disposal recommendations**

Send to a physico-chemical treatment facility under observation of official regulations.

Do not allow to enter into surface water or drains.

**Contaminated packaging**

Handle contaminated packages in the same way as the substance itself.

**SECTION 14: Transport information****Land transport (ADR/RID)**

<b><u>14.1. UN number or ID number:</u></b>	UN 2922
<b><u>14.2. UN proper shipping name:</u></b>	CORROSIVE LIQUID, TOXIC, N.O.S. (Hydrofluoric acid, nitric acid)
<b><u>14.3. Transport hazard class(es):</u></b>	8
<b><u>14.4. Packing group:</u></b>	II
Hazard label:	8+6.1
Classification code:	CT1
Special Provisions:	274
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2
Hazard No:	86
Tunnel restriction code:	E

**Inland waterways transport (ADN)**

<b><u>14.1. UN number or ID number:</u></b>	UN 2922
<b><u>14.2. UN proper shipping name:</u></b>	CORROSIVE LIQUID, TOXIC, N.O.S. (Hydrofluoric acid, nitric acid)
<b><u>14.3. Transport hazard class(es):</u></b>	8
<b><u>14.4. Packing group:</u></b>	II
Hazard label:	8+6.1
Classification code:	CT1
Special Provisions:	274 802
Limited quantity:	1 L
Excepted quantity:	E2

**Marine transport (IMDG)**

<b><u>14.1. UN number or ID number:</u></b>	UN 2922
<b><u>14.2. UN proper shipping name:</u></b>	CORROSIVE LIQUID, TOXIC, N.O.S. (Hydrofluoric acid, nitric acid)
<b><u>14.3. Transport hazard class(es):</u></b>	8
<b><u>14.4. Packing group:</u></b>	II
Hazard label:	8+6.1
Special Provisions:	274
Limited quantity:	1 L
Excepted quantity:	E2
EmS:	F-A, S-B

**Tin standard solution 100 µg/ml (Plasma)**

Revision: 12.06.2025

Product code: AC18.01146

Page 12 of 13

**Air transport (ICAO-TI/IATA-DGR)**

<b>14.1. UN number or ID number:</b>	UN 2922
<b>14.2. UN proper shipping name:</b>	CORROSIVE LIQUID, TOXIC, N.O.S. (Hydrofluoric acid, nitric acid)
<b>14.3. Transport hazard class(es):</b>	8
<b>14.4. Packing group:</b>	II
Hazard label:	8+6.1
Special Provisions:	A3 A4 A803
Limited quantity Passenger:	0.5 L
Passenger LQ:	Y840
Excepted quantity:	E2
IATA-packing instructions - Passenger:	851
IATA-max. quantity - Passenger:	1 L
IATA-packing instructions - Cargo:	855
IATA-max. quantity - Cargo:	30 L

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**14.6. Special precautions for user**

No data available

**14.7. Maritime transport in bulk according to IMO instruments**

No data available

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Information according to Directive H2 ACUTE TOXIC

2012/18/EU (SEVESO III):

Marketing and use of explosives precursors (Regulation (EU) 2019/1148):

This product is regulated by Regulation (EU) 2019/1148: all suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

**Additional information**

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

**National regulatory information****SECTION 16: Other information****Abbreviations and acronyms**

Ox. Liq. 2: Oxidising liquids, hazard category 2

Met. Corr. 1: Corrosive to metals, hazard category 1

Acute Tox. 1: Acute toxicity, hazard category 1

Acute Tox. 2: Acute toxicity, hazard category 2

Acute Tox. 3: Acute toxicity, hazard category 3

Acute Tox. 4: Acute toxicity, hazard category 4

Skin Corr. 1A: Skin corrosion, sub-category 1A

Skin Corr. 1: Skin corrosion, hazard category 1

Eye Dam. 1: Serious eye damage, hazard category 1

## Tin standard solution 100 µg/ml (Plasma)

Revision: 12.06.2025

Product code: AC18.01146

Page 13 of 13

## Classification for mixtures and used evaluation method

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Acute Tox. 2; H330	Calculation method
Acute Tox. 3; H311	Calculation method
Acute Tox. 4; H302	Calculation method
Skin Corr. 1; H314	On basis of test data
Eye Dam. 1; H318	On basis of test data

## Relevant H and EUH statements (number and full text)

H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H300	Fatal if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
EUH071	Corrosive to the respiratory tract.

## Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*