

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Sulfur in Diesel Fuel Std, 5ppm (150-440-005)

Revision: 21.01.2026

Product code: AC18.06054

Page 1 of 11

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Sulfur in Diesel Fuel Std, 5ppm (150-440-005)

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

###### Use of the substance/mixture

Reagents and laboratory chemicals  
Only for laboratory and analysis purposes.

###### Uses advised against

Do not use for private purposes (household).

##### 1.3. Details of the supplier of the safety data sheet

###### Details of the supplier of the safety data sheet

Company name: AnalytiChem Services, Unipessoal, Lda  
Street: Rua de Júlio Dinis 676 7º  
Place: P-4050-320 Porto  
Telephone: +351 226002917  
E-mail: info@analytichem.com  
Contact person: SDS service department  
E-mail: SDS@analytichem.com  
Internet: www.analytichem.com  
Responsible Department: SDS service department

###### Supplier or manufacturer details

Company name: AnalytiChem Canada Inc.  
Street: Québec, CANADA  
Place: 21800 Clark Graham Ave  
CDN-H9X 4B6 Baie-D'Urfé  
Telephone: +1 (800) 361-6820  
E-mail: info@analytichem.com  
Contact person: SDS service department  
E-mail: SDS@analytichem.com  
Internet: www.analytichem.com  
Responsible Department: AnalytiChem:  
EU-Belgium: AnalytiChem Belgium, Industriezone "De Arend" 2, 8210 Zedelgem, Belgium, +32 50 28 83 20  
EU-Germany: AnalytiChem Germany, Stempelstrasse 6, 47167 Duisburg, Germany, +49 203 51 94 – 200  
EU-Netherlands: AnalytiChem Netherlands, Communicatieweg 7, 3641 SG Mijdrecht, The Netherlands, +31 297 286848  
UK: AnalytiChem UK, Unit 7 Launton Business Center, Murdock Road, Bicester, OX26 4XB, England, +44 1869 355 500  
USA: AnalytiChem USA, 227 China Road, Winslow, Maine, 04901, United States, +1 800-244-8378  
Canada: AnalytiChem Canada, 21800 Clark Graham Avenue, Baie d'Urfe, H9X 4B6, Canada, +1 514-457-0701  
Australia: ORE Research & Exploration Pty Ltd, 37A Hosie Street, Bayswater North, 3153, Australia, +61 3 9729 0333  
+353 1 901 4670 (CHEMTREC)

Telefax: +1 (800) 253-5549

##### 1.4. Emergency telephone number:

###### Further Information

No data available

**Sulfur in Diesel Fuel Std, 5ppm (150-440-005)**

Revision: 21.01.2026

Product code: AC18.06054

Page 2 of 11

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture**

Regulation (EC) No 1272/2008

Asp. Tox. 1; H304

Full text of hazard statements: see SECTION 16.

**2.2. Label elements**

Regulation (EC) No 1272/2008

Hazard components for labelling

"Distillates (petroleum), hydro-treated light; Kerosine - unspecified"

Signal word: Danger

Pictograms:



Hazard statements

H304 May be fatal if swallowed and enters airways.

Precautionary statements

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P331 Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents/container to an appropriate recycling or disposal facility.

**2.3. Other hazards**

No data available

**SECTION 3: Composition/information on ingredients****3.2. Mixtures**

Relevant ingredients

| CAS No     | Chemical name                                                          |              |          | Quantity |
|------------|------------------------------------------------------------------------|--------------|----------|----------|
|            | EC No                                                                  | Index No     | REACH No |          |
|            | Classification (Regulation (EC) No 1272/2008)                          |              |          |          |
| 64742-47-8 | "Distillates (petroleum), hydro-treated light; Kerosine - unspecified" |              |          | 100 %    |
|            | 265-149-8                                                              | 649-422-00-2 |          |          |
|            | Asp. Tox. 1; H304                                                      |              |          |          |

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

| CAS No     | EC No                                                                                            | Chemical name                                                          | Quantity |
|------------|--------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|----------|
|            | Specific Conc. Limits, M-factors and ATE                                                         |                                                                        |          |
| 64742-47-8 | 265-149-8                                                                                        | "Distillates (petroleum), hydro-treated light; Kerosine - unspecified" | 100 %    |
|            | inhalation: LC50 = > 5,28 mg/l (vapours); dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg |                                                                        |          |

Further Information

No data available

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Sulfur in Diesel Fuel Std, 5ppm (150-440-005)

Revision: 21.01.2026

Product code: AC18.06054

Page 3 of 11

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

No data available

#### After inhalation

Provide fresh air.

Call a doctor if you feel unwell.

#### After contact with skin

Wash immediately with: Water, Soap

Take off immediately all contaminated clothing and wash it before reuse.

In case of skin irritation, consult a physician.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

In case of eye irritation consult an ophthalmologist.

#### After ingestion

Observe risk of aspiration if vomiting occurs.

Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

Gastrointestinal complaints

Pneumonia

Vapours may cause drowsiness and dizziness.

Dizziness

Depression of central nervous system

Headache

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Foam

Carbon dioxide (CO<sub>2</sub>)

Extinguishing powder

Water

#### Unsuitable extinguishing media

No data available

### 5.2. Special hazards arising from the substance or mixture

Combustible liquids

Hazardous combustion products

In case of fire may be liberated:

Carbon dioxide (CO<sub>2</sub>)

Carbon monoxide

In case of warming:

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Sulfur in Diesel Fuel Std, 5ppm (150-440-005)

Revision: 21.01.2026

Product code: AC18.06054

Page 4 of 11

#### Additional information

- Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.
- Use water spray jet to protect personnel and to cool endangered containers.
- Move undamaged containers from immediate hazard area if it can be done safely.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### General advice

- In case of warning:
- Vapours are heavier than air, spread along floors and form explosive mixtures with air.
- Take precautionary measures against static discharges.

##### For non-emergency personnel

- Provide adequate ventilation.
- Use personal protection equipment.
- Avoid contact with skin, eyes and clothes.
- Remove persons to safety.
- Emergency procedures
- Consult an expert
- Do not breathe dust/fume/gas/mist/vapours/spray.

##### For emergency responders

- Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### 6.2. Environmental precautions

- Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

##### For containment

- Cover drains.
- Prevent spread over a wide area (e.g. by containment or oil barriers).
- Collect in closed and suitable containers for disposal.
- Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

##### For cleaning up

- Clean contaminated articles and floor according to the environmental legislation.

##### Other information

- Provide adequate ventilation.
- Do not breathe dust/fume/gas/mist/vapours/spray.
- Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### 6.4. Reference to other sections

- Safe handling: see section 7
- Personal protection equipment: see section 8
- Disposal: see section 13

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

##### Advice on safe handling

- Read label before use. Handle and open container with care.
- When using do not eat, drink, smoke, sniff. Keep container tightly closed.
- Use personal protection equipment.
- Do not breathe vapour/aerosol.
- Provide adequate ventilation.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Sulfur in Diesel Fuel Std, 5ppm (150-440-005)

Revision: 21.01.2026

Product code: AC18.06054

Page 5 of 11

#### Advice on protection against fire and explosion

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Take precautionary measures against static discharges.

In case of warming:

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

#### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

#### Further information on handling

Take off immediately all contaminated clothing and wash it before reuse.

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

#### 7.2. Conditions for safe storage, including any incompatibilities

##### Requirements for storage rooms and vessels

Store in a well-ventilated place.

Keep container tightly closed.

##### Hints on joint storage

Do not store together with: Oxidising agent. Pyrophoric or self-heating substances.

##### Further information on storage conditions

Keep cool. Protect from sunlight.

#### 7.3. Specific end use(s)

Laboratory chemicals

Only for laboratory and analysis purposes.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### Additional advice on limit values

Observe in addition any national regulations!

#### 8.2. Exposure controls

##### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Do not breathe gas/fumes/vapour/spray.

##### Individual protection measures, such as personal protective equipment

##### Eye/face protection

goggles

##### Hand protection

Tested protective gloves must be worn

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

##### Skin protection

Wear suitable protective clothing.

Take off immediately all contaminated clothing and wash it before reuse.

Wash hands and face before breaks and after work and take a shower if necessary.

Draw up and observe skin protection programme.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Sulfur in Diesel Fuel Std, 5ppm (150-440-005)

Revision: 21.01.2026

Product code: AC18.06054

Page 6 of 11

#### Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### Thermal hazards

No data available

#### Environmental exposure controls

Do not allow to enter into surface water or drains.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                                                           |                            |
|-----------------------------------------------------------|----------------------------|
| Physical state:                                           | Liquid                     |
| Colour:                                                   | colourless, clear          |
| Odour:                                                    | like: Hydrocarbons         |
| Odour threshold:                                          | No data available          |
| Melting point/freezing point:                             | No data available          |
| Boiling point or initial boiling point and boiling range: | 218-800 (424.4-1472 °F) °C |
| Flammability:                                             | No data available          |
| Lower explosion limits:                                   | No data available          |
| Upper explosion limits:                                   | No data available          |
| Flash point:                                              | No data available          |
| Auto-ignition temperature:                                | No data available          |
| Decomposition temperature:                                | No data available          |
| pH-Value:                                                 | No data available          |
| Viscosity / kinematic:                                    | No data available          |
| Water solubility:                                         | No data available          |
| Solubility in other solvents                              |                            |
| No data available                                         |                            |
| Dissolution rate:                                         | No data available          |
| Partition coefficient n-octanol/water:                    | No data available          |
| Dispersion stability:                                     | No data available          |
| Vapour pressure:                                          | No data available          |
| Vapour pressure:                                          | No data available          |
| Density:                                                  | No data available          |
| Relative density:                                         | No data available          |
| Bulk density:                                             | No data available          |
| Relative vapour density:                                  | No data available          |
| Particle characteristics:                                 | No data available          |

### 9.2. Other information

#### Information with regard to physical hazard classes

##### Explosive properties

In case of warming:

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

##### Sustained combustibility:

No data available

##### Self-ignition temperature

Solid:

No data available

Gas:

No data available

##### Oxidizing properties

No data available

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Sulfur in Diesel Fuel Std, 5ppm (150-440-005)

Revision: 21.01.2026

Product code: AC18.06054

Page 7 of 11

#### Other safety characteristics

|                          |                   |
|--------------------------|-------------------|
| Evaporation rate:        | No data available |
| Solvent separation test: | No data available |
| Solvent content:         | No data available |
| Solid content:           | No data available |
| Sublimation point:       | No data available |
| Softening point:         | No data available |
| Pour point:              | No data available |
| No data available:       | No data available |
| Viscosity / dynamic:     | No data available |
| Flow time:               | No data available |

#### Further Information

No data available

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

In case of warming:  
Vapours may form explosive mixtures with air.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

Oxidising agent

#### 10.4. Conditions to avoid

Heat  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### 10.5. Incompatible materials

No data available

#### 10.6. Hazardous decomposition products

in case of fire, see:  
SECTION 5: Firefighting measures

#### Further information

No data available

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

##### Toxicocinetics, metabolism and distribution

No data available

##### Acute toxicity

Based on available data, the classification criteria are not met.

##### ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Sulfur in Diesel Fuel Std, 5ppm (150-440-005)

Revision: 21.01.2026

Product code: AC18.06054

Page 8 of 11

| CAS No     | Chemical name                                                          |                   |         |                     |                    |
|------------|------------------------------------------------------------------------|-------------------|---------|---------------------|--------------------|
|            | Exposure route                                                         | Dose              | Species | Source              | Method             |
| 64742-47-8 | "Distillates (petroleum), hydro-treated light; Kerosine - unspecified" |                   |         |                     |                    |
|            | oral                                                                   | LD50 > 5000 mg/kg | Rat     | Study report (1992) | EPA OTS 798.1175   |
|            | dermal                                                                 | LD50 > 2000 mg/kg | Rabbit  | Study report (1992) | EPA OTS 798.1100   |
|            | inhalation (4 h) vapour                                                | LC50 > 5,28 mg/l  | Rat     | Study report (1987) | OECD Guideline 403 |

#### Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

May be fatal if swallowed and enters airways.

#### Information on likely routes of exposure

No data available

#### Specific effects in experiment on an animal

No data available

#### Additional information on tests

No data available

#### Practical experience

No data available

### 11.2. Information on other hazards

#### Endocrine disrupting properties

No data available

#### Other information

No data available

#### Further information

Gastrointestinal complaints

Pneumonia

Vapours may cause drowsiness and dizziness.

Dizziness

Depression of central nervous system

Headache

## SECTION 12: Ecological information

### 12.1. Toxicity



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Sulfur in Diesel Fuel Std, 5ppm (150-440-005)

Revision: 21.01.2026

Product code: AC18.06054

Page 9 of 11

Based on available data, the classification criteria are not met.

| CAS No     | Chemical name                                                          |              |           |         |                          |                                           |
|------------|------------------------------------------------------------------------|--------------|-----------|---------|--------------------------|-------------------------------------------|
|            | Aquatic toxicity                                                       | Dose         | [h]   [d] | Species | Source                   | Method                                    |
| 64742-47-8 | "Distillates (petroleum), hydro-treated light; Kerosine - unspecified" |              |           |         |                          |                                           |
|            | Acute fish toxicity                                                    | LL50<br>mg/l | 2 - 5     | 96 h    | Oncorhynchus mykiss      | Study report (1994)<br>OECD Guideline 203 |
|            | Acute algae toxicity                                                   | ErC50        | 8,3 mg/l  | 72 h    | Raphidocelis subcapitata | Study report (1995)<br>OECD Guideline 201 |
|            | Acute crustacea toxicity                                               | EL50         | 1,4 mg/l  | 48 h    | Daphnia magna            | Study report (1995)<br>OECD Guideline 202 |

#### 12.2. Persistence and degradability

No data available

#### 12.3. Bioaccumulative potential

No data available

#### 12.4. Mobility in soil

No data available

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

Do not allow to enter into surface water or drains.

#### Further information

Avoid release to the environment.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### Disposal recommendations

Dispose of contents/container to hazardous or special waste collection point.  
Do not allow to enter into surface water or drains.

##### Contaminated packaging

This material and its container must be disposed of as hazardous waste.  
Handle contaminated packages in the same way as the substance itself.

### SECTION 14: Transport information

#### Land transport (ADR/RID)

##### 14.1. UN number or ID number:

No dangerous good in sense of this transport regulation.

##### 14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

##### 14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

##### 14.4. Packing group:

No dangerous good in sense of this transport regulation.

#### Inland waterways transport (ADN)

##### 14.1. UN number or ID number:

No dangerous good in sense of this transport regulation.

##### 14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

##### 14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

##### 14.4. Packing group:

No dangerous good in sense of this transport regulation.

#### Marine transport (IMDG)

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Sulfur in Diesel Fuel Std, 5ppm (150-440-005)

Revision: 21.01.2026

Product code: AC18.06054

Page 10 of 11

|                                          |                                                          |
|------------------------------------------|----------------------------------------------------------|
| <b>14.1. UN number or ID number:</b>     | No dangerous good in sense of this transport regulation. |
| <b>14.2. UN proper shipping name:</b>    | No dangerous good in sense of this transport regulation. |
| <b>14.3. Transport hazard class(es):</b> | No dangerous good in sense of this transport regulation. |
| <b>14.4. Packing group:</b>              | No dangerous good in sense of this transport regulation. |

#### Air transport (ICAO-TI/IATA-DGR)

|                                          |                                                          |
|------------------------------------------|----------------------------------------------------------|
| <b>14.1. UN number or ID number:</b>     | No dangerous good in sense of this transport regulation. |
| <b>14.2. UN proper shipping name:</b>    | No dangerous good in sense of this transport regulation. |
| <b>14.3. Transport hazard class(es):</b> | No dangerous good in sense of this transport regulation. |
| <b>14.4. Packing group:</b>              | No dangerous good in sense of this transport regulation. |

#### 14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

#### 14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

Information according to Directive  
2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

#### National regulatory information

## SECTION 16: Other information

#### Abbreviations and acronyms

Asp. Tox. 1: Aspiration hazard, hazard category 1

#### Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

| Classification    | Classification procedure |
|-------------------|--------------------------|
| Asp. Tox. 1; H304 | Calculation method       |

#### Relevant H and EUH statements (number and full text)

H304 May be fatal if swallowed and enters airways.

#### Further Information

Provide appropriate information, instructions and training to users

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Sulfur in Diesel Fuel Std, 5ppm (150-440-005)

Revision: 21.01.2026

Product code: AC18.06054

Page 11 of 11

#### Identified uses

| No | Short title | LCS | SU | PC | PROC | ERC | AC | TF | Specification |
|----|-------------|-----|----|----|------|-----|----|----|---------------|
| 1  | PC21        | -   | -  | 21 | 15   | -   | -  | -  |               |
| 2  | PROC15      | -   | -  | -  | 15   | -   | -  | -  |               |

LCS: Life cycle stages

PC: Product categories

ERC: Environmental release categories

TF: Technical functions

SU: Sectors of use

PROC: Process categories

AC: Article categories

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*