

Safety Data Sheet

according to Regulation (EC) No 1907/2006

ICP Standard, Te, 1000 Âµg/ml in HNO3 (140-051-52x)

Revision: 25.08.2025

Product code: AC18.06328

Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

ICP Standard, Te, 1000 Âµg/ml in HNO3 (140-051-52x)

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**Reagents and laboratory chemicals
Only for laboratory and analysis purposes.**Uses advised against**

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet**Details of the supplier of the safety data sheet**

Company name: AnalytiChem Services, Unipessoal, Lda
Street: Rua de Júlio Dinis 676 7º
Place: P-4050-320 Porto
Telephone: +351 226002917
E-mail: info@analytichem.com
Contact person: SDS service department
E-mail: SDS@analytichem.com
Internet: www.analytichem.com
Responsible Department: SDS service department

Supplier or manufacturer details

Company name: AnalytiChem Canada Inc.
Québec, CANADA
Street: 21800 Clark Graham Ave
Place: CDN-H9X 4B6 Baie-D'Urfé
Telephone: +1 (800) 361-6820 Telefax: +1 (800) 253-5549
E-mail: info@analytichem.com
Contact person: SDS service department
E-mail: SDS@analytichem.com
Internet: www.analytichem.com
Responsible Department: AnalytiChem:
EU-Belgium: AnalytiChem Belgium, Industriezone "De Arend" 2, 8210 Zedelgem, Belgium, +32 50 28 83 20
EU-Germany: AnalytiChem Germany, Stempelstrasse 6, 47167 Duisburg, Germany, +49 203 51 94 – 200
EU-Netherlands: AnalytiChem Netherlands, Communicatieweg 7, 3641 SG Mijdrecht, The Netherlands, +31 297 286848
UK: AnalytiChem UK, Unit 7 Launton Business Center, Murdock Road, Bicester, OX26 4XB, England, +44 1869 355 500
USA: AnalytiChem USA, 227 China Road, Winslow, Maine, 04901, United States, +1 800-244-8378
Canada: AnalytiChem Canada, 21800 Clark Graham Avenue, Baie d'Urfe, H9X 4B6, Canada, +1 514-457-0701
Australia: ORE Research & Exploration Pty Ltd, 37A Hosie Street, Bayswater North, 3153, Australia, +61 3 9729 0333
+353 1 901 4670 (CHEMTREC)

1.4. Emergency telephone number:**Further Information**

No data available

Safety Data Sheet

according to Regulation (EC) No 1907/2006

ICP Standard, Te, 1000 Åµg/ml in HNO₃ (140-051-52x)

Revision: 25.08.2025

Product code: AC18.06328

Page 2 of 12

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

Met. Corr. 1; H290
Skin Corr. 1B; H314
Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

2.2. Label elements**Regulation (EC) No 1272/2008****Hazard components for labelling**

nitric acid

Signal word: Danger**Pictograms:****Hazard statements**

H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.
EUH071 Corrosive to the respiratory tract.

Precautionary statements

P260 Do not breathe mist/vapours/spray.
P264 Wash hands and face thoroughly after handling.
P280 Wear protective gloves/protective clothing and eye protection/face protection.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Chemical characterization**

Mixtures in aqueous solution

Safety Data Sheet

according to Regulation (EC) No 1907/2006

ICP Standard, Te, 1000 Åµg/ml in HNO3 (140-051-52x)

Revision: 25.08.2025

Product code: AC18.06328

Page 3 of 12

Relevant ingredients

| CAS No | Chemical name | | | Quantity |
|------------|--|--------------|------------------|-------------|
| | EC No | Index No | REACH No | |
| | Classification (Regulation (EC) No 1272/2008) | | | |
| 7697-37-2 | nitric acid | | | 10 - < 15 % |
| | 231-714-2 | 007-030-00-3 | 01-2119487297-23 | |
| | Ox. Liq. 3, Met. Corr. 1, Acute Tox. 3, Skin Corr. 1A, Eye Dam. 1; H272 H290 H331 H314 H318 EUH071 | | | |
| 13494-80-9 | tellurium | | | < 1 % |
| | 236-813-4 | 052-001-00-0 | | |
| | Repr. 1B, Lact., Acute Tox. 4, Eye Irrit. 2, STOT SE 3; H360Df H362 H332 H319 H335 | | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|------------|---|---------------|-------------|
| | Specific Conc. Limits, M-factors and ATE | | |
| 7697-37-2 | 231-714-2 | nitric acid | 10 - < 15 % |
| | inhalation: ATE 2,65 mg/l (vapours) Ox. Liq. 3; H272: >= 65 - 100 Skin Corr. 1A; H314: >= 20 - 100 Skin Corr. 1B; H314: >= 5 - < 20 | | |
| 13494-80-9 | 236-813-4 | tellurium | < 1 % |
| | inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists) | | |

Further Information

No data available

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No data available

After inhalation

Provide fresh air.

Call a physician immediately.

After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Rinse mouth immediately and drink plenty of water.

Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk.

Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritant

Causes burns.

Methaemoglobinaemia

4.3. Indication of any immediate medical attention and special treatment needed

Safety Data Sheet

according to Regulation (EC) No 1907/2006

ICP Standard, Te, 1000 Åµg/ml in HNO3 (140-051-52x)

Revision: 25.08.2025

Product code: AC18.06328

Page 4 of 12

No data available

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

No data available

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids

Hazardous combustion products

In case of fire may be liberated:

Nitrogen oxides (NO_x)

Metal oxide smoke, toxic

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

In case of fire and/or explosion do not breathe fumes.

Avoid contact with skin, eyes and clothes.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Move undamaged containers from immediate hazard area if it can be done safely.

Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Corrosive to metals.

Do not breathe vapour/aerosol.

For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up**For containment**

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Collect in closed and suitable containers for disposal.

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

ICP Standard, Te, 1000 Åµg/ml in HNO₃ (140-051-52x)

Revision: 25.08.2025

Product code: AC18.06328

Page 5 of 12

Other information

- Provide adequate ventilation.
- Do not breathe dust/fume/gas/mist/vapours/spray.
- Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

- Safe handling: see section 7
- Personal protection equipment: see section 8
- Disposal: see section 13

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

- Read label before use. Handle and open container with care.
- When using do not eat, drink, smoke, sniff. Use personal protection equipment.
- Provide adequate ventilation. Avoid contact with skin, eyes and clothes.
- Do not breathe vapour/aerosol. Use extractor hood (laboratory).

Advice on protection against fire and explosion

- Usual measures for fire prevention.

Advice on general occupational hygiene

- Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately.
- Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

Further information on handling

- Draw up and observe skin protection programme.
- Wash hands and face before breaks and after work and take a shower if necessary.
- Take off immediately all contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

- Corrosive to metals.
- Unsuitable container/equipment material: Metal
- The product develops hydrogen in an aqueous solution in contact with metals.

Hints on joint storage

- National regulatory information

Further information on storage conditions

- Keep container tightly closed.
- Store in a place accessible by authorized persons only.

7.3. Specific end use(s)

- Laboratory chemicals
- Only for laboratory and analysis purposes.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters**

Safety Data Sheet

according to Regulation (EC) No 1907/2006

ICP Standard, Te, 1000 Åµg/ml in HNO3 (140-051-52x)

Revision: 25.08.2025

Product code: AC18.06328

Page 6 of 12

Occupational exposure limits

| CAS No | Substance | ppm | mg/m ³ | fib/cm ³ | Category | Origin |
|------------|-------------|-----|-------------------|---------------------|---------------|--------|
| 7697-37-2 | Nitric acid | 1 | 2.6 | | STEL (15 min) | |
| 13494-80-9 | Tellurium | - | 0.1 | | TWA (8 h) | |

Additional advice on limit values

Observe in addition any national regulations!

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Do not breathe vapour/aerosol.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles

Wear eye/face protection.

Hand protection

Tested protective gloves must be worn

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Take off immediately all contaminated clothing and wash it before reuse.

Wash hands and face before breaks and after work and take a shower if necessary.

Draw up and observe skin protection programme.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Thermal hazards

No data available

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

| | | |
|---|-------------------|-------------------|
| Physical state: | Liquid | |
| Colour: | colourless | |
| Odour: | odourless | |
| Odour threshold: | No data available | |
| Melting point/freezing point: | | No data available |
| Boiling point or initial boiling point and boiling range: | | No data available |
| Flammability: | | No data available |
| Lower explosion limits: | | No data available |
| Upper explosion limits: | | No data available |

Safety Data Sheet

according to Regulation (EC) No 1907/2006

ICP Standard, Te, 1000 Åµg/ml in HNO3 (140-051-52x)

Revision: 25.08.2025

Product code: AC18.06328

Page 7 of 12

| | |
|--|-------------------------|
| Flash point: | No data available |
| Auto-ignition temperature: | No data available |
| Decomposition temperature: | No data available |
| pH-Value: | No data available |
| Viscosity / kinematic: | No data available |
| Water solubility: | No data available |
| Solubility in other solvents | |
| No data available | |
| Dissolution rate: | No data available |
| Partition coefficient n-octanol/water: | No data available |
| Dispersion stability: | No data available |
| Vapour pressure: | No data available |
| Vapour pressure: | No data available |
| Density (at 22.0 °C): | 1.050 g/cm ³ |
| Relative density: | No data available |
| Bulk density: | No data available |
| Relative vapour density: | No data available |
| Particle characteristics: | No data available |

9.2. Other information**Information with regard to physical hazard classes**

Explosive properties

No data available

Sustained combustibility:

No data available

Self-ignition temperature

Solid:

No data available

Gas:

No data available

Oxidizing properties

No data available

Other safety characteristics

Evaporation rate:

No data available

Solvent separation test:

No data available

Solvent content:

No data available

Solid content:

No data available

Sublimation point:

No data available

Softening point:

No data available

Pour point:

No data available

No data available:

Viscosity / dynamic:

No data available

Flow time:

No data available

Further Information

Corrosive to metals.

SECTION 10: Stability and reactivity**10.1. Reactivity**

Corrosive to metals.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Alkali (lye)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

ICP Standard, Te, 1000 Åµg/ml in HNO3 (140-051-52x)

Revision: 25.08.2025

Product code: AC18.06328

Page 8 of 12

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

Cellulose

Metal

The product develops hydrogen in an aqueous solution in contact with metals.

10.6. Hazardous decomposition products

In case of fire may be liberated:

SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Toxicokinetics, metabolism and distribution**

There are no data available on the mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg

| CAS No | Chemical name | | | | |
|------------|----------------------|---------------|---------|--------|--------|
| | Exposure route | Dose | Species | Source | Method |
| 7697-37-2 | nitric acid | | | | |
| | inhalation vapour | ATE 2,65 mg/l | | | |
| 13494-80-9 | tellurium | | | | |
| | inhalation vapour | ATE 11 mg/l | | | |
| | inhalation dust/mist | ATE 1,5 mg/l | | | |

Irritation and corrosivity

Skin corrosion/irritation: Causes severe skin burns and eye damage.

Serious eye damage/eye irritation: Causes serious eye damage.

Corrosive to the respiratory tract.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

There are no data available on the mixture itself.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

ICP Standard, Te, 1000 Åµg/ml in HNO₃ (140-051-52x)

Revision: 25.08.2025

Product code: AC18.06328

Page 9 of 12

Specific effects in experiment on an animal

There are no data available on the mixture itself.

Additional information on tests

There are no data available on the mixture itself.

Practical experience

There are no data available on the mixture itself.

11.2. Information on other hazards**Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Other information

There are no data available on the mixture itself.

Further information

There are no data available on the mixture itself.

SECTION 12: Ecological information**12.1. Toxicity**

Based on available data, the classification criteria are not met.

| CAS No | Chemical name | | | | | |
|-----------|-------------------------|--------------|-----------------|---------|--|--|
| | Aquatic toxicity | Dose | [h] [d] | Species | Source | Method |
| 7697-37-2 | nitric acid | | | | | |
| | Acute fish toxicity | LC50 mg/l | 1559 | 96 h | Topeka shiner | Environmental Toxicology and Chemistry, other: ASTM E729-26 |
| | Fish toxicity | NOEC | 268 mg/l | 30 d | juvenile Topeka shiner and with juvenile Fathead m | Study report (2009) Growth tests estimated the test chemical |
| | Algae toxicity | NOEC | > 419 mg/l | 10 d | several benthic diatoms; see results | Marine Biology 43:307-315 (1977) Ten cultures of benthic diatoms were iso |
| | Acute bacteria toxicity | EC50 | > 1000 mg/l () | 3 h | Activated sludge | Study report (2008) OECD Guideline 209 |

12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Discharge into the environment must be avoided.

Further information

Do not allow to enter into surface water or drains.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

ICP Standard, Te, 1000 Åµg/ml in HNO3 (140-051-52x)

Revision: 25.08.2025

Product code: AC18.06328

Page 10 of 12

SECTION 13: Disposal considerations

13.1. Waste treatment methods**Disposal recommendations**

Send to a physico-chemical treatment facility under observation of official regulations .

Do not empty into drains.

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

| | |
|--|--|
| 14.1. UN number or ID number: | UN 3264 |
| 14.2. UN proper shipping name: | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.(nitric acid) |
| 14.3. Transport hazard class(es): | 8 |
| 14.4. Packing group: | II |
| Hazard label: | 8 |
| Classification code: | C1 |
| Special Provisions: | 274 |
| Limited quantity: | 1 L |
| Excepted quantity: | E2 |
| Transport category: | 2 |
| Hazard No: | 80 |
| Tunnel restriction code: | E |

Inland waterways transport (ADN)

| | |
|--|--|
| 14.1. UN number or ID number: | UN 3264 |
| 14.2. UN proper shipping name: | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.(nitric acid) |
| 14.3. Transport hazard class(es): | 8 |
| 14.4. Packing group: | II |
| Hazard label: | 8 |
| Classification code: | C1 |
| Special Provisions: | 274 |
| Limited quantity: | 1 L |
| Excepted quantity: | E2 |

Marine transport (IMDG)

| | |
|--|--|
| 14.1. UN number or ID number: | UN 3264 |
| 14.2. UN proper shipping name: | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.(nitric acid) |
| 14.3. Transport hazard class(es): | 8 |
| 14.4. Packing group: | II |
| Hazard label: | 8 |
| Special Provisions: | 274 |
| Limited quantity: | 1 L |
| Excepted quantity: | E2 |
| EmS: | F-A, S-B |
| Segregation group: | 1 - acids |

Air transport (ICAO-TI/IATA-DGR)

| | |
|--|--|
| 14.1. UN number or ID number: | UN 3264 |
| 14.2. UN proper shipping name: | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.(nitric acid) |
| 14.3. Transport hazard class(es): | 8 |
| 14.4. Packing group: | II |

Safety Data Sheet

according to Regulation (EC) No 1907/2006

ICP Standard, Te, 1000 Åµg/ml in HNO3 (140-051-52x)

Revision: 25.08.2025

Product code: AC18.06328

Page 11 of 12

| | | |
|--|---------|------|
| Hazard label: | 8 | |
| Special Provisions: | A3 A803 | |
| Limited quantity Passenger: | 0.5 L | |
| Passenger LQ: | Y840 | |
| Excepted quantity: | E2 | |
| IATA-packing instructions - Passenger: | | 851 |
| IATA-max. quantity - Passenger: | | 1 L |
| IATA-packing instructions - Cargo: | | 855 |
| IATA-max. quantity - Cargo: | | 30 L |

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 30, Entry 75

Information according to Directive 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

2012/18/EU (SEVESO III):

Marketing and use of explosives precursors (Regulation (EU) 2019/1148):

Acquisition, introduction, possession or use of this product by the general public is restricted by Regulation (EU) 2019/1148. All suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

National regulatory information**SECTION 16: Other information****Changes**

This data sheet contains changes from the previous version in section(s): 1,3,5,9,11,14.

Abbreviations and acronyms

Ox. Liq. 3: Oxidising liquids, hazard category 3

Met. Corr. 1: Corrosive to metals, hazard category 1

Acute Tox. 3: Acute toxicity, hazard category 3

Acute Tox. 4: Acute toxicity, hazard category 4

Skin Corr. 1A: Skin corrosion, sub-category 1A

Skin Corr. 1B: Skin corrosion, sub-category 1B

Eye Dam. 1: Serious eye damage, hazard category 1

Eye Irrit. 2: Eye irritation, hazard category 2

Repr. 1B: Reproductive toxicity, hazard category 1B

Lact.: Reproductive toxicity, lactation effects

STOT SE 3: Specific target organ toxicity - single exposure, hazard category 3

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

| Classification | Classification procedure |
|---------------------|--------------------------|
| Met. Corr. 1; H290 | On basis of test data |
| Skin Corr. 1B; H314 | Calculation method |
| Eye Dam. 1; H318 | Calculation method |

Relevant H and EUH statements (number and full text)

H272 May intensify fire; oxidiser.

H290 May be corrosive to metals.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

ICP Standard, Te, 1000 Åµg/ml in HNO₃ (140-051-52x)

Revision: 25.08.2025

Product code: AC18.06328

Page 12 of 12

| | |
|--------|---|
| H314 | Causes severe skin burns and eye damage. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H331 | Toxic if inhaled. |
| H332 | Harmful if inhaled. |
| H335 | May cause respiratory irritation. |
| H360Df | May damage the unborn child. Suspected of damaging fertility. |
| H362 | May cause harm to breast-fed children. |
| EUH071 | Corrosive to the respiratory tract. |

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. Provide appropriate information, instructions and training to users

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)