

Safety Data Sheet

according to WHMIS

PlasmaCAL ICP/ICPMS Standard - Tellurium 10000 µg/ml (Te)

Revision: 27.10.2025

Product code: AC18.06419

Page 1 of 10

1. Identification**Product identifier**

PlasmaCAL ICP/ICPMS Standard - Tellurium 10000 µg/ml (Te)

Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Reagents and laboratory chemicals
Only for laboratory and analysis purposes.

Uses advised against

Do not use for private purposes (household).

Details of the supplier of the safety data sheet**Details of the supplier of the safety data sheet**

Company name: AnalytiChem Services, Unipessoal, Lda
Street: Rua de Júlio Dinis 676 7º
Place: P-4050-320 Porto
Telephone: +351 226002917
E-mail: info@analytichem.com
Contact person: SDS service department
E-mail: SDS@analytichem.com
Internet: www.analytichem.com
Responsible Department: SDS service department

Supplier or manufacturer details

Company name: AnalytiChem Canada Inc.
Street: Québec, CANADA
Place: 21800 Clark Graham Ave
CDN-H9X 4B6 Baie-D'Urfé
Telephone: +1 (800) 361-6820
E-mail: info@analytichem.com
Contact person: SDS service department
E-mail: SDS@analytichem.com
Internet: www.analytichem.com
Responsible Department: AnalytiChem:
EU-Belgium: AnalytiChem Belgium, Industriezone "De Arend" 2, 8210 Zedelgem, Belgium, +32 50 28 83 20
EU-Germany: AnalytiChem Germany, Stempelstrasse 6, 47167 Duisburg, Germany, +49 203 51 94 – 200
EU-Netherlands: AnalytiChem Netherlands, Communicatieweg 7, 3641 SG Mijdrecht, The Netherlands, +31 297 286848
UK: AnalytiChem UK, Unit 7 Launton Business Center, Murdock Road, Bicester, OX26 4XB, England, +44 1869 355 500
USA: AnalytiChem USA, 227 China Road, Winslow, Maine, 04901, United States, +1 800-244-8378
Canada: AnalytiChem Canada, 21800 Clark Graham Avenue, Baie d'Urfe, H9X 4B6, Canada, +1 514-457-0701
Australia: ORE Research & Exploration Pty Ltd, 37A Hosie Street, Bayswater North, 3153, Australia, +61 3 9729 0333
Telefax: +1 (800) 253-5549

Emergency telephone number:

+1 703-741-5970 (CHEMTREC)

Further Information

No data available

Safety Data Sheet

according to WHMIS

PlasmaCAL ICP/ICPMS Standard - Tellurium 10000 µg/ml (Te)

Revision: 27.10.2025

Product code: AC18.06419

Page 2 of 10

2. Hazard identification**Classification of the substance or mixture****WHMIS 2015**

- Corrosive to metals: Met. Corr. 1
- Reproductive toxicity: Repr. 1B
- Reproductive toxicity: Lact.
- Skin corrosion/irritation: Skin Corr. 1B
- Serious eye damage/eye irritation: Eye Dam. 1
- Specific target organ toxicity - single exposure: STOT SE 3 (respiratory tract irritation)

Label elements**WHMIS 2015****Signal word:** Danger**Pictograms:****Hazard statements**

- May be corrosive to metals.
- Causes severe skin burns and eye damage.
- May cause respiratory irritation.
- May damage fertility or the unborn child.
- May cause harm to breast-fed children.

Precautionary statements

- Obtain special instructions before use.
- Do not handle until all safety precautions have been read and understood.
- Keep only in original packaging.
- Do not breathe dust/fume/gas/mist/vapours/spray.
- Avoid contact during pregnancy and while nursing.
- Wash hands and face thoroughly after handling.
- Do not eat, drink or smoke when using this product.
- Use only outdoors or in a well-ventilated area.
- Wear protective gloves/protective clothing and eye protection/face protection.
- IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
- IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
- Wash contaminated clothing before reuse.
- IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- Immediately call a POISON CENTER/doctor.
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- Immediately call a POISON CENTER/doctor.
- IF exposed or concerned: Get medical advice/attention.
- Absorb spillage to prevent material damage.
- Store in a well-ventilated place. Keep container tightly closed.
- Store locked up.
- Store in a corrosion resistant container with a resistant inner liner.
- Dispose of contents/container to an appropriate recycling or disposal facility.

Other hazards

No data available

Safety Data Sheet

according to WHMIS

PlasmaCAL ICP/ICPMS Standard - Tellurium 10000 µg/ml (Te)

Revision: 27.10.2025

Product code: AC18.06419

Page 3 of 10

3. Composition/information on ingredients**Mixtures****Chemical characterization**

Mixtures in aqueous solution

Relevant ingredients

CAS No	Chemical name	Quantity
7647-01-0	Hydrochloric acid	30 - < 60 % (*)
13494-80-9	tellurium	0.5 - < 1.5 % (*)

(*) The actual concentration is withheld as a trade secret.

Further Information

No data available

4. First-aid measures**Description of first aid measures****General information**

Do not breathe vapour/aerosol.

After inhalation

Provide fresh air.

Call a physician immediately.

After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Rinse mouth immediately and drink plenty of water.

Call a physician immediately.

Most important symptoms and effects, whether acute or delayed

corrosive

Irritant — skin irritation and eye damage

Cough

Dyspnoea

Indication of immediate medical attention and special treatment needed

No data available

5. Fire-fighting measures**Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

No data available

Safety Data Sheet

according to WHMIS

PlasmaCAL ICP/ICPMS Standard - Tellurium 10000 µg/ml (Te)

Revision: 27.10.2025

Product code: AC18.06419

Page 4 of 10

Specific hazards arising from the hazardous product

Non-combustible liquids
Hazardous combustion products
In case of fire may be liberated:
Hydrochloric gas

Special protective equipment and precautions for fire-fighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.
Avoid contact with skin, eyes and clothes.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.
Use water spray jet to protect personnel and to cool endangered containers.

6. Accidental release measures**Personal precautions, protective equipment and emergency procedures****General advice**

Corrosive to metals.
Do not breathe vapour/aerosol.

For non-emergency personnel

Provide adequate ventilation.
Use personal protection equipment.
Avoid contact with skin, eyes and clothes.
Remove persons to safety.
Emergency procedures
Consult an expert
Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

Environmental precautions

Do not allow to enter into surface water or drains.

Methods and material for containment and cleaning up**For containment**

Cover drains.
Prevent spread over a wide area (e.g. by containment or oil barriers).
Collect in closed and suitable containers for disposal.
Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.
Do not breathe dust/fume/gas/mist/vapours/spray.
Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Reference to other sections

Safe handling: see section 7
Personal protection equipment: see section 8
Disposal: see section 13

7. Handling and storage**Precautions for safe handling**

Safety Data Sheet

according to WHMIS

PlasmaCAL ICP/ICPMS Standard - Tellurium 10000 µg/ml (Te)

Revision: 27.10.2025

Product code: AC18.06419

Page 5 of 10

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used.
Read label before use. Handle and open container with care.
When using do not eat, drink, smoke, sniff. Keep container tightly closed.
Use personal protection equipment. Use extractor hood (laboratory).
Provide adequate ventilation. Do not inhale fog/steam/aerosol.
Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.
The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

Further information on handling

Draw up and observe skin protection programme.
Wash hands and face before breaks and after work and take a shower if necessary.
Take off immediately all contaminated clothing and wash it before reuse.

Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep container tightly closed.
Provide adequate ventilation as well as local exhaustion at critical locations.
Keep in a cool place.

Hints on joint storage

Take national regulations into account. /National regulations

Further information on storage conditions

Unsuitable container/equipment material: Metal

8. Exposure controls/Personal protection**Control parameters****Exposure limits (ACGIH)**

CAS No	Chemical name	ppm	mg/m ³	Category	Origin
7647-01-0	Hydrogen chloride	2		Peak	ACGIH-2025
13494-80-9	Tellurium		0.1	TWA (8 h)	ACGIH-2025

Additional advice on limit values

Observe in addition any national regulations!

Exposure controls**Appropriate engineering controls**

Technical measures and the application of suitable work processes have priority over personal protection equipment.
If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Individual protection measures, such as personal protective equipment**Eye/face protection**

Suitable eye protection:
Face protection shield
goggles.

Safety Data Sheet

according to WHMIS

PlasmaCAL ICP/ICPMS Standard - Tellurium 10000 µg/ml (Te)

Revision: 27.10.2025

Product code: AC18.06419

Page 6 of 10

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing.
Protective clothing acid-resistant

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation
The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Thermal hazards

No data available

Environmental exposure controls

Do not allow to enter into surface water or drains.

9. Physical and chemical properties**Information on basic physical and chemical properties**

Physical state:	Liquid	
Colour:	clear	
Odour:	odourless	
Odour threshold:	No data available	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and boiling range:		No data available
Flammability:		No data available
Lower explosive limits:		No data available
Upper explosive limits:		No data available
Flash point:		No data available
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value:		No data available
Viscosity / kinematic:		No data available
Water solubility:		No data available
Solubility in other solvents		
not determined		
Dissolution rate:		No data available
Partition coefficient n-octanol/water:		No data available
Dispersion stability:		No data available
Vapour pressure:		No data available
Vapour pressure:		No data available
Density (at 22.0 °C):		1.089 g/cm ³
Relative density:		No data available
Bulk density:		No data available
Relative vapour density:		No data available
Particle characteristics:		No data available

Other information

Safety Data Sheet

according to WHMIS

PlasmaCAL ICP/ICPMS Standard - Tellurium 10000 µg/ml (Te)

Revision: 27.10.2025

Product code: AC18.06419

Page 7 of 10

Information with regard to physical hazard classes

Explosive properties

No data available

Sustained combustibility:

No data available

Self-ignition temperature

Solid:

not applicable

Gas:

not applicable

Oxidizing properties

No data available

Other safety characteristics

Evaporation rate:

No data available

Solvent separation test:

No data available

Solvent content:

No data available

Solid content:

No data available

Sublimation point:

No data available

Softening point:

No data available

Pour point:

No data available

No data available:

Viscosity / dynamic:

No data available

Flow time:

No data available

Further Information

Corrosive to metals

10. Stability and reactivity**Reactivity**

Corrosive to metals.

Chemical stability

The product is stable under storage at normal ambient temperatures.

Possibility of hazardous reactions

Alkali (lye)

Conditions to avoid

Heat

Incompatible materials

Keep away from: Metal.

The product develops hydrogen in an aqueous solution in contact with metals.

Hazardous decomposition products

In case of fire may be liberated:

SECTION 5: Firefighting measures

Further information

No data available

11. Toxicological information**Information on toxicological effects****Toxicokinetics, metabolism and distribution**

There are no data available on the mixture itself.

Safety Data Sheet

according to WHMIS

PlasmaCAL ICP/ICPMS Standard - Tellurium 10000 µg/ml (Te)

Revision: 27.10.2025

Product code: AC18.06419

Page 8 of 10

Acute toxicity

Based on available data, the classification criteria are not met.

Pulmonary oedema

Mucous membrane irritation in the mouth, throat, esophagus and gastrointestinal tract.

Inhalation effect: Damage to the respiratory tract.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg

CAS No	Chemical name				
	Route of exposure	Dose	Species	Source	Method
13494-80-9	tellurium				
	inhalation vapour	ATE 11 mg/l			
	inhalation dust/mist	ATE 1,5 mg/l			

Irritation and corrosivity

Skin corrosion/irritation: Causes severe skin burns and eye damage.

Serious eye damage/eye irritation: Causes serious eye damage.

Sensitizing effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

May damage fertility or the unborn child. (tellurium)

May cause harm to breast-fed children. (tellurium)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation. (Hydrochloric acid)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

There are no data available on the mixture itself.

Specific effects in experiment on an animal

There are no data available on the mixture itself.

Additional information on tests

There are no data available on the mixture itself.

Practical experience

There are no data available on the mixture itself.

Information on other hazards**Endocrine disrupting properties**

There are no data available on the mixture itself.

Other information

There are no data available on the mixture itself.

Further information

Irritant — skin irritation and eye damage

Cough

Dyspnoea

12. Ecological information

Safety Data Sheet

according to WHMIS

PlasmaCAL ICP/ICPMS Standard - Tellurium 10000 µg/ml (Te)

Revision: 27.10.2025

Product code: AC18.06419

Page 9 of 10

Persistence and degradability

There are no data available on the mixture itself.

Bioaccumulative potential

There are no data available on the mixture itself.

Mobility in soil

There are no data available on the mixture itself.

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Other adverse effects

Discharge into the environment must be avoided.

Harmful effect due to pH shift.

Forms corrosive mixtures with water even if diluted.

Further information

Do not empty into drains.

13. Disposal considerations**Waste treatment methods****Disposal recommendations**

Send to a physico-chemical treatment facility under observation of official regulations .

Do not allow to enter into surface water or drains.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

14. Transport information**Canadian TDG**

<u>UN number:</u>	UN 3264
<u>Proper shipping name:</u>	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.(Hydrochloric acid)
<u>Hazard classes:</u>	8
<u>Packing group:</u>	III
Hazard label:	8
Special Provisions:	16
Limited quantity:	5 L

Marine transport (IMDG)

<u>UN number or ID number:</u>	UN 3264
<u>United Nations proper shipping name:</u>	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.(Hydrochloric acid)
<u>Transport hazard class(es):</u>	8
<u>Packing group:</u>	III
Hazard label:	8
Special Provisions:	223 274
Limited quantity:	5 L
Excepted quantity:	E1
EmS:	F-A, S-B
Segregation group:	1 - acids

Air transport (ICAO-TI/IATA-DGR)

<u>UN number or ID number:</u>	UN 3264
---------------------------------------	---------

Safety Data Sheet

according to WHMIS

PlasmaCAL ICP/ICPMS Standard - Tellurium 10000 µg/ml (Te)

Revision: 27.10.2025

Product code: AC18.06419

Page 10 of 10

<u>United Nations proper shipping name:</u>	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.(Hydrochloric acid)	
<u>Transport hazard class(es):</u>	8	
<u>Packing group:</u>	III	
Hazard label:	8	
Special Provisions:	A3 A803	
Limited quantity Passenger:	1 L	
Passenger LQ:	Y841	
Excepted quantity:	E1	
IATA-packing instructions - Passenger:	852	
IATA-max. quantity - Passenger:	5 L	
IATA-packing instructions - Cargo:	856	
IATA-max. quantity - Cargo:	60 L	

Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

15. Regulatory information**Canadian regulations****16. Other information****Changes**

This data sheet contains changes from the previous version in section(s): 1,2,3,5,9,11,14.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Provide appropriate information, instructions and training to users

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)