

## CONOSTAN® Total Acid Number Standard 10 mg/g KOH

Revision: 09.08.2024

Product code: AC18.06653

Page 1 of 13

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

CONOSTAN® Total Acid Number Standard 10 mg/g KOH

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Use of the substance/mixture

Reagents and laboratory chemicals  
Only for laboratory and analysis purposes.

##### Uses advised against

Do not use for private purposes (household).

#### 1.3. Details of the supplier of the safety data sheet

##### Details of the supplier of the safety data sheet

Company name: AnalytiChem Services, Unipessoal, Lda  
Street: Rua de Júlio Dinis 676 7º  
Place: P-4050-320 Porto  
Telephone: +351 226002917  
E-mail: info@analytichem.com  
Contact person: SDS service department  
E-mail: SDS@analytichem.com  
Internet: www.analytichem.com  
Responsible Department: SDS service department

##### Supplier or manufacturer details

Company name: AnalytiChem Canada Inc.  
Street: Québec, CANADA  
Place: 21800 Clark Graham Ave  
CDN-H9X 4B6 Baie-D'Urfé  
Telephone: +1 (800) 361-6820  
E-mail: info@analytichem.com  
Contact person: SDS service department  
E-mail: SDS@analytichem.com  
Internet: www.analytichem.com  
Responsible Department: AnalytiChem:  
EU-Belgium: AnalytiChem Belgium, Industriezone "De Arend" 2, 8210 Zedelgem, Belgium, +32 50 28 83 20  
EU-Germany: AnalytiChem Germany, Stempelstrasse 6, 47167 Duisburg, Germany, +49 203 51 94 – 200  
EU-Netherlands: AnalytiChem Netherlands, Communicatieweg 7, 3641 SG Mijdrecht, The Netherlands, +31 297 286848  
UK: AnalytiChem UK, Unit 7 Launton Business Center, Murdock Road, Bicester, OX26 4XB, England, +44 1869 355 500  
USA: AnalytiChem USA, 227 China Road, Winslow, Maine, 04901, United States, +1 800-244-8378  
Canada: AnalytiChem Canada, 21800 Clark Graham Avenue, Baie d'Urfe, H9X 4B6, Canada, +1 514-457-0701  
Australia: ORE Research & Exploration Pty Ltd, 37A Hosie Street, Bayswater North, 3153, Australia, +61 3 9729 0333  
+353 1 901 4670 (CHEMTREC)

Telefax: +1 (800) 253-5549

#### 1.4. Emergency telephone number:

##### Further Information

No data available

**CONOSTAN® Total Acid Number Standard 10 mg/g KOH**

Revision: 09.08.2024

Product code: AC18.06653

Page 2 of 13

**SECTION 2: Hazards identification**

**2.1. Classification of the substance or mixture**

Regulation (EC) No 1272/2008

Asp. Tox. 1; H304

Full text of hazard statements: see SECTION 16.

**2.2. Label elements**

Regulation (EC) No 1272/2008

**Hazard components for labelling**

"Distillates (petroleum), hydro-treated light; Kerosine - unspecified"

**Signal word:** Danger

**Pictograms:**



**Hazard statements**

H304 May be fatal if swallowed and enters airways.

**Precautionary statements**

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P331 Do NOT induce vomiting.

P405 Store locked up.

**2.3. Other hazards**

No data available

**SECTION 3: Composition/information on ingredients**

**3.2. Mixtures**

**Relevant ingredients**

| CAS No     | Chemical name                                                          |              |                  | Quantity    |
|------------|------------------------------------------------------------------------|--------------|------------------|-------------|
|            | EC No                                                                  | Index No     | REACH No         |             |
|            | Classification (Regulation (EC) No 1272/2008)                          |              |                  |             |
| 8042-47-5  | White mineral oil, petroleum                                           |              |                  | 45 - < 50 % |
|            | 232-455-8                                                              |              |                  |             |
| 64742-47-8 | "Distillates (petroleum), hydro-treated light; Kerosine - unspecified" |              |                  | 45 - < 50 % |
|            | 265-149-8                                                              | 649-422-00-2 |                  |             |
|            | Asp. Tox. 1; H304                                                      |              |                  |             |
| 67-63-0    | propan-2-ol                                                            |              |                  | 1 - < 5 %   |
|            | 200-661-7                                                              | 603-117-00-0 | 01-2119457558-25 |             |
|            | Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336                  |              |                  |             |

Full text of H and EUH statements: see section 16.

## CONOSTAN® Total Acid Number Standard 10 mg/g KOH

Revision: 09.08.2024

Product code: AC18.06653

Page 3 of 13

### Specific Conc. Limits, M-factors and ATE

| CAS No     | EC No     | Chemical name                                                                                    | Quantity    |
|------------|-----------|--------------------------------------------------------------------------------------------------|-------------|
|            |           | Specific Conc. Limits, M-factors and ATE                                                         |             |
| 8042-47-5  | 232-455-8 | White mineral oil, petroleum                                                                     | 45 - < 50 % |
|            |           | dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg                                           |             |
| 64742-47-8 | 265-149-8 | "Distillates (petroleum), hydro-treated light; Kerosine - unspecified"                           | 45 - < 50 % |
|            |           | inhalation: LC50 = > 5,28 mg/l (vapours); dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg |             |

### Further Information

No data available

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

No data available

#### After inhalation

Provide fresh air.

Call a doctor if you feel unwell.

#### After contact with skin

Wash immediately with: Water, Soap

Take off immediately all contaminated clothing and wash it before reuse.

In case of skin irritation, consult a physician.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

Remove contact lenses, if present and easy to do. Continue rinsing.

In case of eye irritation consult an ophthalmologist.

#### After ingestion

Rinse mouth.

Do NOT induce vomiting.

Observe risk of aspiration if vomiting occurs.

Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

Gastrointestinal complaints

Pneumonia

Vapours may cause drowsiness and dizziness.

Dizziness

Depression of central nervous system

Headache

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Foam

Carbon dioxide (CO2)

Extinguishing powder

Water

## CONOSTAN® Total Acid Number Standard 10 mg/g KOH

Revision: 09.08.2024

Product code: AC18.06653

Page 4 of 13

### Unsuitable extinguishing media

no restriction

### 5.2. Special hazards arising from the substance or mixture

Combustible liquids

Hazardous combustion products

In case of fire may be liberated:

Carbon dioxide (CO<sub>2</sub>)

Carbon monoxide

In case of warming:

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Use water spray jet to protect personnel and to cool endangered containers.

Move undamaged containers from immediate hazard area if it can be done safely.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

In case of warming:

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Take precautionary measures against static discharges.

#### For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

#### For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Collect in closed and suitable containers for disposal.

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### 6.4. Reference to other sections

Safe handling: see section 7

## CONOSTAN® Total Acid Number Standard 10 mg/g KOH

Revision: 09.08.2024

Product code: AC18.06653

Page 5 of 13

Personal protection equipment: see section 8

Disposal: see section 13

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

##### Advice on safe handling

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff. Keep container tightly closed.

Use personal protection equipment. Use extractor hood (laboratory).

Do not breathe vapour/aerosol.

Provide adequate ventilation.

##### Advice on protection against fire and explosion

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Take precautionary measures against static discharges.

In case of warming:

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

##### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

##### Further information on handling

Take off immediately all contaminated clothing and wash it before reuse.

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

#### 7.2. Conditions for safe storage, including any incompatibilities

##### Requirements for storage rooms and vessels

Keep container tightly closed.

##### Hints on joint storage

National regulations

##### Further information on storage conditions

Keep cool. Protect from sunlight.

#### 7.3. Specific end use(s)

Laboratory chemicals

Only for laboratory and analysis purposes.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### Occupational exposure limits

| CAS No  | Substance                                               | ppm | mg/m³ | fib/cm³ | Category      | Origin |
|---------|---------------------------------------------------------|-----|-------|---------|---------------|--------|
| -       | Mineral Oil pure, highly & severely refined (Inhalable) | -   | 5     |         | TWA (8 h)     |        |
| 67-63-0 | Propan-2-ol                                             | 200 | -     |         | TWA (8 h)     |        |
|         |                                                         | 400 | -     |         | STEL (15 min) |        |

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### CONOSTAN® Total Acid Number Standard 10 mg/g KOH

Revision: 09.08.2024

Product code: AC18.06653

Page 6 of 13

#### Biological limit values

| CAS No  | Substance  | Parameter | Value   | Test material | Sampling time                   |
|---------|------------|-----------|---------|---------------|---------------------------------|
| 67-63-0 | 2-Propanol | Acetone   | 40 mg/L | Urine         | End of shift at end of workweek |

#### DNEL/DMEL values

| CAS No                   | Substance                    | Exposure route | Effect   | Value                 |
|--------------------------|------------------------------|----------------|----------|-----------------------|
| 8042-47-5                | White mineral oil, petroleum |                |          |                       |
| Worker DNEL, long-term   |                              | inhalation     | systemic | 160 mg/m <sup>3</sup> |
| Worker DNEL, long-term   |                              | dermal         | systemic | 220 mg/kg bw/day      |
| Consumer DNEL, long-term |                              | inhalation     | systemic | 35 mg/m <sup>3</sup>  |
| Consumer DNEL, long-term |                              | dermal         | systemic | 93 mg/kg bw/day       |
| Consumer DNEL, long-term |                              | oral           | systemic | 40 mg/kg bw/day       |
| 67-63-0                  | propan-2-ol                  |                |          |                       |
| Worker DNEL, long-term   |                              | inhalation     | systemic | 500 mg/m <sup>3</sup> |
| Worker DNEL, long-term   |                              | dermal         | systemic | 888 mg/kg bw/day      |
| Consumer DNEL, long-term |                              | inhalation     | systemic | 89 mg/m <sup>3</sup>  |
| Consumer DNEL, long-term |                              | dermal         | systemic | 319 mg/kg bw/day      |
| Consumer DNEL, long-term |                              | oral           | systemic | 26 mg/kg bw/day       |

#### PNEC values

| CAS No                                           | Substance   | Value      |
|--------------------------------------------------|-------------|------------|
| 67-63-0                                          | propan-2-ol |            |
| Freshwater                                       |             | 140,9 mg/l |
| Freshwater (intermittent releases)               |             | 140,9 mg/l |
| Marine water                                     |             | 140,9 mg/l |
| Freshwater sediment                              |             | 552 mg/kg  |
| Marine sediment                                  |             | 552 mg/kg  |
| Secondary poisoning                              |             | 160 mg/kg  |
| Micro-organisms in sewage treatment plants (STP) |             | 2251 mg/l  |
| Soil                                             |             | 28 mg/kg   |

#### Additional advice on limit values

Observe in addition any national regulations!

#### 8.2. Exposure controls

##### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

##### Individual protection measures, such as personal protective equipment

##### Eye/face protection

goggles

Face protection umbrella

## CONOSTAN® Total Acid Number Standard 10 mg/g KOH

Revision: 09.08.2024

Product code: AC18.06653

Page 7 of 13

### Hand protection

Tested protective gloves must be worn  
The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.  
For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

### Skin protection

Take off immediately all contaminated clothing and wash it before reuse.  
Wash hands and face before breaks and after work and take a shower if necessary.  
Draw up and observe skin protection programme.

### Respiratory protection

Respiratory protection necessary at: aerosol or mist formation  
The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

### Thermal hazards

No data available

### Environmental exposure controls

Do not allow to enter into surface water or drains.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                                                           |                    |                   |
|-----------------------------------------------------------|--------------------|-------------------|
| Physical state:                                           | Liquid             |                   |
| Colour:                                                   | colourless         |                   |
| Odour:                                                    | like: Hydrocarbons |                   |
| Odour threshold:                                          | No data available  |                   |
| Melting point/freezing point:                             |                    | No data available |
| Boiling point or initial boiling point and boiling range: |                    | 227-288 °C        |
| Flammability:                                             |                    | No data available |
| Lower explosion limits:                                   |                    | No data available |
| Upper explosion limits:                                   |                    | No data available |
| Flash point:                                              |                    | No data available |
| Auto-ignition temperature:                                |                    | No data available |
| Decomposition temperature:                                |                    | No data available |
| pH-Value:                                                 |                    | No data available |
| Viscosity / kinematic:                                    |                    | No data available |
| Water solubility:                                         |                    | No data available |
| Solubility in other solvents                              |                    |                   |
| No data available                                         |                    |                   |
| Dissolution rate:                                         |                    | No data available |
| Partition coefficient n-octanol/water:                    |                    | No data available |
| Dispersion stability:                                     |                    | No data available |
| Vapour pressure:                                          |                    | No data available |
| Vapour pressure:                                          |                    | No data available |
| Density:                                                  |                    | 0,79-0,84 g/cm³   |
| Relative density:                                         |                    | No data available |
| Bulk density:                                             |                    | No data available |
| Relative vapour density:                                  |                    | No data available |
| Particle characteristics:                                 |                    | No data available |

### 9.2. Other information

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### CONOSTAN® Total Acid Number Standard 10 mg/g KOH

Revision: 09.08.2024

Product code: AC18.06653

Page 8 of 13

#### Information with regard to physical hazard classes

##### Explosive properties

In case of warming:

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Sustained combustibility:

No data available

Self-ignition temperature

Solid:

No data available

Gas:

No data available

Oxidizing properties

No data available

#### Other safety characteristics

Evaporation rate:

No data available

Solvent separation test:

No data available

Solvent content:

No data available

Solid content:

No data available

Sublimation point:

No data available

Softening point:

No data available

Pour point:

No data available

No data available

Viscosity / dynamic:

No data available

Flow time:

No data available

#### Further Information

No data available

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

In case of warming:

Vapours may form explosive mixtures with air.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

Oxidising agent

#### 10.4. Conditions to avoid

Heat

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### 10.5. Incompatible materials

No data available

#### 10.6. Hazardous decomposition products

in case of fire, see:

SECTION 5: Firefighting measures

#### Further information

No data available

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

##### Toxicokinetics, metabolism and distribution

No data available



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### CONOSTAN® Total Acid Number Standard 10 mg/g KOH

Revision: 09.08.2024

Product code: AC18.06653

Page 9 of 13

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

| CAS No     | Chemical name                                                          |                   |         |                     |                    |
|------------|------------------------------------------------------------------------|-------------------|---------|---------------------|--------------------|
|            | Exposure route                                                         | Dose              | Species | Source              | Method             |
| 8042-47-5  | White mineral oil, petroleum                                           |                   |         |                     |                    |
|            | oral                                                                   | LD50 > 5000 mg/kg | Rat     | Study report (1987) | OECD Guideline 401 |
|            | dermal                                                                 | LD50 > 2000 mg/kg | Rabbit  | Study report (1987) | OECD Guideline 402 |
| 64742-47-8 | "Distillates (petroleum), hydro-treated light; Kerosine - unspecified" |                   |         |                     |                    |
|            | oral                                                                   | LD50 > 5000 mg/kg | Rat     | Study report (1992) | EPA OTS 798.1175   |
|            | dermal                                                                 | LD50 > 2000 mg/kg | Rabbit  | Study report (1992) | EPA OTS 798.1100   |
|            | inhalation (4 h) vapour                                                | LC50 > 5,28 mg/l  | Rat     | Study report (1987) | OECD Guideline 403 |

#### Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

May be fatal if swallowed and enters airways.

#### Information on likely routes of exposure

No data available

#### Specific effects in experiment on an animal

No data available

#### Additional information on tests

No data available

#### Practical experience

No data available

#### 11.2. Information on other hazards

##### Endocrine disrupting properties

No data available

##### Other information

No data available

**CONOSTAN® Total Acid Number Standard 10 mg/g KOH**

Revision: 09.08.2024

Product code: AC18.06653

Page 10 of 13

**Further information**

Gastrointestinal complaints  
Pneumonia  
Vapours may cause drowsiness and dizziness.  
Dizziness  
Depression of central nervous system  
Headache

**SECTION 12: Ecological information****12.1. Toxicity**

Based on available data, the classification criteria are not met.

| CAS No     | Chemical name                                                          |                   |           |                          |                            |                                         |
|------------|------------------------------------------------------------------------|-------------------|-----------|--------------------------|----------------------------|-----------------------------------------|
|            | Aquatic toxicity                                                       | Dose              | [h]   [d] | Species                  | Source                     | Method                                  |
| 8042-47-5  | White mineral oil, petroleum                                           |                   |           |                          |                            |                                         |
|            | Acute fish toxicity                                                    | LC50 > 10000 mg/l | 96 h      | Lepomis macrochirus      | REACH Registration Dossier | Method: other: procedure as detailed in |
|            | Acute crustacea toxicity                                               | EC50 > 100 mg/l   | 48 h      | Daphnia magna            | Study report (2008)        | OECD Guideline 202                      |
| 64742-47-8 | "Distillates (petroleum), hydro-treated light; Kerosine - unspecified" |                   |           |                          |                            |                                         |
|            | Acute fish toxicity                                                    | LL50 2 - 5 mg/l   | 96 h      | Oncorhynchus mykiss      | Study report (1994)        | OECD Guideline 203                      |
|            | Acute algae toxicity                                                   | ErC50 8,3 mg/l    | 72 h      | Raphidocelis subcapitata | Study report (1995)        | OECD Guideline 201                      |
|            | Acute crustacea toxicity                                               | EL50 1,4 mg/l     | 48 h      | Daphnia magna            | Study report (1995)        | OECD Guideline 202                      |
| 67-63-0    | propan-2-ol                                                            |                   |           |                          |                            |                                         |
|            | Acute fish toxicity                                                    | LC50 10000 mg/l   | 96 h      | Pimephales promelas      | Publication (1983)         | OECD Guideline 203                      |

**12.2. Persistence and degradability**

No data available

**12.3. Bioaccumulative potential****Partition coefficient n-octanol/water**

| CAS No    | Chemical name                | Log Pow |
|-----------|------------------------------|---------|
| 8042-47-5 | White mineral oil, petroleum | > 6     |
| 67-63-0   | propan-2-ol                  | 0,05    |

**12.4. Mobility in soil**

No data available

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**12.7. Other adverse effects**

Do not allow to enter into surface water or drains.

**Further information**

Avoid release to the environment.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### CONOSTAN® Total Acid Number Standard 10 mg/g KOH

Revision: 09.08.2024

Product code: AC18.06653

Page 11 of 13

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Disposal recommendations

Send to a physico-chemical treatment facility under observation of official regulations .

Do not allow to enter into surface water or drains.

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

#### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

## SECTION 14: Transport information

### Land transport (ADR/RID)

|                                          |                                        |
|------------------------------------------|----------------------------------------|
| <b>14.1. UN number or ID number:</b>     | UN 1993                                |
| <b>14.2. UN proper shipping name:</b>    | FLAMMABLE LIQUID, N.O.S. (propan-2-ol) |
| <b>14.3. Transport hazard class(es):</b> | 3                                      |
| <b>14.4. Packing group:</b>              | III                                    |
| Hazard label:                            | 3                                      |
| Classification code:                     | F1                                     |
| Special Provisions:                      | 274 601                                |
| Limited quantity:                        | 5 L                                    |
| Excepted quantity:                       | E1                                     |
| Transport category:                      | 3                                      |
| Hazard No:                               | 30                                     |
| Tunnel restriction code:                 | D/E                                    |

### Inland waterways transport (ADN)

|                                          |                                        |
|------------------------------------------|----------------------------------------|
| <b>14.1. UN number or ID number:</b>     | UN 1993                                |
| <b>14.2. UN proper shipping name:</b>    | FLAMMABLE LIQUID, N.O.S. (propan-2-ol) |
| <b>14.3. Transport hazard class(es):</b> | 3                                      |
| <b>14.4. Packing group:</b>              | III                                    |
| Hazard label:                            | 3                                      |
| Classification code:                     | F1                                     |
| Special Provisions:                      | 274 601                                |
| Limited quantity:                        | 5 L                                    |
| Excepted quantity:                       | E1                                     |

### Marine transport (IMDG)

|                                          |                                        |
|------------------------------------------|----------------------------------------|
| <b>14.1. UN number or ID number:</b>     | UN 1993                                |
| <b>14.2. UN proper shipping name:</b>    | FLAMMABLE LIQUID, N.O.S. (propan-2-ol) |
| <b>14.3. Transport hazard class(es):</b> | 3                                      |
| <b>14.4. Packing group:</b>              | III                                    |
| Hazard label:                            | 3                                      |
| Special Provisions:                      | 223 274 955                            |
| Limited quantity:                        | 5 L                                    |
| Excepted quantity:                       | E1                                     |
| EmS:                                     | F-E, S-E                               |

### Air transport (ICAO-TI/IATA-DGR)

|                                          |                                        |
|------------------------------------------|----------------------------------------|
| <b>14.1. UN number or ID number:</b>     | UN 1993                                |
| <b>14.2. UN proper shipping name:</b>    | FLAMMABLE LIQUID, N.O.S. (propan-2-ol) |
| <b>14.3. Transport hazard class(es):</b> | 3                                      |
| <b>14.4. Packing group:</b>              | III                                    |
| Hazard label:                            | 3                                      |

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### CONOSTAN® Total Acid Number Standard 10 mg/g KOH

Revision: 09.08.2024

Product code: AC18.06653

Page 12 of 13

|                                        |      |       |
|----------------------------------------|------|-------|
| Special Provisions:                    | A3   |       |
| Limited quantity Passenger:            | 10 L |       |
| Passenger LQ:                          | Y344 |       |
| Excepted quantity:                     | E1   |       |
| IATA-packing instructions - Passenger: |      | 355   |
| IATA-max. quantity - Passenger:        |      | 60 L  |
| IATA-packing instructions - Cargo:     |      | 366   |
| IATA-max. quantity - Cargo:            |      | 220 L |

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

#### 14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

Information according to Directive 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

##### National regulatory information

Water hazard class (D): 2 - obviously hazardous to water

### SECTION 16: Other information

#### Abbreviations and acronyms

Flam. Liq. 2: Flammable liquids, hazard category 2

Asp. Tox. 1: Aspiration hazard, hazard category 1

Eye Irrit. 2: Eye irritation, hazard category 2

STOT SE 3: Specific target organ toxicity - single exposure, hazard category 3

#### Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

|                   |                          |
|-------------------|--------------------------|
| Classification    | Classification procedure |
| Asp. Tox. 1; H304 | Calculation method       |

#### Relevant H and EUH statements (number and full text)

|      |                                               |
|------|-----------------------------------------------|
| H225 | Highly flammable liquid and vapour.           |
| H304 | May be fatal if swallowed and enters airways. |
| H319 | Causes serious eye irritation.                |
| H336 | May cause drowsiness or dizziness.            |

#### Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. Provide appropriate information, instructions and training to users

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### CONOSTAN® Total Acid Number Standard 10 mg/g KOH

Revision: 09.08.2024

Product code: AC18.06653

Page 13 of 13

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*