

**PlasmaCAL custom calibration standard for ICP-AES and ICP-MS**

Revision date: 09/18/2023

Product code: AC18.09095

Page 1 of 13

**1. Identification**
**Product identifier**

PlasmaCAL custom calibration standard for ICP-AES and ICP-MS

**Recommended use of the chemical and restrictions on use**
**Use of the substance/mixture**

 Reagents and laboratory chemicals  
 Only for laboratory and analysis purposes.

**Uses advised against**

Do not use for private purposes (household).

**Details of the supplier of the safety data sheet**
**Details of the supplier of the safety data sheet**

Company name:	AnalytiChem Services, Unipessoal, Lda
Street:	Rua de Júlio Dinis 676 7º
Place:	P-4050-320 Porto
Telephone:	+351 226002917
E-mail:	info@analytichem.com
Contact person:	SDS service department
E-mail:	SDS@analytichem.com
Internet:	www.analytichem.com
Responsible Department:	SDS service department

**Supplier or manufacturer details**

Company name:	AnalytiChem Canada Inc.	
	Québec, CANADA	
Street:	21800 Clark Graham Ave	
Place:	CDN-H9X 4B6 Baie-D'Urfé	
Telephone:	+1 (800) 361-6820	Telefax: +1 (800) 253-5549
E-mail:	info@analytichem.com	
Contact person:	SDS service department	
E-mail:	SDS@analytichem.com	
Internet:	www.analytichem.com	
Responsible Department:	AnalytiChem:	
	EU-Belgium: AnalytiChem Belgium, Industriezone "De Arend" 2, 8210 Zedelgem, Belgium, +32 50 28 83 20	
	EU-Germany: AnalytiChem Germany, Stempelstrasse 6, 47167 Duisburg, Germany, +49 203 51 94 – 200	
	EU-Netherlands: AnalytiChem Netherlands, Communicatieweg 7, 3641 SG Mijdrecht, The Netherlands, +31 297 286848	
	UK: AnalytiChem UK, Unit 7 Launton Business Center, Murdock Road, Bicester, OX26 4XB, England, +44 1869 355 500	
	USA: AnalytiChem USA, 227 China Road, Winslow, Maine, 04901, United States, +1 800-244-8378	
	Canada: AnalytiChem Canada, 21800 Clark Graham Avenue, Baie d'Urfe, H9X 4B6, Canada, +1 514-457-0701	
	Australia: ORE Research & Exploration Pty Ltd, 37A Hosie Street, Bayswater North, 3153, Australia, +61 3 9729 0333	
<b>Emergency phone number:</b>	+1 703-741-5970 (CHEMTREC)	

**Further Information**

This product is a mixture. REACH Registration Number see section 3.

**PlasmaCAL custom calibration standard for ICP-AES and ICP-MS**

Revision date: 09/18/2023

Product code: AC18.09095

Page 2 of 13

**2. Hazard(s) identification**

**Classification of the chemical**

**Regulation (EC) No 1272/2008**

Met. Corr. 1; H290  
 Skin Corr. 1B; H314  
 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

**Label elements**

**Regulation (EC) No 1272/2008**

**Hazard components for labelling**

nitric acid

**Signal word:** Danger

**Pictograms:**



**Hazard statements**

H290 May be corrosive to metals  
 H314 Causes severe skin burns and eye damage  
 EUH071 Corrosive to the respiratory tract.  
 EUH208 Contains nickel. May produce an allergic reaction.

**Precautionary statements**

P260 Do not breathe dust/fume/gas/mist/vapors/spray.  
 P280 Wear protective gloves/protective clothing and eye protection/face protection.  
 P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
 P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P310 Immediately call a poison center/doctor.

**Hazards not otherwise classified**

No data available

**3. Composition/information on ingredients**

**Mixtures**

**Chemical characterization**

Mixtures in aqueous solution

**PlasmaCAL custom calibration standard for ICP-AES and ICP-MS**

Revision date: 09/18/2023

Product code: AC18.09095

Page 3 of 13

**Relevant ingredients**

CAS No	Components			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
7697-37-2	nitric acid			5 - < 10 %
	231-714-2	007-030-00-3	01-2119487297-23	
	Ox. Liq. 3, Met. Corr. 1, Acute Tox. 3, Skin Corr. 1A, Eye Dam. 1; H272 H290 H331 H314 H318 EUH071			
-	Lead compounds			< 0.5 %
	-	082-001-00-6		
	Repr. 1A, Acute Tox. 4, Acute Tox. 4, STOT RE 2, Aquatic Acute 1, Aquatic Chronic 1; H360Df H332 H302 H373 H400 H410			
7440-02-0	nickel			< 1 %
	231-111-4	028-002-00-7		
	Flam. Sol. 2, Carc. 2, Skin Sens. 1, STOT RE 1, Aquatic Chronic 3; H228 H351 H317 H372 H412			

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Components	Quantity
	Specific Conc. Limits, M-factors and ATE		
7697-37-2	231-714-2	nitric acid	5 - < 10 %
	inhalation: ATE 2,65 mg/l (vapours) Ox. Liq. 3; H272: >= 65 - 100 Skin Corr. 1A; H314: >= 20 - 100 Skin Corr. 1B; H314: >= 5 - < 20		
-	-	Lead compounds	< 0.5 %
	inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); oral: ATE = 500 mg/kg Repr. 2; H361f: >= 2,5 - 100 STOT RE 2; H373: >= 0,5 - 100		

**Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

**4. First-aid measures**
**Description of first aid measures**
**General information**

No data available

**After inhalation**

Provide fresh air.  
Call a doctor if you feel unwell.

**After contact with skin**

Wash immediately with: Water  
Take off immediately all contaminated clothing and wash it before reuse.  
Call a physician immediately.

**After contact with eyes**

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.  
Remove contact lenses, if present and easy to do. Continue rinsing.  
Protect uninjured eye.

**After ingestion**

Rinse mouth immediately and drink plenty of water.

**PlasmaCAL custom calibration standard for ICP-AES and ICP-MS**

Revision date: 09/18/2023

Product code: AC18.09095

Page 4 of 13

Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk.  
Call a physician immediately.

**Most important symptoms and effects, both acute and delayed**

Irritant  
Cough  
Dyspnoea  
Vomiting  
Methaemoglobinaemia  
Risk of serious damage to eyes.

**Indication of any immediate medical attention and special treatment needed**

No data available

**5. Fire-fighting measures**

**Extinguishing media**

**Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

**Unsuitable extinguishing media**

no restriction

**Specific hazards arising from the chemical**

Non-combustible liquids  
Hazardous combustion products  
In case of fire may be liberated:  
Nitrogen oxides (NOx)

**Special protective equipment and precautions for fire-fighters**

In case of fire: Wear self-contained breathing apparatus.  
In case of fire and/or explosion do not breathe fumes.  
Avoid contact with skin, eyes and clothes.

**Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.  
Move undamaged containers from immediate hazard area if it can be done safely.  
Use water spray jet to protect personnel and to cool endangered containers.

**6. Accidental release measures**

**Personal precautions, protective equipment and emergency procedures**

**General advice**

Corrosive to metals.

**For non-emergency personnel**

Provide adequate ventilation.  
Use personal protection equipment.  
Avoid contact with skin, eyes and clothes.  
Remove persons to safety.  
Emergency procedures  
Consult an expert  
Do not breathe dust/fume/gas/mist/vapors/spray.

**For emergency responders**

Precautionary statements For emergency responders : Personal protection equipment (PPE): see section 8

**Environmental precautions**

Do not allow to enter into surface water or drains.

**Methods and material for containment and cleaning up**

**PlasmaCAL custom calibration standard for ICP-AES and ICP-MS**

Revision date: 09/18/2023

Product code: AC18.09095

Page 5 of 13

**For containment**

- Cover drains.
- Prevent spread over a wide area (e.g. by containment or oil barriers).
- Collect in closed and suitable containers for disposal.
- Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

**For cleaning up**

- Clean contaminated articles and floor according to the environmental legislation.

**Other information**

- Provide adequate ventilation.
- Do not breathe dust/fume/gas/mist/vapors/spray.
- Wear breathing apparatus if exposed to vapors/dusts/aerosols.

**Reference to other sections**

- Safe handling: see section 7
- Personal protection equipment (PPE): see section 8
- Disposal: see section 13

**7. Handling and storage**

**Precautions for safe handling**

**Advice on safe handling**

- Read label before use. Handle and open container with care.
- When using do not eat, drink, smoke, sniff. Use personal protection equipment.
- Provide adequate ventilation. Avoid contact with skin, eyes and clothes.
- Do not breathe vapor or spray.

**Advice on protection against fire and explosion**

- Usual measures for fire prevention.

**Advice on general occupational hygiene**

- Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately.
- Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapor or spray.

**Further information on handling**

- Draw up and observe skin protection programme.
- Wash hands and face before breaks and after work and take a shower if necessary.
- Take off immediately all contaminated clothing and wash it before reuse.

**Conditions for safe storage, including any incompatibilities**

**Requirements for storage rooms and vessels**

- Corrosive to metals.
- Unsuitable container/equipment material: Metal
- The product develops hydrogen in an aqueous solution in contact with metals.

**Hints on joint storage**

- Take national regulations into account.

**Further information on storage conditions**

- Keep container tightly closed.

**Specific end use(s)**

- Laboratory chemicals

**8. Exposure controls/personal protection**

**Control parameters**

**PlasmaCAL custom calibration standard for ICP-AES and ICP-MS**

Revision date: 09/18/2023

Product code: AC18.09095

Page 6 of 13

**Exposure limits**

CAS No	Substance	ppm	mg/m <sup>3</sup>	Category	Origin
7440-02-0	Nickel elemental (inhalable fraction)		1.5	TWA (8 h)	ACGIH-2025
7440-02-0	Nickel metal and other compounds (as Ni)	0.015	-	TWA (8 h)	REL
7440-02-0	Nickel, metal and insoluble compounds (as Ni)	-	1	TWA (8 h)	REL
7697-37-2	Nitric acid	2	5	TWA (8 h)	REL
		2	5	TWA (8 h)	REL
		4	10	STEL (15 min)	REL
7697-37-2	Nitric acid	2	5.2	TWA (8 h)	ACGIH-2025
		4	10	STEL (15 min)	ACGIH-2025

**Biological Exposure Indices (BEI-ACGIH)**

CAS No	Substance	Determinant	Value	Test material	Sampling time
7440-02-0	NICKEL	Nickel	5 µg/L	urine	Post-shift at end of workweek

**Exposure controls**
**Appropriate engineering controls**

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

**Individual protection measures, such as personal protective equipment**
**Eye/face protection**

goggles

Wear eye/face protection.

**Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

**Skin protection**

Wear suitable protective clothing. Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of the protective agents should be clarified with their suppliers.

**Respiratory protection**

Respiratory protection necessary at: aerosol or mist formation

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented. A respiratory protection program that meets OSHA's 29 CFR 1910.134 requirements must be followed whenever workplace conditions warrant a respirator's use.

**Thermal hazards**

No data available

**Environmental exposure controls**

Do not allow to enter into surface water or drains.

**PlasmaCAL custom calibration standard for ICP-AES and ICP-MS**

Revision date: 09/18/2023

Product code: AC18.09095

Page 7 of 13

**9. Physical and chemical properties**

**Information on basic physical and chemical properties**

Physical state:	Liquid	
Color:	clear	
Odor:	like: Nitric acid	
Odour threshold:	No data available	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and boiling range:		No data available
Flammability:		No data available
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		No data available
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value:		<2
Viscosity / kinematic:		No data available
Water solubility:		completely miscible
Solubility in other solvents		
No data available		
Dissolution rate:		No data available
Partition coefficient n-octanol/water:		No data available
Dispersion stability:		No data available
Vapor pressure:		No data available
Vapor pressure:		No data available
Density:		No data available
Relative density:		No data available
Bulk density:		No data available
Relative vapour density:		No data available
Particle characteristics:		No data available

**Other information**

**Information with regard to physical hazard classes**

Explosive properties	
No data available	
Sustained combustibility:	No data available
Self-ignition temperature	
Solid:	No data available
Gas:	No data available
Oxidizing properties	
Oxidizing	

**Other safety characteristics**

Evaporation rate:	No data available
Solvent separation test:	No data available
Solvent content:	0
Solid content:	0
Sublimation point:	No data available
Softening point:	No data available
Pour point:	No data available
No data available:	

**PlasmaCAL custom calibration standard for ICP-AES and ICP-MS**

Revision date: 09/18/2023

Product code: AC18.09095

Page 8 of 13

Viscosity / dynamic:

No data available

Flow time:

No data available

**Further Information**

Corrosive to metals.

**10. Stability and reactivity**

**Reactivity**

Corrosive to metals.

Oxidising agent

**Chemical stability**

The product is stable under storage at normal ambient temperatures.

**Possibility of hazardous reactions**

Alkali (lye)

The product develops hydrogen in an aqueous solution in contact with metals.

Amines, Ammonia, Alcohols, Alkali metals, Hydrogen peroxide

Copper, Combustible solids, Solvent, Alkaline earth metal, mercury (Hg).

**Conditions to avoid**

No data available

**Incompatible materials**

Cellulose

Metal

The product develops hydrogen in an aqueous solution in contact with metals.

**Hazardous decomposition products**

In case of fire may be liberated:

SECTION 5: Fire fighting measures

**Further information**

No data available

**11. Toxicological information**

**Information on toxicological effects**

**Toxicokinetics, metabolism and distribution**

There are no data available on the mixture itself.

**Acute toxicity**

Based on available data, the classification criteria are not met.

**ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

**PlasmaCAL custom calibration standard for ICP-AES and ICP-MS**

Revision date: 09/18/2023

Product code: AC18.09095

Page 9 of 13

CAS No	Components				
	Exposure route	Dose	Species	Source	Method
7697-37-2	nitric acid				
	inhalation vapour	ATE 2,65 mg/l			
-	Lead compounds				
	oral	ATE 500 mg/kg			
	inhalation vapour	ATE 11 mg/l			
	inhalation dust/mist	ATE 1,5 mg/l			

**Irritation and corrosivity**

Skin corrosion/irritation: Causes severe skin burns and eye damage  
 Serious eye damage/eye irritation: Causes serious eye damage  
 Corrosive to the respiratory tract.  
 Following ingestion Gastric perforation  
 Irritating to respiratory system.  
 Pulmonary oedema  
 Mucous membrane irritations in the mouth, throat, esophagus and gastrointestinal tract.  
 see also Section 4

**Sensitizing effects**

Based on available data, the classification criteria are not met.  
 Contains nickel. May produce an allergic reaction.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Germ cell mutagenicity: Based on available data, the classification criteria are not met.  
 Carcinogenicity: Based on available data, the classification criteria are not met.  
 Reproductive toxicity: Based on available data, the classification criteria are not met.

**Specific target organ toxicity (STOT) - single exposure**

Based on available data, the classification criteria are not met.

**Specific target organ toxicity (STOT) - repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Route(s) of Entry**

There are no data available on the mixture itself.

**Specific effects in experiment on an animal**

There are no data available on the mixture itself.

**Additional information on tests**

There are no data available on the mixture itself.

**Practical experience**

There are no data available on the mixture itself.

**Information on other hazards**

**Endocrine disrupting properties**

There are no data available on the mixture itself.

**Other information**

There are no data available on the mixture itself.

**Further information**

There are no data available on the mixture itself.

**PlasmaCAL custom calibration standard for ICP-AES and ICP-MS**

Revision date: 09/18/2023

Product code: AC18.09095

Page 10 of 13

**12. Ecological information**
**Ecotoxicity**

Based on available data, the classification criteria are not met.

CAS No	Components					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
7697-37-2	nitric acid					
	Acute fish toxicity	LC50 1559 mg/l	96 h	Topeka shiner	Environmental Toxicology and Chemistry,	other: ASTM E729-26
	Fish toxicity	NOEC 268 mg/l	30 d	juvenile Topeka shiner and with juvenile Fathead m	Study report (2009)	Growth tests estimated the test chemical
	Algae toxicity	NOEC > 419 mg/l	10 d	several benthic diatoms; see results	Marine Biology 43:307-315 (1977)	Ten cultures of benthic diatoms were iso
	Acute bacteria toxicity	EC50 > 1000 mg/l ( )	3 h	Activated sludge	Study report (2008)	OECD Guideline 209

**Persistence and degradability**

The methods for determining the biological degradability are not applicable to inorganic substances.

**Bioaccumulative potential**

There are no data available on the mixture itself.

**Mobility in soil**

There are no data available on the mixture itself.

**Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

**Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**Other adverse effects**

Discharge into the environment must be avoided.  
 Harmful effect due to pH shift.  
 Forms corrosive mixtures with water even if diluted.

**Further information**

Do not allow to enter into surface water or drains.

**13. Disposal considerations**
**Waste treatment methods**
**Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.  
 Send to a physico-chemical treatment facility under observation of official regulations.  
 Do not empty into drains.

**Contaminated packaging**

Handle contaminated packages in the same way as the substance itself.  
 Waste codes/waste designations according to EWC/AVV

**14. Transport information**

**PlasmaCAL custom calibration standard for ICP-AES and ICP-MS**

Revision date: 09/18/2023

Product code: AC18.09095

Page 11 of 13

**Land transport (ADR/RID)**

**UN number or ID number:** UN 3264  
**UN proper shipping name:** CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)  
**Transport hazard class(es):** 8  
**Packing group:** III  
Hazard label: 8  
Classification Code: C1  
Special Provisions: 274  
Limited quantity: 5 L  
Excepted quantity: E1  
Transport category: 3  
Hazard No: 80  
Tunnel restriction code: E

**Inland waterways transport (ADN)**

**UN number or ID number:** UN 3264  
**UN proper shipping name:** CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)  
**Transport hazard class(es):** 8  
**Packing group:** III  
Hazard label: 8  
Classification Code: C1  
Special Provisions: 274  
Limited quantity: 5 L  
Excepted quantity: E1

**Marine transport (IMDG)**

**UN number or ID number:** UN 3264  
**UN proper shipping name:** CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)  
**Transport hazard class(es):** 8  
**Packing group:** III  
Hazard label: 8  
Special Provisions: 223 274  
Limited quantity: 5 L  
Excepted quantity: E1  
EmS: F-A, S-B  
Segregation group: 1 - acids

**Air transport (ICAO-TI/IATA-DGR)**

**UN number or ID number:** UN 3264  
**UN proper shipping name:** CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)  
**Transport hazard class(es):** 8  
**Packing group:** III  
Hazard label: 8  
Special Provisions: A3 A803  
Limited quantity Passenger: 1 L  
Passenger LQ: Y841  
Excepted quantity: E1  
IATA-packing instructions - Passenger: 852  
IATA-max. quantity - Passenger: 5 L  
IATA-packing instructions - Cargo: 856  
IATA-max. quantity - Cargo: 60 L

**Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**PlasmaCAL custom calibration standard for ICP-AES and ICP-MS**

Revision date: 09/18/2023

Product code: AC18.09095

Page 12 of 13

**15. Regulatory information**

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 27, Entry 63, Entry 75

Marketing and use of explosives precursors:

Acquisition, introduction, possession or use of this product by the general public is restricted by Regulation (EU) 2019/1148. All suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

**National regulatory information**

Employment restrictions:

Observe employment restrictions for young people.

Water hazard class (D):

1 - slightly hazardous to water

**16. Other information**

**Abbreviations and acronyms**

Ox. Liq. 3: Oxidizing liquids

Met. Corr. 1: Corrosive to metals

Flam. Sol. 2: Flammable solids

Acute Tox. 3: Acute toxicity

Acute Tox. 4: Acute toxicity

Skin Corr. 1A: Skin corrosion

Skin Corr. 1B: Skin corrosion

Eye Dam. 1: Eye damage

Skin Sens. 1: Skin sensitisation

Carc. 2: Carcinogenicity

Repr. 1A: Reproductive toxicity

STOT RE 1: Specific target organ toxicity repeated or prolonged exposure

STOT RE 2: Specific target organ toxicity repeated or prolonged exposure

Aquatic Acute 1: Acute aquatic hazard

Aquatic Chronic 1: Chronic aquatic hazard

Aquatic Chronic 3: Chronic aquatic hazard

**Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008**

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Corr. 1B; H314	Calculation method
Eye Dam. 1; H318	Calculation method

**Relevant H statements (full text)**

H228	Flammable solid
H272	May intensify fire; oxidizer
H290	May be corrosive to metals
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H331	Toxic if inhaled
H332	Harmful if inhaled
H351	Suspected of causing cancer
H360Df	May damage the unborn child; suspected of damaging fertility

**PlasmaCAL custom calibration standard for ICP-AES and ICP-MS**

Revision date: 09/18/2023

Product code: AC18.09095

Page 13 of 13

H372	Causes damage to organs through prolonged or repeated exposure
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
EUH071	Corrosive to the respiratory tract.
EUH208	Contains nickel. May produce an allergic reaction.

**Other data**

Provide appropriate information, instructions and training to users.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

---

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*