

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Custom ICP-ICP/MS Standard (SCAQ0-266-025)

Revision: 18.04.2024

Product code: AC18.09943

Page 1 of 13

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Custom ICP-ICP/MS Standard (SCAQ0-266-025)

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Reagents and laboratory chemicals  
Only for laboratory and analysis purposes.

#### Uses advised against

Do not use for private purposes (household).

### 1.3. Details of the supplier of the safety data sheet

#### Details of the supplier of the safety data sheet

Company name: AnalytiChem Services, Unipessoal, Lda  
Street: Rua de Júlio Dinis 676 7º  
Place: P-4050-320 Porto  
Telephone: +351 226002917  
E-mail: info@analytichem.com  
Contact person: SDS service department  
E-mail: SDS@analytichem.com  
Internet: www.analytichem.com  
Responsible Department: SDS service department

#### Supplier or manufacturer details

Company name: AnalytiChem Canada Inc.  
Street: Québec, CANADA  
Place: 21800 Clark Graham Ave  
CDN-H9X 4B6 Baie-D'Urfé  
Telephone: +1 (800) 361-6820  
E-mail: info@analytichem.com  
Contact person: SDS service department  
E-mail: SDS@analytichem.com  
Internet: www.analytichem.com  
Responsible Department: AnalytiChem:  
EU-Belgium: AnalytiChem Belgium, Industriezone "De Arend" 2, 8210 Zedelgem, Belgium, +32 50 28 83 20  
EU-Germany: AnalytiChem Germany, Stempelstrasse 6, 47167 Duisburg, Germany, +49 203 51 94 – 200  
EU-Netherlands: AnalytiChem Netherlands, Communicatieweg 7, 3641 SG Mijdrecht, The Netherlands, +31 297 286848  
UK: AnalytiChem UK, Unit 7 Launton Business Center, Murdock Road, Bicester, OX26 4XB, England, +44 1869 355 500  
USA: AnalytiChem USA, 227 China Road, Winslow, Maine, 04901, United States, +1 800-244-8378  
Canada: AnalytiChem Canada, 21800 Clark Graham Avenue, Baie d'Urfe, H9X 4B6, Canada, +1 514-457-0701  
Australia: ORE Research & Exploration Pty Ltd, 37A Hosie Street, Bayswater North, 3153, Australia, +61 3 9729 0333  
+353 1 901 4670 (CHEMTREC)

Telefax: +1 (800) 253-5549

### 1.4. Emergency telephone number:

#### Further Information

This product is a mixture. REACH Registration Number see section 3.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Custom ICP-ICP/MS Standard (SCAQ0-266-025)

Revision: 18.04.2024

Product code: AC18.09943

Page 2 of 13

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Regulation (EC) No 1272/2008

Met. Corr. 1; H290  
Skin Corr. 1B; H314  
Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

#### Regulation (EC) No 1272/2008

##### Hazard components for labelling

nitric acid  
Hydrofluoric acid

Signal word: Danger

##### Pictograms:



##### Hazard statements

H290 May be corrosive to metals.  
H314 Causes severe skin burns and eye damage.  
EUH071 Corrosive to the respiratory tract.

##### Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.  
P280 Wear protective gloves/protective clothing and eye protection/face protection.  
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER/doctor.

### 2.3. Other hazards

No data available

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Chemical characterization

Mixtures in aqueous solution

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Custom ICP-ICP/MS Standard (SCAQ0-266-025)

Revision: 18.04.2024

Product code: AC18.09943

Page 3 of 13

#### Relevant ingredients

| CAS No    | Chemical name                                                                                      |              |                  | Quantity   |
|-----------|----------------------------------------------------------------------------------------------------|--------------|------------------|------------|
|           | EC No                                                                                              | Index No     | REACH No         |            |
|           | Classification (Regulation (EC) No 1272/2008)                                                      |              |                  |            |
| 7697-37-2 | nitric acid                                                                                        |              |                  | 5 - < 10 % |
|           | 231-714-2                                                                                          | 007-030-00-3 | 01-2119487297-23 |            |
|           | Ox. Liq. 3, Met. Corr. 1, Acute Tox. 3, Skin Corr. 1A, Eye Dam. 1; H272 H290 H331 H314 H318 EUH071 |              |                  |            |
| 7664-39-3 | Hydrofluoric acid                                                                                  |              |                  | < 1 %      |
|           | 231-634-8                                                                                          | 009-003-00-1 |                  |            |
|           | Acute Tox. 1, Acute Tox. 2, Acute Tox. 2, Skin Corr. 1A, Eye Dam. 1; H310 H330 H300 H314 H318      |              |                  |            |

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

| CAS No    | EC No     | Chemical name                                                                                                                                                                                                                                                        | Quantity   |
|-----------|-----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
|           |           | Specific Conc. Limits, M-factors and ATE                                                                                                                                                                                                                             |            |
| 7697-37-2 | 231-714-2 | nitric acid                                                                                                                                                                                                                                                          | 5 - < 10 % |
|           |           | inhalation: ATE 2,65 mg/l (vapours) Ox. Liq. 3; H272: >= 65 - 100 Skin Corr. 1A; H314: >= 20 - 100 Skin Corr. 1B; H314: >= 5 - < 20                                                                                                                                  |            |
| 7664-39-3 | 231-634-8 | Hydrofluoric acid                                                                                                                                                                                                                                                    | < 1 %      |
|           |           | inhalation: ATE = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); inhalation: LC50 = 2240 ppm (gases); dermal: ATE = 5 mg/kg; oral: ATE = 5 mg/kg Skin Corr. 1A; H314: >= 7 - 100 Skin Corr. 1B; H314: >= 1 - < 7 Eye Irrit. 2; H319: >= 0,1 - < 1 |            |

#### Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### General information

First aider: Pay attention to self-protection!

##### After inhalation

Provide fresh air.

Call a physician immediately.

##### After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

##### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

Protect uninjured eye.

##### After ingestion

Rinse mouth immediately and drink plenty of water.

Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk.

Call a physician immediately.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Custom ICP-ICP/MS Standard (SCAQ0-266-025)

Revision: 18.04.2024

Product code: AC18.09943

Page 4 of 13

#### **4.2. Most important symptoms and effects, both acute and delayed**

Causes burns.  
Irritant  
Cough  
Dyspnoea  
Vomiting  
Methaemoglobinaemia  
Risk of serious damage to eyes.

#### **4.3. Indication of any immediate medical attention and special treatment needed**

No data available

### **SECTION 5: Firefighting measures**

#### **5.1. Extinguishing media**

##### **Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

##### **Unsuitable extinguishing media**

no restriction

#### **5.2. Special hazards arising from the substance or mixture**

Non-combustible liquids  
Hazardous combustion products  
In case of fire may be liberated:  
Nitrogen oxides (NO<sub>x</sub>)  
Hydrogen fluoride

#### **5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus.  
In case of fire and/or explosion do not breathe fumes.  
Avoid contact with skin, eyes and clothes.

#### **Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.  
Move undamaged containers from immediate hazard area if it can be done safely.  
Use water spray jet to protect personnel and to cool endangered containers.

### **SECTION 6: Accidental release measures**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

##### **General advice**

Corrosive to metals.

##### **For non-emergency personnel**

Provide adequate ventilation.  
Use personal protection equipment.  
Avoid contact with skin, eyes and clothes.  
Remove persons to safety.  
Emergency procedures  
Consult an expert  
Do not breathe dust/fume/gas/mist/vapours/spray.

##### **For emergency responders**

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### **6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

#### **6.3. Methods and material for containment and cleaning up**

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Custom ICP-ICP/MS Standard (SCAQ0-266-025)

Revision: 18.04.2024

Product code: AC18.09943

Page 5 of 13

#### For containment

- Cover drains.
- Prevent spread over a wide area (e.g. by containment or oil barriers).
- Collect in closed and suitable containers for disposal.
- Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

- Clean contaminated articles and floor according to the environmental legislation.

#### Other information

- Provide adequate ventilation.
- Do not breathe dust/fume/gas/mist/vapours/spray.
- Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### 6.4. Reference to other sections

- Safe handling: see section 7
- Personal protection equipment: see section 8
- Disposal: see section 13

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

##### Advice on safe handling

- Read label before use. Handle and open container with care.
- When using do not eat, drink, smoke, sniff. Use personal protection equipment.
- Provide adequate ventilation. Avoid contact with skin, eyes and clothes.
- Do not breathe vapour/aerosol.

##### Advice on protection against fire and explosion

- Usual measures for fire prevention.

##### Advice on general occupational hygiene

- Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately.
- Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

##### Further information on handling

- Draw up and observe skin protection programme.
- Wash hands and face before breaks and after work and take a shower if necessary.
- Take off immediately all contaminated clothing and wash it before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

##### Requirements for storage rooms and vessels

- Corrosive to metals.
- Unsuitable container/equipment material: Metal, Glass
- The product develops hydrogen in an aqueous solution in contact with metals.

##### Hints on joint storage

- Take national regulations into account.

##### Further information on storage conditions

- Keep container tightly closed.

#### 7.3. Specific end use(s)

- Laboratory chemicals

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Custom ICP-ICP/MS Standard (SCAQ0-266-025)

Revision: 18.04.2024

Product code: AC18.09943

Page 6 of 13

#### Occupational exposure limits

| CAS No    | Substance                | ppm | mg/m <sup>3</sup> | fib/cm <sup>3</sup> | Category      | Origin |
|-----------|--------------------------|-----|-------------------|---------------------|---------------|--------|
| 7664-39-3 | Hydrogen fluoride (as F) | 1.8 | 1.5               |                     | TWA (8 h)     |        |
|           |                          | 3   | 2.5               |                     | STEL (15 min) |        |
| 7697-37-2 | Nitric acid              | 1   | 2.6               |                     | STEL (15 min) |        |

#### Biological limit values

| CAS No    | Substance         | Parameter | Value  | Test material | Sampling time  |
|-----------|-------------------|-----------|--------|---------------|----------------|
| 7664-39-3 | Hydrogen fluoride | Fluoride  | 2 mg/L | Urine         | Prior to shift |

#### DNEL/DMEL values

| CAS No    | Substance         | DNEL type                | Exposure route | Effect   | Value                  |
|-----------|-------------------|--------------------------|----------------|----------|------------------------|
| 7664-39-3 | Hydrofluoric acid |                          |                |          |                        |
|           |                   | Worker DNEL, long-term   | inhalation     | systemic | 1,5 mg/m <sup>3</sup>  |
|           |                   | Worker DNEL, acute       | inhalation     | systemic | 2,5 mg/m <sup>3</sup>  |
|           |                   | Worker DNEL, long-term   | inhalation     | local    | 1,5 mg/m <sup>3</sup>  |
|           |                   | Worker DNEL, acute       | inhalation     | local    | 2,5 mg/m <sup>3</sup>  |
|           |                   | Consumer DNEL, long-term | inhalation     | systemic | 0,03 mg/m <sup>3</sup> |
|           |                   | Consumer DNEL, acute     | inhalation     | systemic | 0,03 mg/m <sup>3</sup> |
|           |                   | Consumer DNEL, long-term | inhalation     | local    | 0,2 mg/m <sup>3</sup>  |
|           |                   | Consumer DNEL, acute     | inhalation     | local    | 1,25 mg/m <sup>3</sup> |
|           |                   | Consumer DNEL, long-term | oral           | systemic | 0,01 mg/kg bw/day      |
|           |                   | Consumer DNEL, acute     | oral           | systemic | 0,01 mg/kg bw/day      |

#### PNEC values

| CAS No    | Substance         | Environmental compartment                        | Value       |
|-----------|-------------------|--------------------------------------------------|-------------|
| 7664-39-3 | Hydrofluoric acid |                                                  |             |
|           |                   | Freshwater                                       | 0,89 mg/l   |
|           |                   | Marine water                                     | 0,089 mg/l  |
|           |                   | Freshwater sediment                              | 3,38 mg/kg  |
|           |                   | Marine sediment                                  | 0,338 mg/kg |
|           |                   | Micro-organisms in sewage treatment plants (STP) | 51 mg/l     |
|           |                   | Soil                                             | 10,6 mg/kg  |

#### 8.2. Exposure controls

##### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

##### Individual protection measures, such as personal protective equipment

##### Eye/face protection

goggles

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Custom ICP-ICP/MS Standard (SCAQ0-266-025)

Revision: 18.04.2024

Product code: AC18.09943

Page 7 of 13

Wear eye/face protection.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

#### Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### Thermal hazards

No data available

#### Environmental exposure controls

Do not allow to enter into surface water or drains.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

|                                                           |                   |                     |
|-----------------------------------------------------------|-------------------|---------------------|
| Physical state:                                           | Liquid            |                     |
| Colour:                                                   | clear             |                     |
| Odour:                                                    | like: Nitric acid |                     |
| Odour threshold:                                          | No data available |                     |
| Melting point/freezing point:                             |                   | No data available   |
| Boiling point or initial boiling point and boiling range: |                   | ~100 °C             |
| Flammability:                                             |                   | No data available   |
| Lower explosion limits:                                   |                   | No data available   |
| Upper explosion limits:                                   |                   | No data available   |
| Flash point:                                              |                   | No data available   |
| Auto-ignition temperature:                                |                   | No data available   |
| Decomposition temperature:                                |                   | No data available   |
| pH-Value (at 20 °C):                                      |                   | <2                  |
| Viscosity / kinematic:                                    |                   | No data available   |
| Water solubility:                                         |                   | completely miscible |
| Solubility in other solvents                              |                   |                     |
| No data available                                         |                   |                     |
| Dissolution rate:                                         |                   | No data available   |
| Partition coefficient n-octanol/water:                    |                   | No data available   |
| Dispersion stability:                                     |                   | No data available   |
| Vapour pressure:                                          |                   | No data available   |
| Vapour pressure:                                          |                   | No data available   |
| Relative density:                                         |                   | No data available   |
| Bulk density:                                             |                   | No data available   |
| Relative vapour density:                                  |                   | No data available   |
| Particle characteristics:                                 |                   | No data available   |

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Custom ICP-ICP/MS Standard (SCAQ0-266-025)

Revision: 18.04.2024

Product code: AC18.09943

Page 8 of 13

#### 9.2. Other information

##### Information with regard to physical hazard classes

Explosive properties

No data available

Sustained combustibility:

No data available

Self-ignition temperature

Solid:

No data available

Gas:

No data available

Oxidizing properties

Oxidizing

##### Other safety characteristics

Evaporation rate:

No data available

Solvent separation test:

No data available

Solvent content:

0

Solid content:

0

Sublimation point:

No data available

Softening point:

No data available

Pour point:

No data available

No data available:

Viscosity / dynamic:

No data available

Flow time:

No data available

##### Further Information

Corrosive to metals.

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Corrosive to metals.

Oxidising agent

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

Alkali (lye)

#### 10.4. Conditions to avoid

No data available

#### 10.5. Incompatible materials

Cellulose

Metal

Glass

The product develops hydrogen in an aqueous solution in contact with metals.

#### 10.6. Hazardous decomposition products

In case of fire may be liberated:

SECTION 5: Firefighting measures

##### Further information

No data available

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Custom ICP-ICP/MS Standard (SCAQ0-266-025)

Revision: 18.04.2024

Product code: AC18.09943

Page 9 of 13

#### Toxicokinetics, metabolism and distribution

There are no data available on the mixture itself.

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 12,5 mg/l

| CAS No    | Chemical name        |               |         |                     |                    |
|-----------|----------------------|---------------|---------|---------------------|--------------------|
|           | Exposure route       | Dose          | Species | Source              | Method             |
| 7697-37-2 | nitric acid          |               |         |                     |                    |
|           | inhalation vapour    | ATE 2,65 mg/l |         |                     |                    |
| 7664-39-3 | Hydrofluoric acid    |               |         |                     |                    |
|           | oral                 | ATE 5 mg/kg   |         |                     |                    |
|           | dermal               | ATE 5 mg/kg   |         |                     |                    |
|           | inhalation vapour    | ATE 0,5 mg/l  |         |                     |                    |
|           | inhalation dust/mist | ATE 0,05 mg/l |         |                     |                    |
|           | inhalation (1 h) gas | LC50 2240 ppm | Rat     | Study report (1990) | OECD Guideline 403 |

#### Irritation and corrosivity

Skin corrosion/irritation: Causes severe skin burns and eye damage.

Serious eye damage/eye irritation: Causes serious eye damage.

Corrosive to the respiratory tract.

Following ingestion Gastric perforation

Irritating to respiratory system.

Pulmonary oedema

Mucous membrane irritation in the mouth, throat, esophagus and gastrointestinal tract.

see also Section 4

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Information on likely routes of exposure

There are no data available on the mixture itself.

#### Specific effects in experiment on an animal

There are no data available on the mixture itself.

#### Additional information on tests

There are no data available on the mixture itself.

#### Practical experience

There are no data available on the mixture itself.

## Custom ICP-ICP/MS Standard (SCAQ0-266-025)

Revision: 18.04.2024

Product code: AC18.09943

Page 10 of 13

### 11.2. Information on other hazards

#### Endocrine disrupting properties

There are no data available on the mixture itself.

#### Other information

There are no data available on the mixture itself.

#### Further information

There are no data available on the mixture itself.

## SECTION 12: Ecological information

### 12.1. Toxicity

Based on available data, the classification criteria are not met.

| CAS No    | Chemical name           |                      |           |                                                    |                                         |                                          |
|-----------|-------------------------|----------------------|-----------|----------------------------------------------------|-----------------------------------------|------------------------------------------|
|           | Aquatic toxicity        | Dose                 | [h]   [d] | Species                                            | Source                                  | Method                                   |
| 7697-37-2 | nitric acid             |                      |           |                                                    |                                         |                                          |
|           | Acute fish toxicity     | LC50 1559 mg/l       | 96 h      | Topeka shiner                                      | Environmental Toxicology and Chemistry, | other: ASTM E729-26                      |
|           | Fish toxicity           | NOEC 268 mg/l        | 30 d      | juvenile Topeka shiner and with juvenile Fathead m | Study report (2009)                     | Growth tests estimated the test chemical |
|           | Algae toxicity          | NOEC > 419 mg/l      | 10 d      | several benthic diatoms; see results               | Marine Biology 43:307-315 (1977)        | Ten cultures of benthic diatoms were iso |
|           | Acute bacteria toxicity | EC50 > 1000 mg/l ( ) | 3 h       | Activated sludge                                   | Study report (2008)                     | OECD Guideline 209                       |
| 7664-39-3 | Hydrofluoric acid       |                      |           |                                                    |                                         |                                          |
|           | Acute fish toxicity     | LC50 299 mg/l        | 96 h      | Salmo trutta                                       | REACH Registration Dossier              | other: U.S Environmental Protection Agen |
|           | Acute algae toxicity    | ErC50 43 mg/l        | 96 h      | various algae species                              | REACH Registration Dossier              | Methods not detailed in the review.      |
|           | Crustacea toxicity      | NOEC 3,7 mg/l        | 21 d      | Daphnia magna                                      | REACH Registration Dossier              | The publication is a review article of v |
|           | Acute bacteria toxicity | EC50 2930 mg/l ( )   | 3 h       | Activated sludge                                   | REACH Registration Dossier              | ISO 8192                                 |

### 12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

### 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

#### BCF

| CAS No    | Chemical name     | BCF     | Species       | Source               |
|-----------|-------------------|---------|---------------|----------------------|
| 7664-39-3 | Hydrofluoric acid | 53 - 58 | not specified | REACH Registration D |

### 12.4. Mobility in soil

There are no data available on the mixture itself.

### 12.5. Results of PBT and vPvB assessment

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Custom ICP-ICP/MS Standard (SCAQ0-266-025)

Revision: 18.04.2024

Product code: AC18.09943

Page 11 of 13

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

Discharge into the environment must be avoided.

Harmful effect due to pH shift.

Forms corrosive mixtures with water even if diluted.

#### Further information

Do not allow to enter into surface water or drains.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not empty into drains.

##### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

Waste codes/waste designations according to EWC/AVV

### SECTION 14: Transport information

#### Land transport (ADR/RID)

|                                          |                                                                              |
|------------------------------------------|------------------------------------------------------------------------------|
| <b>14.1. UN number or ID number:</b>     | UN 3264                                                                      |
| <b>14.2. UN proper shipping name:</b>    | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid, Hydrofluoric acid) |
| <b>14.3. Transport hazard class(es):</b> | 8                                                                            |
| <b>14.4. Packing group:</b>              | III                                                                          |
| Hazard label:                            | 8                                                                            |
| Classification code:                     | C1                                                                           |
| Special Provisions:                      | 274                                                                          |
| Limited quantity:                        | 5 L                                                                          |
| Excepted quantity:                       | E1                                                                           |
| Transport category:                      | 3                                                                            |
| Hazard No:                               | 80                                                                           |
| Tunnel restriction code:                 | E                                                                            |

#### Inland waterways transport (ADN)

|                                          |                                                                              |
|------------------------------------------|------------------------------------------------------------------------------|
| <b>14.1. UN number or ID number:</b>     | UN 3264                                                                      |
| <b>14.2. UN proper shipping name:</b>    | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid, Hydrofluoric acid) |
| <b>14.3. Transport hazard class(es):</b> | 8                                                                            |
| <b>14.4. Packing group:</b>              | III                                                                          |
| Hazard label:                            | 8                                                                            |
| Classification code:                     | C1                                                                           |
| Special Provisions:                      | 274                                                                          |
| Limited quantity:                        | 5 L                                                                          |
| Excepted quantity:                       | E1                                                                           |

#### Marine transport (IMDG)

|                                      |         |
|--------------------------------------|---------|
| <b>14.1. UN number or ID number:</b> | UN 3264 |
|--------------------------------------|---------|

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Custom ICP-ICP/MS Standard (SCAQ0-266-025)

Revision: 18.04.2024

Product code: AC18.09943

Page 12 of 13

|                                          |                                                                              |
|------------------------------------------|------------------------------------------------------------------------------|
| <b>14.2. UN proper shipping name:</b>    | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid, Hydrofluoric acid) |
| <b>14.3. Transport hazard class(es):</b> | 8                                                                            |
| <b>14.4. Packing group:</b>              | III                                                                          |
| Hazard label:                            | 8                                                                            |
| Special Provisions:                      | 223 274                                                                      |
| Limited quantity:                        | 5 L                                                                          |
| Excepted quantity:                       | E1                                                                           |
| EmS:                                     | F-A, S-B                                                                     |
| Segregation group:                       | 1 - acids                                                                    |

#### Air transport (ICAO-TI/IATA-DGR)

|                                          |                                                                              |
|------------------------------------------|------------------------------------------------------------------------------|
| <b>14.1. UN number or ID number:</b>     | UN 3264                                                                      |
| <b>14.2. UN proper shipping name:</b>    | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid, Hydrofluoric acid) |
| <b>14.3. Transport hazard class(es):</b> | 8                                                                            |
| <b>14.4. Packing group:</b>              | III                                                                          |
| Hazard label:                            | 8                                                                            |
| Special Provisions:                      | A3 A803                                                                      |
| Limited quantity Passenger:              | 1 L                                                                          |
| Passenger LQ:                            | Y841                                                                         |
| Excepted quantity:                       | E1                                                                           |
| IATA-packing instructions - Passenger:   | 852                                                                          |
| IATA-max. quantity - Passenger:          | 5 L                                                                          |
| IATA-packing instructions - Cargo:       | 856                                                                          |
| IATA-max. quantity - Cargo:              | 60 L                                                                         |

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Marketing and use of explosives precursors (Regulation (EU) 2019/1148):

Acquisition, introduction, possession or use of this product by the general public is restricted by Regulation (EU) 2019/1148. All suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

##### National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

### SECTION 16: Other information

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Custom ICP-ICP/MS Standard (SCAQ0-266-025)

Revision: 18.04.2024

Product code: AC18.09943

Page 13 of 13

#### Abbreviations and acronyms

- Ox. Liq. 3: Oxidising liquids, hazard category 3
- Met. Corr. 1: Corrosive to metals, hazard category 1
- Acute Tox. 1: Acute toxicity, hazard category 1
- Acute Tox. 2: Acute toxicity, hazard category 2
- Acute Tox. 3: Acute toxicity, hazard category 3
- Skin Corr. 1A: Skin corrosion, sub-category 1A
- Skin Corr. 1B: Skin corrosion, sub-category 1B
- Eye Dam. 1: Serious eye damage, hazard category 1

#### Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

| Classification      | Classification procedure |
|---------------------|--------------------------|
| Met. Corr. 1; H290  | On basis of test data    |
| Skin Corr. 1B; H314 | Calculation method       |
| Eye Dam. 1; H318    | Calculation method       |

#### Relevant H and EUH statements (number and full text)

- H272 May intensify fire; oxidiser.
- H290 May be corrosive to metals.
- H300 Fatal if swallowed.
- H310 Fatal in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H318 Causes serious eye damage.
- H330 Fatal if inhaled.
- H331 Toxic if inhaled.
- EUH071 Corrosive to the respiratory tract.

#### Further Information

Provide appropriate information, instructions and training to users

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*