

PlasmaCAL custom calibration standard for ICP-AES and ICP-MS

Revision: 06.06.2024

Product code: AC18.10117

Page 1 of 14

1. Identification
Product identifier

PlasmaCAL custom calibration standard for ICP-AES and ICP-MS

Relevant identified uses of the substance or mixture and uses advised against
Use of the substance/mixture

Reagents and laboratory chemicals
Only for laboratory and analysis purposes.

Uses advised against

Do not use for private purposes (household).

Details of the supplier of the safety data sheet
Details of the supplier of the safety data sheet

Company name: AnalytiChem Services, Unipessoal, Lda
Street: Rua de Júlio Dinis 676 7º
Place: P-4050-320 Porto
Telephone: +351 226002917
E-mail: info@analytichem.com
Contact person: SDS service department
E-mail: SDS@analytichem.com
Internet: www.analytichem.com
Responsible Department: SDS service department

Supplier or manufacturer details

Company name: AnalytiChem Canada Inc.
Québec, CANADA
Street: 21800 Clark Graham Ave
Place: CDN-H9X 4B6 Baie-D'Urfé
Telephone: +1 (800) 361-6820 Telefax: +1 (800) 253-5549
E-mail: info@analytichem.com
Contact person: SDS service department
E-mail: SDS@analytichem.com
Internet: www.analytichem.com
Responsible Department: AnalytiChem:
EU-Belgium: AnalytiChem Belgium, Industriezone "De Arend" 2, 8210 Zedelgem, Belgium, +32 50 28 83 20
EU-Germany: AnalytiChem Germany, Stempelstrasse 6, 47167 Duisburg, Germany, +49 203 51 94 – 200
EU-Netherlands: AnalytiChem Netherlands, Communicatieweg 7, 3641 SG Mijdrecht, The Netherlands, +31 297 286848
UK: AnalytiChem UK, Unit 7 Launton Business Center, Murdock Road, Bicester, OX26 4XB, England, +44 1869 355 500
USA: AnalytiChem USA, 227 China Road, Winslow, Maine, 04901, United States, +1 800-244-8378
Canada: AnalytiChem Canada, 21800 Clark Graham Avenue, Baie d'Urfe, H9X 4B6, Canada, +1 514-457-0701
Australia: ORE Research & Exploration Pty Ltd, 37A Hosie Street, Bayswater North, 3153, Australia, +61 3 9729 0333

Emergency telephone number: +1 703-741-5970 (CHEMTREC)

Further Information

This product is a mixture. REACH Registration Number see section 3.

PlasmaCAL custom calibration standard for ICP-AES and ICP-MS

Revision: 06.06.2024

Product code: AC18.10117

Page 2 of 14

2. Hazard identification

Classification of the substance or mixture

Regulation (EC) No 1272/2008

Met. Corr. 1; H290
Acute Tox. 3; H311
Acute Tox. 3; H301
Acute Tox. 4; H332
Skin Corr. 1B; H314
Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

nitric acid 5 %
hydrofluoric acid 2 %

Signal word: Danger

Pictograms:



Hazard statements

H290 May be corrosive to metals.
H301+H311 Toxic if swallowed or in contact with skin.
H314 Causes severe skin burns and eye damage.
H332 Harmful if inhaled.
EUH071 Corrosive to the respiratory tract.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves/protective clothing and eye protection/face protection.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.

Other hazards

No data available

3. Composition/information on ingredients

Mixtures

Chemical characterization

Mixtures in aqueous solution

PlasmaCAL custom calibration standard for ICP-AES and ICP-MS

Revision: 06.06.2024

Product code: AC18.10117

Page 3 of 14

Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
7697-37-2	nitric acid			5 - < 10 %
	231-714-2	007-030-00-3	01-2119487297-23	
	Ox. Liq. 3, Met. Corr. 1, Acute Tox. 3, Skin Corr. 1A, Eye Dam. 1; H272 H290 H331 H314 H318 EUH071			
7664-39-3	Hydrofluoric acid ... %			1 - < 5 %
	231-634-8	009-003-00-1	01-2119458860-33	
	Acute Tox. 1, Acute Tox. 2, Acute Tox. 2, Skin Corr. 1A, Eye Dam. 1; H310 H330 H300 H314 H318			
1309-64-4	antimony trioxide			< 1 %
	215-175-0	051-005-00-X		
	Carc. 2; H351			

Full text of H statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
7697-37-2	231-714-2	nitric acid	5 - < 10 %
		inhalation: ATE 2,65 mg/l (vapours) Ox. Liq. 3; H272: >= 65 - 100 Skin Corr. 1A; H314: >= 20 - 100 Skin Corr. 1B; H314: >= 5 - < 20	
7664-39-3	231-634-8	Hydrofluoric acid ... %	1 - < 5 %
		inhalation: ATE = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); inhalation: LC50 = 2240 ppm (gases); dermal: ATE = 5 mg/kg; oral: ATE = 5 mg/kg Skin Corr. 1A; H314: >= 7 - 100 Skin Corr. 1B; H314: >= 1 - < 7 Eye Irrit. 2; H319: >= 0,1 - < 1	

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

4. First-aid measures

Description of first aid measures

General information

First aider: Pay attention to self-protection!
Remove contaminated, saturated clothing immediately.

After inhalation

Provide fresh air.
Call a physician immediately.

After contact with skin

Wash immediately with: Water, Calcium gluconate solution
Take off immediately all contaminated clothing and wash it before reuse.
Call a physician immediately.
Rinse with plenty of water for at least 10 minutes. Immediately remove contaminated clothes. Apply calcium gluconate gel (preparation: boil 5 g of calcium gluconate in 85 ml of hot distilled water, add 10 g glycerol. Allow 5 g of Carmellose-sodium to swell in the hot solution. Stable for 6 months, store in a cool place) and massage into the skin until the pain subsides, in between rinse with water and apply fresh gel. Continue gel therapy for another 15 minutes after the pain has subsided. If no calcium gluconate gel is available, apply several dressings thoroughly moistened with 20 % calcium gluconate solution. Medical advice absolutely required!

PlasmaCAL custom calibration standard for ICP-AES and ICP-MS

Revision: 06.06.2024

Product code: AC18.10117

Page 4 of 14

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.
Remove contact lenses, if present and easy to do. Continue rinsing.
Protect uninjured eye.

After ingestion

Rinse mouth immediately and drink plenty of water.
Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk.
Call a physician immediately.

Most important symptoms and effects, whether acute or delayed

Irritant
Cough
Dyspnoea
Vomiting
Methaemoglobinaemia
Risk of serious damage to eyes.

Indication of immediate medical attention and special treatment needed

It is recommended to consult a doctor with experience in the treatment of lesions caused by hydrofluoric acid

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

Specific hazards arising from the hazardous product

Non-combustible liquids
Hazardous combustion products
In case of fire may be liberated:
Nitrogen oxides (NOx)
Hydrogen fluoride

Special protective equipment and precautions for fire-fighters

In case of fire: Wear self-contained breathing apparatus.
In case of fire and/or explosion do not breathe fumes.
Avoid contact with skin, eyes and clothes.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.
Move undamaged containers from immediate hazard area if it can be done safely.
Use water spray jet to protect personnel and to cool endangered containers.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

General advice

Corrosive to metals.
Avoid contact with skin, eyes and clothes.
Do not breathe vapour/aerosol.

For non-emergency personnel

Provide adequate ventilation.
Use personal protection equipment.

PlasmaCAL custom calibration standard for ICP-AES and ICP-MS

Revision: 06.06.2024

Product code: AC18.10117

Page 5 of 14

Avoid contact with skin, eyes and clothes.
Remove persons to safety.
Emergency procedures
Consult an expert
Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

Environmental precautions

Do not allow to enter into surface water or drains.

Methods and material for containment and cleaning up

For containment

Cover drains.
Prevent spread over a wide area (e.g. by containment or oil barriers).
Collect in closed and suitable containers for disposal.
Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.
Do not breathe dust/fume/gas/mist/vapours/spray.
Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Reference to other sections

Safe handling: see section 7
Personal protection equipment: see section 8
Disposal: see section 13

7. Handling and storage

Precautions for safe handling

Advice on safe handling

Read label before use. Handle and open container with care.
When using do not eat, drink, smoke, sniff. Use personal protection equipment.
Provide adequate ventilation. Avoid contact with skin, eyes and clothes.
Do not breathe vapour/aerosol. Use extractor hood (laboratory).

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately.
Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

Further information on handling

Draw up and observe skin protection programme.
Wash hands and face before breaks and after work and take a shower if necessary.
Take off immediately all contaminated clothing and wash it before reuse.

Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Corrosive to metals.
Unsuitable container/equipment material: Metal, Glass
The product develops hydrogen in an aqueous solution in contact with metals.

PlasmaCAL custom calibration standard for ICP-AES and ICP-MS

Revision: 06.06.2024

Product code: AC18.10117

Page 6 of 14

Hints on joint storage

Take national regulations into account.

Further information on storage conditions

Keep container tightly closed.

Store in a place accessible by authorized persons only.

Specific end use(s)

Laboratory chemicals

8. Exposure controls/Personal protection

Control parameters

Exposure limits (ACGIH)

CAS No	Chemical name	ppm	mg/m ³	Category	Origin
1309-64-4	Antimony trioxide (inhalable fraction)	-	0.02	TWA (8 h)	ACGIH-2025
7664-39-3	Hydrogen fluoride, as F	0.5		TWA (8 h)	ACGIH-2025
		2		Peak	ACGIH-2025
7697-37-2	Nitric acid	2	5.2	TWA (8 h)	ACGIH-2025
		4	10	STEL (15 min)	ACGIH-2025

Biological limit values

CAS No	Chemical name	Parameter	Value	Test material	Sampling time
-	FLUORIDES (ACGIH 2025)	Fluoride	2 mg/L	urine	Prior to shift

DNEL/DMEL values

CAS No	Chemical name	Exposure route	Effect	Value
7664-39-3	Hydrofluoric acid ... %			
Worker DNEL, long-term	inhalation	systemic	1,5 mg/m ³	
Worker DNEL, acute	inhalation	systemic	2,5 mg/m ³	
Worker DNEL, long-term	inhalation	local	1,5 mg/m ³	
Worker DNEL, acute	inhalation	local	2,5 mg/m ³	
Consumer DNEL, long-term	inhalation	systemic	0,03 mg/m ³	
Consumer DNEL, acute	inhalation	systemic	0,03 mg/m ³	
Consumer DNEL, long-term	inhalation	local	0,2 mg/m ³	
Consumer DNEL, acute	inhalation	local	1,25 mg/m ³	
Consumer DNEL, long-term	oral	systemic	0,01 mg/kg bw/day	
Consumer DNEL, acute	oral	systemic	0,01 mg/kg bw/day	

PlasmaCAL custom calibration standard for ICP-AES and ICP-MS

Revision: 06.06.2024

Product code: AC18.10117

Page 7 of 14

PNEC values

CAS No	Chemical name	
Environmental compartment		Value
7664-39-3	Hydrofluoric acid ... %	
Freshwater		0,89 mg/l
Marine water		0,089 mg/l
Freshwater sediment		3,38 mg/kg
Marine sediment		0,338 mg/kg
Micro-organisms in sewage treatment plants (STP)		51 mg/l
Soil		10,6 mg/kg

Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Thermal hazards

No data available

Environmental exposure controls

Do not allow to enter into surface water or drains.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	colourless	
Odour:	odourless	
Odour threshold:	No data available	
Melting point/freezing point:		No data available

PlasmaCAL custom calibration standard for ICP-AES and ICP-MS

Revision: 06.06.2024

Product code: AC18.10117

Page 8 of 14

Boiling point or initial boiling point and boiling range:	~100 °C
Flammability:	No data available
Lower explosive limits:	No data available
Upper explosive limits:	No data available
Flash point:	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
pH-Value (at 20 °C):	<2
Viscosity / kinematic:	No data available
Water solubility:	completely miscible
Solubility in other solvents	
No data available	
Dissolution rate:	No data available
Partition coefficient n-octanol/water:	No data available
Dispersion stability:	No data available
Vapour pressure:	No data available
Vapour pressure:	No data available
Density (at 23 °C):	1,042 g/cm ³
Relative density:	No data available
Bulk density:	No data available
Relative vapour density:	No data available
Particle characteristics:	No data available

Other information

Information with regard to physical hazard classes

Explosive properties	
No data available	
Sustained combustibility:	No data available
Self-ignition temperature	
Solid:	No data available
Gas:	No data available
Oxidizing properties	
Oxidizing	

Other safety characteristics

Evaporation rate:	No data available
Solvent separation test:	No data available
Solvent content:	0
Solid content:	0
Sublimation point:	No data available
Softening point:	No data available
Pour point:	No data available
No data available:	
Viscosity / dynamic:	No data available
Flow time:	No data available

Further Information

Corrosive to metals.

10. Stability and reactivity

Reactivity

Corrosive to metals. Glass

PlasmaCAL custom calibration standard for ICP-AES and ICP-MS

Revision: 06.06.2024

Product code: AC18.10117

Page 9 of 14

Oxidising agent

Chemical stability

The product is stable under storage at normal ambient temperatures.

Possibility of hazardous reactions

Alkali (lye)

Conditions to avoid

No data available

Incompatible materials

Cellulose

Metal

Glass

The product develops hydrogen in an aqueous solution in contact with metals.

Hazardous decomposition products

In case of fire may be liberated:

SECTION 5: Firefighting measures

Further information

No data available

11. Toxicological information

Information on toxicological effects

Toxicokinetics, metabolism and distribution

There are no data available on the mixture itself.

Acute toxicity

Toxic in contact with skin.

Toxic if swallowed.

Harmful if inhaled.

ATEmix calculated

ATE (oral) 250,0 mg/kg; ATE (dermal) 250,0 mg/kg; ATE (inhalation vapour) 16,99 mg/l; ATE (inhalation dust/mist) 2,500 mg/l

CAS No	Chemical name				
	Route of exposure	Dose	Species	Source	Method
7697-37-2	nitric acid				
	inhalation vapour	ATE 2,65 mg/l			
7664-39-3	Hydrofluoric acid ... %				
	oral	ATE 5 mg/kg			
	dermal	ATE 5 mg/kg			
	inhalation vapour	ATE 0,5 mg/l			
	inhalation dust/mist	ATE 0,05 mg/l			
	inhalation (1 h) gas	LC50 2240 ppm	Rat	Study report (1990)	OECD Guideline 403

PlasmaCAL custom calibration standard for ICP-AES and ICP-MS

Revision: 06.06.2024

Product code: AC18.10117

Page 10 of 14

Irritation and corrosivity

Skin corrosion/irritation: Causes severe skin burns and eye damage.
 Serious eye damage/eye irritation: Causes serious eye damage.
 Corrosive to the respiratory tract.
 Following ingestion Gastric perforation
 Irritating to respiratory system.
 Pulmonary oedema
 Mucous membrane irritation in the mouth, throat, esophagus and gastrointestinal tract.
 see also Section 4

Sensitizing effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.
 Carcinogenicity: Based on available data, the classification criteria are not met.
 Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

There are no data available on the mixture itself.

Specific effects in experiment on an animal

There are no data available on the mixture itself.

Additional information on tests

There are no data available on the mixture itself.

Practical experience

There are no data available on the mixture itself.

Information on other hazards

Endocrine disrupting properties

There are no data available on the mixture itself.

Other information

There are no data available on the mixture itself.

Further information

There are no data available on the mixture itself.

12. Ecological information

Ecotoxicity

Based on available data, the classification criteria are not met.

PlasmaCAL custom calibration standard for ICP-AES and ICP-MS

Revision: 06.06.2024

Product code: AC18.10117

Page 11 of 14

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
7697-37-2	nitric acid					
	Acute fish toxicity	LC50 1559 mg/l	96 h	Topeka shiner	Environmental Toxicology and Chemistry,	other: ASTM E729-26
	Fish toxicity	NOEC 268 mg/l	30 d	juvenile Topeka shiner and with juvenile Fathead m	Study report (2009)	Growth tests estimated the test chemical
	Algae toxicity	NOEC > 419 mg/l	10 d	several benthic diatoms; see results	Marine Biology 43:307-315 (1977)	Ten cultures of benthic diatoms were iso
	Acute bacteria toxicity	EC50 > 1000 mg/l ()	3 h	Activated sludge	Study report (2008)	OECD Guideline 209
7664-39-3	Hydrofluoric acid ... %					
	Acute fish toxicity	LC50 299 mg/l	96 h	Salmo trutta	REACH Registration Dossier	other: U.S Environmental Protection Agen
	Acute algae toxicity	ErC50 43 mg/l	96 h	various algae species	REACH Registration Dossier	Methods not detailed in the review.
	Crustacea toxicity	NOEC 3,7 mg/l	21 d	Daphnia magna	REACH Registration Dossier	The publication is a review article of v
	Acute bacteria toxicity	EC50 2930 mg/l ()	3 h	Activated sludge	REACH Registration Dossier	ISO 8192

Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

Bioaccumulative potential

There are no data available on the mixture itself.

BCF

CAS No	Chemical name	BCF	Species	Source
7664-39-3	Hydrofluoric acid ... %	53 - 58	not specified	REACH Registration D

Mobility in soil

There are no data available on the mixture itself.

Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Other adverse effects

Discharge into the environment must be avoided.

Harmful effect due to pH shift.

Forms corrosive mixtures with water even if diluted.

Further information

Do not allow to enter into surface water or drains.

PlasmaCAL custom calibration standard for ICP-AES and ICP-MS

Revision: 06.06.2024

Product code: AC18.10117

Page 12 of 14

13. Disposal considerations

Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.
Send to a physico-chemical treatment facility under observation of official regulations .
Do not empty into drains.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.
Waste codes/waste designations according to EWC/AVV

14. Transport information

Land transport (ADR/RID)

<u>UN number or ID number:</u>	UN 3264
<u>United Nations proper shipping name:</u>	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid, Hydrofluoric acid)
<u>Transport hazard class(es):</u>	8
<u>Packing group:</u>	III
Hazard label:	8
Classification Code:	C1
Special Provisions:	274
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	80
Tunnel restriction code:	E

Inland waterways transport (ADN)

<u>UN number or ID number:</u>	UN 3264
<u>United Nations proper shipping name:</u>	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid, Hydrofluoric acid)
<u>Transport hazard class(es):</u>	8
<u>Packing group:</u>	III
Hazard label:	8
Classification Code:	C1
Special Provisions:	274
Limited quantity:	5 L
Excepted quantity:	E1

Marine transport (IMDG)

<u>UN number or ID number:</u>	UN 3264
<u>United Nations proper shipping name:</u>	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid, Hydrofluoric acid)
<u>Transport hazard class(es):</u>	8
<u>Packing group:</u>	III
Hazard label:	8
Special Provisions:	223 274
Limited quantity:	5 L
Excepted quantity:	E1
EmS:	F-A, S-B
Segregation group:	1 - acids

Air transport (ICAO-TI/IATA-DGR)

PlasmaCAL custom calibration standard for ICP-AES and ICP-MS

Revision: 06.06.2024

Product code: AC18.10117

Page 13 of 14

UN number or ID number:	UN 3264
United Nations proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid, Hydrofluoric acid)
Transport hazard class(es):	8
Packing group:	III
Hazard label:	8
Special Provisions:	A3 A803
Limited quantity Passenger:	1 L
Passenger LQ:	Y841
Excepted quantity:	E1
IATA-packing instructions - Passenger:	852
IATA-max. quantity - Passenger:	5 L
IATA-packing instructions - Cargo:	856
IATA-max. quantity - Cargo:	60 L

Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Information according to Directive 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

Marketing and use of explosives precursors:

Acquisition, introduction, possession or use of this product by the general public is restricted by Regulation (EU) 2019/1148. All suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

National regulatory information

Employment restrictions: Observe employment restrictions for young people.

Water hazard class (D): 1 - slightly hazardous to water

16. Other information

Abbreviations and acronyms

- Ox. Liq. 3: Oxidizing liquids
- Met. Corr. 1: Corrosive to metals
- Acute Tox. 1: Acute toxicity
- Acute Tox. 2: Acute toxicity
- Acute Tox. 3: Acute toxicity
- Acute Tox. 4: Acute toxicity
- Skin Corr. 1A: Skin corrosion
- Skin Corr. 1B: Skin corrosion
- Eye Dam. 1: Serious eye damage
- Carc. 2: Carcinogenicity

PlasmaCAL custom calibration standard for ICP-AES and ICP-MS

Revision: 06.06.2024

Product code: AC18.10117

Page 14 of 14

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Acute Tox. 3; H311	Calculation method
Acute Tox. 3; H301	Calculation method
Acute Tox. 4; H332	Calculation method
Skin Corr. 1B; H314	Calculation method
Eye Dam. 1; H318	Calculation method

Relevant H statements (number and full text)

H272	May intensify fire; oxidizer.
H290	May be corrosive to metals.
H300	Fatal if swallowed.
H301	Toxic if swallowed.
H301+H311	Toxic if swallowed or in contact with skin.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H351	Suspected of causing cancer.
EUH071	Corrosive to the respiratory tract.

Further Information

Provide appropriate information, instructions and training to users

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)