



**PlasmaCAL custom calibration standard**

Revision date: 04/11/2025

Product code: AC18.10828

Page 2 of 12

**2. Hazard(s) identification**

**Classification of the chemical**

**Regulation (EC) No 1272/2008**

Met. Corr. 1; H290  
 Skin Corr. 1B; H314  
 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

**Label elements**

**Regulation (EC) No 1272/2008**

**Hazard components for labelling**  
 nitric acid

**Signal word:** Danger

**Pictograms:**



**Hazard statements**

H290 May be corrosive to metals  
 H314 Causes severe skin burns and eye damage  
 EUH071 Corrosive to the respiratory tract.

**Precautionary statements**

P260 Do not breathe dust/fume/gas/mist/vapors/spray.  
 P280 Wear protective gloves/protective clothing and eye protection/face protection.  
 P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water.  
 P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P310 Immediately call a poison center/doctor.

**Hazards not otherwise classified**

No data available

**3. Composition/information on ingredients**

**Mixtures**

**Chemical characterization**

Mixtures in aqueous solution

**Relevant ingredients**

| CAS No    | Components  |              |                  | Quantity   |
|-----------|---|--------------|------------------|------------|
|           | EC No   | Index No     | REACH No         |            |
|           | Classification (Regulation (EC) No 1272/2008)   |              |                  |            |
| 7697-37-2 | nitric acid   |              |                  | 5 - < 10 % |
|           | 231-714-2   | 007-030-00-3 | 01-2119487297-23 |            |
|           | Ox. Liq. 3, Met. Corr. 1, Acute Tox. 3, Skin Corr. 1A, Eye Dam. 1; H272 H290 H331 H314 H318<br>EUH071 |              |                  |            |

Full text of H and EUH statements: see section 16.

**PlasmaCAL custom calibration standard**

Revision date: 04/11/2025

Product code: AC18.10828

Page 3 of 12

**Specific Conc. Limits, M-factors and ATE**

| CAS No    | EC No     | Components  | Quantity   |
|-----------|-----------|---|------------|
|           |           | Specific Conc. Limits, M-factors and ATE  |            |
| 7697-37-2 | 231-714-2 | nitric acid   | 5 - < 10 % |
|           |           | inhalation: ATE 2,65 mg/l (vapours) Ox. Liq. 3; H272: >= 65 - 100 Skin Corr. 1A; H314: >= 20 - 100 Skin Corr. 1B; H314: >= 5 - < 20 |            |

**Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

**4. First-aid measures**

Description of first aid measures

**General information**

First aider: Pay attention to self-protection!

**After inhalation**

Provide fresh air.  
Call a physician immediately.

**After contact with skin**

Wash immediately with: Water  
Take off immediately all contaminated clothing and wash it before reuse.  
Call a physician immediately.

**After contact with eyes**

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.  
Remove contact lenses, if present and easy to do. Continue rinsing.  
Protect uninjured eye.

**After ingestion**

Rinse mouth immediately and drink plenty of water.  
Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk.  
Call a physician immediately.

Most important symptoms and effects, both acute and delayed

Causes burns.  
Irritant  
Cough  
Dyspnoea  
Vomiting  
Methaemoglobinaemia  
Risk of serious damage to eyes.

Indication of any immediate medical attention and special treatment needed

No data available

**5. Fire-fighting measures**

Extinguishing media

**Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

**Unsuitable extinguishing media**

no restriction

**PlasmaCAL custom calibration standard**

Revision date: 04/11/2025

Product code: AC18.10828

Page 4 of 12

**Specific hazards arising from the chemical**

Non-combustible liquids  
 Hazardous combustion products  
 In case of fire may be liberated:  
 Nitrogen oxides (NOx)

**Special protective equipment and precautions for fire-fighters**

In case of fire: Wear self-contained breathing apparatus.  
 In case of fire and/or explosion do not breathe fumes.  
 Avoid contact with skin, eyes and clothes.

**Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.  
 Move undamaged containers from immediate hazard area if it can be done safely.  
 Use water spray jet to protect personnel and to cool endangered containers.

**6. Accidental release measures**

**Personal precautions, protective equipment and emergency procedures**

**General advice**

Corrosive to metals.

**For non-emergency personnel**

Provide adequate ventilation.  
 Use personal protection equipment.  
 Avoid contact with skin, eyes and clothes.  
 Remove persons to safety.  
 Emergency procedures  
 Consult an expert  
 Do not breathe dust/fume/gas/mist/vapors/spray.

**For emergency responders**

Precautionary statements For emergency responders : Personal protection equipment (PPE): see section 8

**Environmental precautions**

Do not allow to enter into surface water or drains.

**Methods and material for containment and cleaning up**

**For containment**

Cover drains.  
 Prevent spread over a wide area (e.g. by containment or oil barriers).  
 Collect in closed and suitable containers for disposal.  
 Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

**For cleaning up**

Clean contaminated articles and floor according to the environmental legislation.

**Other information**

Provide adequate ventilation.  
 Do not breathe dust/fume/gas/mist/vapors/spray.  
 Wear breathing apparatus if exposed to vapors/dusts/aerosols.

**Reference to other sections**

Safe handling: see section 7  
 Personal protection equipment (PPE): see section 8  
 Disposal: see section 13

**7. Handling and storage**

**Precautions for safe handling**

**PlasmaCAL custom calibration standard**

Revision date: 04/11/2025

Product code: AC18.10828

Page 5 of 12

**Advice on safe handling**

Read label before use. Handle and open container with care.  
 When using do not eat, drink, smoke, sniff. Use personal protection equipment.  
 Provide adequate ventilation. Avoid contact with skin, eyes and clothes.  
 Do not breathe vapor or spray.

**Advice on protection against fire and explosion**

Usual measures for fire prevention.

**Advice on general occupational hygiene**

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately.  
 Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapor or spray.

**Further information on handling**

Draw up and observe skin protection programme.  
 Wash hands and face before breaks and after work and take a shower if necessary.  
 Take off immediately all contaminated clothing and wash it before reuse.

**Conditions for safe storage, including any incompatibilities**

**Requirements for storage rooms and vessels**

Corrosive to metals.  
 Unsuitable container/equipment material: Metal  
 The product develops hydrogen in an aqueous solution in contact with metals.

**Hints on joint storage**

Take national regulations into account.

**Further information on storage conditions**

Keep container tightly closed.

**Specific end use(s)**

Laboratory chemicals

**8. Exposure controls/personal protection**

**Control parameters**

**Exposure limits**

| CAS No    | Substance   | ppm | mg/m <sup>3</sup> | Category      | Origin     |
|-----------|-------------|-----|-------------------|---------------|------------|
| 7697-37-2 | Nitric acid | 2   | 5                 | TWA (8 h)     | PEL        |
|           |             | 2   | 5                 | TWA (8 h)     | REL        |
|           |             | 4   | 10                | STEL (15 min) | REL        |
| 7697-37-2 | Nitric acid | 2   | 5.2               | TWA (8 h)     | ACGIH-2025 |
|           |             | 4   | 10                | STEL (15 min) | ACGIH-2025 |

**Exposure controls**

**Appropriate engineering controls**

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection**

goggles  
 Wear eye/face protection.

**PlasmaCAL custom calibration standard**

Revision date: 04/11/2025

Product code: AC18.10828

Page 6 of 12

**Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

**Skin protection**

Wear suitable protective clothing. Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of the protective agents should be clarified with their suppliers.

**Respiratory protection**

Respiratory protection necessary at: aerosol or mist formation

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented. A respiratory protection program that meets OSHA's 29 CFR 1910.134 requirements must be followed whenever workplace conditions warrant a respirator's use.

**Thermal hazards**

No data available

**Environmental exposure controls**

Do not allow to enter into surface water or drains.

**9. Physical and chemical properties**

**Information on basic physical and chemical properties**

|   |                   |                         |
|---|-------------------|-------------------------|
| Physical state:   | Liquid            |                         |
| Color:  | clear             |                         |
| Odor:   | like: Nitric acid |                         |
| Odour threshold:  | No data available |                         |
| Melting point/freezing point:                             |                   | No data available       |
| Boiling point or initial boiling point and boiling range: |                   | No data available       |
| Flammability:   |                   | No data available       |
| Lower explosion limits:                                   |                   | No data available       |
| Upper explosion limits:                                   |                   | No data available       |
| Flash point:  |                   | No data available       |
| Auto-ignition temperature:                                |                   | No data available       |
| Decomposition temperature:                                |                   | No data available       |
| pH-Value:   |                   | <1                      |
| Viscosity / kinematic:                                    |                   | No data available       |
| Water solubility:   |                   | completely miscible     |
| Solubility in other solvents                              |                   |                         |
| No data available   |                   |                         |
| Dissolution rate:   |                   | No data available       |
| Partition coefficient n-octanol/water:                    |                   | No data available       |
| Dispersion stability:                                     |                   | No data available       |
| Vapor pressure:   |                   | No data available       |
| Vapor pressure:   |                   | No data available       |
| Density (at 24,8 °C):                                     |                   | 1,042 g/cm <sup>3</sup> |
| Relative density:   |                   | No data available       |
| Bulk density:   |                   | No data available       |

**PlasmaCAL custom calibration standard**

Revision date: 04/11/2025

Product code: AC18.10828

Page 7 of 12

Relative vapour density: No data available  
 Particle characteristics: No data available

**Other information**

**Information with regard to physical hazard classes**

Explosive properties  
 No data available  
 Sustained combustibility: No data available  
 Self-ignition temperature  
 Solid: No data available  
 Gas: No data available  
 Oxidizing properties  
 Oxidizing

**Other safety characteristics**

Evaporation rate: No data available  
 Solvent separation test: No data available  
 Solvent content: 0  
 Solid content: 0  
 Sublimation point: No data available  
 Softening point: No data available  
 Pour point: No data available  
 No data available:  
 Viscosity / dynamic: No data available  
 Flow time: No data available

**Further Information**

Corrosive to metals.

**10. Stability and reactivity**

**Reactivity**

Corrosive to metals.  
 Oxidising agent

**Chemical stability**

The product is stable under storage at normal ambient temperatures.

**Possibility of hazardous reactions**

Alkali (lye)  
 The product develops hydrogen in an aqueous solution in contact with metals.  
 Amines, Ammonia, Alcohols, Alkali metals, Hydrogen peroxide  
 Copper, Combustible solids, Solvent, Alkaline earth metal, mercury (Hg).

**Conditions to avoid**

No data available

**Incompatible materials**

Cellulose  
 Metal  
 The product develops hydrogen in an aqueous solution in contact with metals.

**Hazardous decomposition products**

In case of fire may be liberated:  
 SECTION 5: Fire fighting measures

**Further information**

No data available

**PlasmaCAL custom calibration standard**

Revision date: 04/11/2025

Product code: AC18.10828

Page 8 of 12

**11. Toxicological information**

**Information on toxicological effects**

**Toxicokinetics, metabolism and distribution**

There are no data available on the mixture itself.

**Acute toxicity**

Based on available data, the classification criteria are not met.

**ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

| CAS No    | Components        |               |         |        |        |
|-----------|-------------------|---------------|---------|--------|--------|
|           | Exposure route    | Dose          | Species | Source | Method |
| 7697-37-2 | nitric acid       |               |         |        |        |
|           | inhalation vapour | ATE 2,65 mg/l |         |        |        |

**Irritation and corrosivity**

Skin corrosion/irritation: Causes severe skin burns and eye damage  
 Serious eye damage/eye irritation: Causes serious eye damage  
 Corrosive to the respiratory tract.  
 Following ingestion Gastric perforation  
 Irritating to respiratory system.  
 Pulmonary oedema  
 Mucous membrane irritations in the mouth, throat, esophagus and gastrointestinal tract.  
 see also Section 4

**Sensitizing effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Germ cell mutagenicity: Based on available data, the classification criteria are not met.  
 Carcinogenicity: Based on available data, the classification criteria are not met.  
 Reproductive toxicity: Based on available data, the classification criteria are not met.

**Specific target organ toxicity (STOT) - single exposure**

Based on available data, the classification criteria are not met.

**Specific target organ toxicity (STOT) - repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Route(s) of Entry**

There are no data available on the mixture itself.

**Specific effects in experiment on an animal**

There are no data available on the mixture itself.

**Additional information on tests**

There are no data available on the mixture itself.

**Practical experience**

There are no data available on the mixture itself.

**Information on other hazards**

**Endocrine disrupting properties**

There are no data available on the mixture itself.

**PlasmaCAL custom calibration standard**

Revision date: 04/11/2025

Product code: AC18.10828

Page 9 of 12

**Other information**

There are no data available on the mixture itself.

**Further information**

There are no data available on the mixture itself.

**12. Ecological information**
**Ecotoxicity**

Based on available data, the classification criteria are not met.

| CAS No    | Components              |              |                 |         |  |   |
|-----------|-------------------------|--------------|-----------------|---------|--|---|
|           | Aquatic toxicity        | Dose         | [h]   [d]       | Species | Source   | Method  |
| 7697-37-2 | nitric acid             |              |                 |         |  |   |
|           | Acute fish toxicity     | LC50<br>mg/l | 1559            | 96 h    | Topeka shiner                                      | Environmental Toxicology and Chemistry, other: ASTM E729-26               |
|           | Fish toxicity           | NOEC         | 268 mg/l        | 30 d    | juvenile Topeka shiner and with juvenile Fathead m | Study report (2009) Growth tests estimated the test chemical              |
|           | Algae toxicity          | NOEC         | > 419 mg/l      | 10 d    | several benthic diatoms; see results               | Marine Biology 43:307-315 (1977) Ten cultures of benthic diatoms were iso |
|           | Acute bacteria toxicity | EC50         | > 1000 mg/l ( ) | 3 h     | Activated sludge                                   | Study report (2008) OECD Guideline 209                                    |

**Persistence and degradability**

The methods for determining the biological degradability are not applicable to inorganic substances.

**Bioaccumulative potential**

There are no data available on the mixture itself.

**Mobility in soil**

There are no data available on the mixture itself.

**Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

**Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**Other adverse effects**

Discharge into the environment must be avoided.  
 Harmful effect due to pH shift.  
 Forms corrosive mixtures with water even if diluted.

**Further information**

Do not allow to enter into surface water or drains.

**13. Disposal considerations**
**Waste treatment methods**
**Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.  
 Send to a physico-chemical treatment facility under observation of official regulations.  
 Do not empty into drains.

**PlasmaCAL custom calibration standard**

Revision date: 04/11/2025

Product code: AC18.10828

Page 10 of 12

**Contaminated packaging**

Handle contaminated packages in the same way as the substance itself.  
Waste codes/waste designations according to EWC/AVV

**14. Transport information**

**Land transport (ADR/RID)**

**UN number or ID number:** UN 3264  
**UN proper shipping name:** CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)  
**Transport hazard class(es):** 8  
**Packing group:** III  
Hazard label: 8  
Classification Code: C1  
Special Provisions: 274  
Limited quantity: 5 L  
Excepted quantity: E1  
Transport category: 3  
Hazard No: 80  
Tunnel restriction code: E

**Inland waterways transport (ADN)**

**UN number or ID number:** UN 3264  
**UN proper shipping name:** CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)  
**Transport hazard class(es):** 8  
**Packing group:** III  
Hazard label: 8  
Classification Code: C1  
Special Provisions: 274  
Limited quantity: 5 L  
Excepted quantity: E1

**Marine transport (IMDG)**

**UN number or ID number:** UN 3264  
**UN proper shipping name:** CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)  
**Transport hazard class(es):** 8  
**Packing group:** III  
Hazard label: 8  
Special Provisions: 223 274  
Limited quantity: 5 L  
Excepted quantity: E1  
EmS: F-A, S-B  
Segregation group: 1 - acids

**Air transport (ICAO-TI/IATA-DGR)**

**UN number or ID number:** UN 3264  
**UN proper shipping name:** CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)  
**Transport hazard class(es):** 8  
**Packing group:** III  
Hazard label: 8  
Special Provisions: A3 A803  
Limited quantity Passenger: 1 L  
Passenger LQ: Y841  
Excepted quantity: E1  
IATA-packing instructions - Passenger: 852  
IATA-max. quantity - Passenger: 5 L

**PlasmaCAL custom calibration standard**

Revision date: 04/11/2025

Product code: AC18.10828

Page 11 of 12

IATA-packing instructions - Cargo: 856  
 IATA-max. quantity - Cargo: 60 L

**Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**15. Regulatory information**

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EU regulatory information**

Restrictions on use (REACH, annex XVII):  
 Entry 3, Entry 75

Marketing and use of explosives precursors:

Acquisition, introduction, possession or use of this product by the general public is restricted by Regulation (EU) 2019/1148. All suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

**National regulatory information**

Employment restrictions: Observe employment restrictions for young people.  
 Water hazard class (D): 1 - slightly hazardous to water

**16. Other information**

**Abbreviations and acronyms**

- Ox. Liq. 3: Oxidizing liquids
- Met. Corr. 1: Corrosive to metals
- Acute Tox. 3: Acute toxicity
- Skin Corr. 1A: Skin corrosion
- Skin Corr. 1B: Skin corrosion
- Eye Dam. 1: Eye damage

**Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008**

| Classification      | Classification procedure |
|---------------------|--------------------------|
| Met. Corr. 1; H290  | On basis of test data    |
| Skin Corr. 1B; H314 | Calculation method       |
| Eye Dam. 1; H318    | Calculation method       |

**Relevant H statements (full text)**

- H272 May intensify fire; oxidizer
- H290 May be corrosive to metals
- H314 Causes severe skin burns and eye damage
- H318 Causes serious eye damage
- H331 Toxic if inhaled
- EUH071 Corrosive to the respiratory tract.

**Other data**

Provide appropriate information, instructions and training to users.  
 The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.  
 The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.  
 The receiver of our product is singularly responsible for adhering to existing laws and regulations.

**PlasmaCAL custom calibration standard**

Revision date: 04/11/2025

Product code: AC18.10828

Page 12 of 12

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*