

Plasma CAL – Custom Standard

Revision date: 04/15/2025

Product code: AC18.13571

Page 2 of 13

2. Hazard(s) identification

Classification of the chemical

Regulation (EC) No 1272/2008

Met. Corr. 1; H290
 Skin Irrit. 2; H315
 Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

Label elements

Regulation (EC) No 1272/2008

Signal word: Warning

Pictograms:



Hazard statements

H290 May be corrosive to metals
 H315 Causes skin irritation
 H319 Causes serious eye irritation

Precautionary statements

P280 Wear protective gloves/protective clothing and eye protection/face protection.
 P302+P352 If on skin: Wash with plenty of water.
 P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P337+P313 If eye irritation persists: Get medical advice/attention.
 P390 Absorb spillage to prevent material damage.

Hazards not otherwise classified

No data available

3. Composition/information on ingredients

Mixtures

Chemical characterization

Mixtures in aqueous solution

Relevant ingredients

| CAS No | Components | | | Quantity |
|-----------|---|--------------|------------------|-----------|
| | EC No | Index No | REACH No | |
| | Classification (Regulation (EC) No 1272/2008) | | | |
| 7697-37-2 | nitric acid | | | 1 - < 5 % |
| | 231-714-2 | 007-030-00-3 | 01-2119487297-23 | |
| | Ox. Liq. 3, Met. Corr. 1, Acute Tox. 3, Skin Corr. 1A, Eye Dam. 1; H272 H290 H331 H314 H318 EUH071 | | | |
| 7664-39-3 | Hydrofluoric acid | | | < 1 % |
| | 231-634-8 | 009-003-00-1 | | |
| | Acute Tox. 1, Acute Tox. 2, Acute Tox. 2, Skin Corr. 1A, Eye Dam. 1; H310 H330 H300 H314 H318 | | | |

Full text of H and EUH statements: see section 16.

Plasma CAL – Custom Standard

Revision date: 04/15/2025

Product code: AC18.13571

Page 3 of 13

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Components | Quantity |
|-----------|-----------|--|-----------|
| | | Specific Conc. Limits, M-factors and ATE | |
| 7697-37-2 | 231-714-2 | nitric acid | 1 - < 5 % |
| | | inhalation: ATE 2,65 mg/l (vapours) Ox. Liq. 3; H272: >= 65 - 100 Skin Corr. 1A; H314: >= 20 - 100 Skin Corr. 1B; H314: >= 5 - < 20 | |
| 7664-39-3 | 231-634-8 | Hydrofluoric acid | < 1 % |
| | | inhalation: ATE = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); inhalation: LC50 = 2240 ppm (gases); dermal: ATE = 5 mg/kg; oral: ATE = 5 mg/kg Skin Corr. 1A; H314: >= 7 - 100 Skin Corr. 1B; H314: >= 1 - < 7 Eye Irrit. 2; H319: >= 0,1 - < 1 | |

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

4. First-aid measures
Description of first aid measures
General information

First aider: Pay attention to self-protection!

After inhalation

Provide fresh air.

Call a physician immediately.

After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

Protect uninjured eye.

After ingestion

Rinse mouth immediately and drink plenty of water.

Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk.

Call a physician immediately.

Most important symptoms and effects, both acute and delayed

Irritant

Indication of any immediate medical attention and special treatment needed

No data available

5. Fire-fighting measures
Extinguishing media
Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

Specific hazards arising from the chemical

Non-combustible liquids

Hazardous combustion products

Plasma CAL – Custom Standard

Revision date: 04/15/2025

Product code: AC18.13571

Page 4 of 13

In case of fire may be liberated:
 Nitrogen oxides (NOx)
 Hydrogen fluoride

Special protective equipment and precautions for fire-fighters

In case of fire: Wear self-contained breathing apparatus.
 In case of fire and/or explosion do not breathe fumes.
 Avoid contact with skin, eyes and clothes.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.
 Move undamaged containers from immediate hazard area if it can be done safely.
 Use water spray jet to protect personnel and to cool endangered containers.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

General advice

Corrosive to metals.

For non-emergency personnel

Provide adequate ventilation.
 Use personal protection equipment.
 Avoid contact with skin, eyes and clothes.
 Remove persons to safety.
 Emergency procedures
 Consult an expert
 Do not breathe dust/fume/gas/mist/vapors/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment (PPE): see section 8

Environmental precautions

Do not allow to enter into surface water or drains.

Methods and material for containment and cleaning up

For containment

Cover drains.
 Prevent spread over a wide area (e.g. by containment or oil barriers).
 Collect in closed and suitable containers for disposal.
 Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.
 Do not breathe dust/fume/gas/mist/vapors/spray.
 Wear breathing apparatus if exposed to vapors/dusts/aerosols.

Reference to other sections

Safe handling: see section 7
 Personal protection equipment (PPE): see section 8
 Disposal: see section 13

7. Handling and storage

Precautions for safe handling

Advice on safe handling

Read label before use. Handle and open container with care.

Plasma CAL – Custom Standard

Revision date: 04/15/2025

Product code: AC18.13571

Page 5 of 13

When using do not eat, drink, smoke, sniff. Use personal protection equipment.
 Provide adequate ventilation. Avoid contact with skin, eyes and clothes.
 Do not breathe vapor or spray.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately.
 Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapor or spray.

Further information on handling

Draw up and observe skin protection programme.
 Wash hands and face before breaks and after work and take a shower if necessary.
 Take off immediately all contaminated clothing and wash it before reuse.

Conditions for safe storage, including any incompatibilities
Requirements for storage rooms and vessels

Corrosive to metals.
 Unsuitable container/equipment material: Metal, Glass
 The product develops hydrogen in an aqueous solution in contact with metals.

Hints on joint storage

Take national regulations into account.

Further information on storage conditions

Keep container tightly closed.

Specific end use(s)

Laboratory chemicals
 Only for laboratory and analysis purposes.

8. Exposure controls/personal protection
Control parameters
Exposure limits

| CAS No | Substance | ppm | mg/m ³ | Category | Origin |
|-----------|--------------------------|-----|-------------------|---------------|------------|
| 7664-39-3 | Hydrogen fluoride (as F) | 3 | - | TWA (8 h) | PEL |
| 7664-39-3 | Hydrogen fluoride, as F | 0.5 | | TWA (8 h) | ACGIH-2025 |
| | | 2 | | Peak | ACGIH-2025 |
| 7664-39-3 | Hydrogen fluoride | 3 | 2.5 | TWA (8 h) | REL |
| | | C 6 | C 5 | 15 min | REL |
| 7697-37-2 | Nitric acid | 2 | 5 | TWA (8 h) | PEL |
| | | 2 | 5 | TWA (8 h) | REL |
| | | 4 | 10 | STEL (15 min) | REL |
| 7697-37-2 | Nitric acid | 2 | 5.2 | TWA (8 h) | ACGIH-2025 |
| | | 4 | 10 | STEL (15 min) | ACGIH-2025 |

Biological Exposure Indices (BEI-ACGIH)

| CAS No | Substance | Determinant | Value | Test material | Sampling time |
|--------|-----------|-------------|--------|---------------|----------------|
| - | FLUORIDES | Fluoride | 2 mg/L | urine | Prior to shift |

Plasma CAL – Custom Standard

Revision date: 04/15/2025

Product code: AC18.13571

Page 6 of 13

DNEL/DMEL values

| CAS No | Substance | | |
|--------------------------|-------------------|----------|------------------------|
| DNEL type | Exposure route | Effect | Value |
| 7664-39-3 | Hydrofluoric acid | | |
| Worker DNEL, long-term | inhalation | systemic | 1,5 mg/m ³ |
| Worker DNEL, acute | inhalation | systemic | 2,5 mg/m ³ |
| Worker DNEL, long-term | inhalation | local | 1,5 mg/m ³ |
| Worker DNEL, acute | inhalation | local | 2,5 mg/m ³ |
| Consumer DNEL, long-term | inhalation | systemic | 0,03 mg/m ³ |
| Consumer DNEL, acute | inhalation | systemic | 0,03 mg/m ³ |
| Consumer DNEL, long-term | inhalation | local | 0,2 mg/m ³ |
| Consumer DNEL, acute | inhalation | local | 1,25 mg/m ³ |
| Consumer DNEL, long-term | oral | systemic | 0,01 mg/kg bw/day |
| Consumer DNEL, acute | oral | systemic | 0,01 mg/kg bw/day |

PNEC values

| CAS No | Substance | |
|--|-------------------|--|
| Environmental compartment | Value | |
| 7664-39-3 | Hydrofluoric acid | |
| Freshwater | 0,89 mg/l | |
| Marine water | 0,089 mg/l | |
| Freshwater sediment | 3,38 mg/kg | |
| Marine sediment | 0,338 mg/kg | |
| Micro-organisms in sewage treatment plants (STP) | 51 mg/l | |
| Soil | 10,6 mg/kg | |

Exposure controls
Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment
Eye/face protection

goggles

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of the protective agents should be clarified with their suppliers.

Plasma CAL – Custom Standard

Revision date: 04/15/2025

Product code: AC18.13571

Page 7 of 13

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented. A respiratory protection program that meets OSHA's 29 CFR 1910.134 requirements must be followed whenever workplace conditions warrant a respirator's use.

Thermal hazards

No data available

Environmental exposure controls

Do not allow to enter into surface water or drains.

9. Physical and chemical properties

Information on basic physical and chemical properties

| | | |
|---|-------------------|---------------------|
| Physical state: | Liquid | |
| Color: | clear | |
| Odor: | like: Nitric acid | |
| Odour threshold: | No data available | |
| Melting point/freezing point: | | No data available |
| Boiling point or initial boiling point and boiling range: | | No data available |
| Flammability: | | No data available |
| Lower explosion limits: | | No data available |
| Upper explosion limits: | | No data available |
| Flash point: | | No data available |
| Auto-ignition temperature: | | No data available |
| Decomposition temperature: | | No data available |
| pH-Value (at 20 °C): | | <2 |
| Viscosity / kinematic: | | No data available |
| Water solubility: | | completely miscible |
| Solubility in other solvents | | |
| No data available | | |
| Dissolution rate: | | No data available |
| Partition coefficient n-octanol/water: | | No data available |
| Dispersion stability: | | No data available |
| Vapor pressure: | | No data available |
| Vapor pressure: | | No data available |
| Density: | | No data available |
| Relative density: | | No data available |
| Bulk density: | | No data available |
| Relative vapour density: | | No data available |
| Particle characteristics: | | No data available |

Other information

Information with regard to physical hazard classes

| | |
|---------------------------|-------------------|
| Explosive properties | |
| No data available | |
| Sustained combustibility: | No data available |
| Self-ignition temperature | |
| Solid: | No data available |
| Gas: | No data available |

Plasma CAL – Custom Standard

Revision date: 04/15/2025

Product code: AC18.13571

Page 8 of 13

Oxidizing properties
Oxidizing

Other safety characteristics

| | |
|--------------------------|-------------------|
| Evaporation rate: | No data available |
| Solvent separation test: | No data available |
| Solvent content: | 0 |
| Solid content: | 0 |
| Sublimation point: | No data available |
| Softening point: | No data available |
| Pour point: | No data available |
| No data available: | |
| Viscosity / dynamic: | No data available |
| Flow time: | No data available |

Further Information

Corrosive to metals.

10. Stability and reactivity

Reactivity

Corrosive to metals.

Chemical stability

The product is stable under storage at normal ambient temperatures.

Possibility of hazardous reactions

Alkali (lye)

Conditions to avoid

No data available

Incompatible materials

Cellulose
Metal
Glass

The product develops hydrogen in an aqueous solution in contact with metals.

Hazardous decomposition products

In case of fire may be liberated:
SECTION 5: Fire fighting measures

Further information

No data available

11. Toxicological information

Information on toxicological effects

Toxicokinetics, metabolism and distribution

There are no data available on the mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 50 mg/l; ATE (inhalation dust/mist) > 12,5 mg/l

Plasma CAL – Custom Standard

Revision date: 04/15/2025

Product code: AC18.13571

Page 9 of 13

| CAS No | Components | | | | |
|-----------|----------------------|---------------|---------|---------------------|--------------------|
| | Exposure route | Dose | Species | Source | Method |
| 7697-37-2 | nitric acid | | | | |
| | inhalation vapour | ATE 2,65 mg/l | | | |
| 7664-39-3 | Hydrofluoric acid | | | | |
| | oral | ATE 5 mg/kg | | | |
| | dermal | ATE 5 mg/kg | | | |
| | inhalation vapour | ATE 0,5 mg/l | | | |
| | inhalation dust/mist | ATE 0,05 mg/l | | | |
| | inhalation (1 h) gas | LC50 2240 ppm | Rat | Study report (1990) | OECD Guideline 403 |

Irritation and corrosivity

Skin corrosion/irritation: Causes skin irritation

Serious eye damage/eye irritation: Causes serious eye irritation

Sensitizing effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Route(s) of Entry

There are no data available on the mixture itself.

Specific effects in experiment on an animal

There are no data available on the mixture itself.

Additional information on tests

There are no data available on the mixture itself.

Practical experience

There are no data available on the mixture itself.

Information on other hazards
Endocrine disrupting properties

There are no data available on the mixture itself.

Other information

There are no data available on the mixture itself.

Further information

There are no data available on the mixture itself.

12. Ecological information
Ecotoxicity

Based on available data, the classification criteria are not met.

Plasma CAL – Custom Standard

Revision date: 04/15/2025

Product code: AC18.13571

Page 10 of 13

| CAS No | Components | | | | | |
|-----------|-------------------------|----------------------|-----------|--|---|--|
| | Aquatic toxicity | Dose | [h] [d] | Species | Source | Method |
| 7697-37-2 | nitric acid | | | | | |
| | Acute fish toxicity | LC50 1559 mg/l | 96 h | Topeka shiner | Environmental Toxicology and Chemistry, | other: ASTM E729-26 |
| | Fish toxicity | NOEC 268 mg/l | 30 d | juvenile Topeka shiner and with juvenile Fathead m | Study report (2009) | Growth tests estimated the test chemical |
| | Algae toxicity | NOEC > 419 mg/l | 10 d | several benthic diatoms; see results | Marine Biology 43:307-315 (1977) | Ten cultures of benthic diatoms were iso |
| | Acute bacteria toxicity | EC50 > 1000 mg/l () | 3 h | Activated sludge | Study report (2008) | OECD Guideline 209 |
| 7664-39-3 | Hydrofluoric acid | | | | | |
| | Acute fish toxicity | LC50 299 mg/l | 96 h | Salmo trutta | REACH Registration Dossier | other: U.S Environmental Protection Agen |
| | Acute algae toxicity | ErC50 43 mg/l | 96 h | various algae species | REACH Registration Dossier | Methods not detailed in the review. |
| | Crustacea toxicity | NOEC 3,7 mg/l | 21 d | Daphnia magna | REACH Registration Dossier | The publication is a review article of v |
| | Acute bacteria toxicity | EC50 2930 mg/l () | 3 h | Activated sludge | REACH Registration Dossier | ISO 8192 |

Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

Bioaccumulative potential

There are no data available on the mixture itself.

BCF

| CAS No | Components | BCF | Species | Source |
|-----------|-------------------|---------|---------------|----------------------|
| 7664-39-3 | Hydrofluoric acid | 53 - 58 | not specified | REACH Registration D |

Mobility in soil

There are no data available on the mixture itself.

Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Other adverse effects

- Discharge into the environment must be avoided.
- Harmful effect due to pH shift.
- Forms corrosive mixtures with water even if diluted.

Further information

Do not allow to enter into surface water or drains.

Plasma CAL – Custom Standard

Revision date: 04/15/2025

Product code: AC18.13571

Page 11 of 13

13. Disposal considerations

Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.
 Send to a physico-chemical treatment facility under observation of official regulations.
 Do not empty into drains.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.
 Waste codes/waste designations according to EWC/AVV

14. Transport information

Land transport (ADR/RID)

UN number or ID number: UN 3264
UN proper shipping name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid, Hydrofluoric acid)
Transport hazard class(es): 8
Packing group: III
 Hazard label: 8
 Classification Code: C1
 Special Provisions: 274
 Limited quantity: 5 L
 Excepted quantity: E1
 Transport category: 3
 Hazard No: 80
 Tunnel restriction code: E

Inland waterways transport (ADN)

UN number or ID number: UN 3264
UN proper shipping name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid, Hydrofluoric acid)
Transport hazard class(es): 8
Packing group: III
 Hazard label: 8
 Classification Code: C1
 Special Provisions: 274
 Limited quantity: 5 L
 Excepted quantity: E1

Marine transport (IMDG)

UN number or ID number: UN 3264
UN proper shipping name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid, Hydrofluoric acid)
Transport hazard class(es): 8
Packing group: III
 Hazard label: 8
 Special Provisions: 223 274
 Limited quantity: 5 L
 Excepted quantity: E1
 EmS: F-A, S-B
 Segregation group: 1 - acids

Air transport (ICAO-TI/IATA-DGR)

Plasma CAL – Custom Standard

Revision date: 04/15/2025

Product code: AC18.13571

Page 12 of 13

| | | |
|---|--|------|
| <u>UN number or ID number:</u> | UN 3264 | |
| <u>UN proper shipping name:</u> | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid, Hydrofluoric acid) | |
| <u>Transport hazard class(es):</u> | 8 | |
| <u>Packing group:</u> | III | |
| Hazard label: | 8 | |
| Special Provisions: | A3 A803 | |
| Limited quantity Passenger: | 1 L | |
| Passenger LQ: | Y841 | |
| Excepted quantity: | E1 | |
| IATA-packing instructions - Passenger: | | 852 |
| IATA-max. quantity - Passenger: | | 5 L |
| IATA-packing instructions - Cargo: | | 856 |
| IATA-max. quantity - Cargo: | | 60 L |

Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

15. Regulatory information
Safety, health and environmental regulations/legislation specific for the substance or mixture
EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Marketing and use of explosives precursors:

This product is regulated by Regulation (EU) 2019/1148: all suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

National regulatory information

Employment restrictions: Observe employment restrictions for young people.

Water hazard class (D): - - non-hazardous to water

16. Other information
Abbreviations and acronyms

- Ox. Liq. 3: Oxidizing liquids
- Met. Corr. 1: Corrosive to metals
- Acute Tox. 1: Acute toxicity
- Acute Tox. 2: Acute toxicity
- Acute Tox. 3: Acute toxicity
- Skin Corr. 1A: Skin corrosion
- Skin Irrit. 2: Skin irritation
- Eye Dam. 1: Eye damage
- Eye Irrit. 2: Eye irritation

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008

| Classification | Classification procedure |
|---------------------|--------------------------|
| Met. Corr. 1; H290 | On basis of test data |
| Skin Irrit. 2; H315 | Calculation method |
| Eye Irrit. 2; H319 | Calculation method |

Relevant H statements (full text)

- H272 May intensify fire; oxidizer
- H290 May be corrosive to metals

Plasma CAL – Custom Standard

Revision date: 04/15/2025

Product code: AC18.13571

Page 13 of 13

| | |
|--------|---|
| H300 | Fatal if swallowed |
| H310 | Fatal in contact with skin |
| H314 | Causes severe skin burns and eye damage |
| H315 | Causes skin irritation |
| H318 | Causes serious eye damage |
| H319 | Causes serious eye irritation |
| H330 | Fatal if inhaled |
| H331 | Toxic if inhaled |
| EUH071 | Corrosive to the respiratory tract. |

Other data

Provide appropriate information, instructions and training to users.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)