

Safety Data Sheet

according to Regulation (EC) No 1907/2006

2-Methylbutane standard solution

Revision: 30.10.2025

Product code: AC18.19492

Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

2-Methylbutane standard solution

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Reagents and laboratory chemicals

Only for laboratory and analysis purposes.

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Details of the supplier of the safety data sheet

Company name: AnalytiChem Services, Unipessoal, Lda
Street: Rua de Júlio Dinis 676 7º
Place: N-4050-320 Porto
Telephone: +351 226002917
E-mail: info@analytichem.com
Contact person: SDS service department
E-mail: SDS@analytichem.com
Internet: www.analytichem.com
Responsible Department: SDS service department

Supplier or manufacturer details

Company name: AnalytiChem Belgium NV
Street: Industriezone "De Arend" 2
Place: B-8210 Zedelgem
Telephone: +32 50 28 83 20
E-mail: info.be@analytichem.com
Contact person: SDS service department
E-mail: SDS@analytichem.com
Responsible Department: AnalytiChem
EU-Belgium: AnalytiChem Belgium, Industriezone "De Arend" 2, 8210 Zedelgem, Belgium, +32 50 28 83 20
EU-Germany: AnalytiChem Germany, Stempelstrasse 6, 47167 Duisburg, Germany, +49 203 51 94 – 200
EU-Netherlands: AnalytiChem Netherlands, Communicatieweg 7, 3641 SG Mijdrecht, The Netherlands, +31 297 286848
UK: AnalytiChem UK, Unit 7 Launton Business Center, Murdock Road, Bicester, OX26 4XB, England, +44 1869 355 500
USA: AnalytiChem USA, 227 China Road, Winslow, Maine, 04901, United States, +1 800-244-8378
Canada: AnalytiChem Canada, 21800 Clark Graham Avenue, Baie d'Urfe, H9X 4B6, Canada, +1 514-457-0701
Australia: ORE Research & Exploration Pty Ltd, 37A Hosie Street, Bayswater North, 3153, Australia, +61 3 9729 0333
+353 1 901 4670 (CHEMTREC)

1.4. Emergency telephone number:

Further Information

No data available

Safety Data Sheet

according to Regulation (EC) No 1907/2006

2-Methylbutane standard solution

Revision: 30.10.2025

Product code: AC18.19492

Page 2 of 13

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

Flam. Liq. 2; H225

Acute Tox. 3; H331

Acute Tox. 3; H311

Acute Tox. 3; H301

STOT SE 1; H370

Full text of hazard statements: see SECTION 16.

2.2. Label elements**Regulation (EC) No 1272/2008****Hazard components for labelling**

methanol

Signal word: Danger**Pictograms:****Hazard statements**

H225 Highly flammable liquid and vapour.

H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.

H370 Causes damage to organs.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P260 Do not breathe mist/vapours/spray.

P308+P311 IF exposed or concerned: Call a POISON CENTER/doctor.

P403+P235 Store in a well-ventilated place. Keep cool.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Relevant ingredients**

| CAS No | Chemical name | | | Quantity |
|---|---|--------------|------------------|--------------|
| | EC No | Index No | REACH No | |
| Classification (Regulation (EC) No 1272/2008) | | | | |
| 67-56-1 | methanol | | | 95 - < 100 % |
| | 200-659-6 | 603-001-00-X | 01-2119433307-44 | |
| | Flam. Liq. 2, Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, STOT SE 1; H225 H331 H311 H301 H370 | | | |

Full text of H and EUH statements: see section 16.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

2-Methylbutane standard solution

Revision: 30.10.2025

Product code: AC18.19492

Page 3 of 13

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|--|-----------|---------------|--------------|
| Specific Conc. Limits, M-factors and ATE | | | |
| 67-56-1 | 200-659-6 | methanol | 95 - < 100 % |
| inhalation: LC50 = 128,2 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal: ATE = 300 mg/kg; oral: LD50 = 6000 mg/kg STOT SE 1; H370: >= 10 - 100 STOT SE 2; H371: >= 3 - < 10 | | | |

Further Information

No data available

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection!

After inhalation

Provide fresh air.
If breathing is irregular or stopped, administer artificial respiration.
Call a physician immediately.

After contact with skin

Wash immediately with: Water
Take off immediately all contaminated clothing and wash it before reuse.
Call a physician immediately.

After contact with eyes

After eye contact: Rinse immediately carefully and thoroughly with eye-bath or water.
Remove contact lenses, if present and easy to do. Continue rinsing.
Consult an ophthalmologist.

After ingestion

Provide fresh air.
Call a physician immediately.
Notes for the doctor : Methanol

4.2. Most important symptoms and effects, both acute and delayed

Irritant, Dizziness
Dizziness, Anaesthetic state
Agitation, Spasms
Inebriation, Vomiting
Headache, Impairment of vision
Repeated exposure may cause skin dryness or cracking.
Allergic reactions

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder.

Unsuitable extinguishing media

no restriction

Safety Data Sheet

according to Regulation (EC) No 1907/2006

2-Methylbutane standard solution

Revision: 30.10.2025

Product code: AC18.19492

Page 4 of 13

5.2. Special hazards arising from the substance or mixture

Combustible liquids

Hazardous combustion products

In case of fire may be liberated: Carbon dioxide, Carbon monoxide

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Beware of reignition.

Heating causes rise in pressure with risk of bursting.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Wear full chemical protective clothing.

In case of fire and/or explosion do not breathe fumes.

Additional information

Use water spray jet to protect personnel and to cool endangered containers.

Move undamaged containers from immediate hazard area if it can be done safely.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Keep away from sources of ignition - No smoking.

This material can be ignited by heat, sparks, flames, or other sources of ignition (e.g., static electricity, pilot lights, mechanical/electrical equipment, and electronic devices such as cell phones, computers, calculators, and pagers which have not been certified as intrinsically safe).

Take action to prevent static discharges.

For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Danger of explosion

Do not allow to enter into surface water or drains.

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

Danger of explosion

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

2-Methylbutane standard solution

Revision: 30.10.2025

Product code: AC18.19492

Page 5 of 13

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid exposure - obtain special instructions before use.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff. Keep container tightly closed.

Use personal protection equipment. Use extractor hood (laboratory).

Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges.

Vapours can form explosive mixtures with air.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

Further information on handling

Take off immediately all contaminated clothing and wash it before reuse.

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. If handled uncovered, arrangements with local exhaust ventilation have to be used.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in a cool, well-ventilated place.

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

Do not store together with: Oxidising agent. Pyrophoric or self-heating substances.

Further information on storage conditions

Keep cool. Protect from sunlight.

7.3. Specific end use(s)

Laboratory chemicals

Only for laboratory and analysis purposes.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

| CAS No | Substance | ppm | mg/m ³ | fib/cm ³ | Category | Origin |
|---------|----------------|-----|-------------------|---------------------|-----------|--------|
| 67-56-1 | Methyl alcohol | 200 | 260 | | TWA (8 h) | |

Safety Data Sheet

according to Regulation (EC) No 1907/2006

2-Methylbutane standard solution

Revision: 30.10.2025

Product code: AC18.19492

Page 6 of 13

Biological limit values

| CAS No | Substance | Parameter | Value | Test material | Sampling time |
|---------|-----------|-----------|---------|---------------|---------------|
| 67-56-1 | Methanol | Methanol | 15 mg/L | Urine | End of shift |

DNEL/DMEL values

| CAS No | Substance | DNEL type | Exposure route | Effect | Value |
|---------|--------------------------|-----------|----------------|----------|-----------------------|
| 67-56-1 | methanol | | | | |
| | Consumer DNEL, acute | | inhalation | systemic | 50 mg/m ³ |
| | Worker DNEL, long-term | | inhalation | systemic | 260 mg/m ³ |
| | Worker DNEL, acute | | inhalation | systemic | 260 mg/m ³ |
| | Worker DNEL, long-term | | inhalation | local | 260 mg/m ³ |
| | Worker DNEL, acute | | inhalation | local | 260 mg/m ³ |
| | Worker DNEL, long-term | | dermal | systemic | 40 mg/kg bw/day |
| | Worker DNEL, acute | | dermal | systemic | 40 mg/kg bw/day |
| | Consumer DNEL, long-term | | inhalation | systemic | 50 mg/m ³ |
| | Consumer DNEL, long-term | | inhalation | local | 50 mg/m ³ |
| | Consumer DNEL, acute | | inhalation | local | 50 mg/m ³ |
| | Consumer DNEL, long-term | | dermal | systemic | 8 mg/kg bw/day |
| | Consumer DNEL, acute | | dermal | systemic | 8 mg/kg bw/day |
| | Consumer DNEL, long-term | | oral | systemic | 8 mg/kg bw/day |
| | Consumer DNEL, acute | | oral | systemic | 8 mg/kg bw/day |

PNEC values

| CAS No | Substance | Environmental compartment | Value |
|---------|--|---------------------------|-----------|
| 67-56-1 | methanol | | |
| | Freshwater | | 20,8 mg/l |
| | Freshwater (intermittent releases) | | 1540 mg/l |
| | Marine water | | 2,08 mg/l |
| | Freshwater sediment | | 77 mg/kg |
| | Marine sediment | | 7,7 mg/kg |
| | Micro-organisms in sewage treatment plants (STP) | | 100 mg/l |
| | Soil | | 100 mg/kg |

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Do not breathe gas/fumes/vapour/spray.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles

Hand protection

Tested protective gloves must be worn

Safety Data Sheet

according to Regulation (EC) No 1907/2006

2-Methylbutane standard solution

Revision: 30.10.2025

Product code: AC18.19492

Page 7 of 13

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Skin protection

Wear suitable protective clothing.

Take off immediately all contaminated clothing and wash it before reuse.

Wash hands and face before breaks and after work and take a shower if necessary.

Draw up and observe skin protection programme.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Thermal hazards

No data available

Environmental exposure controls

Do not allow to enter into surface water or drains.

Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches.

Danger of explosion

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|--|-------------------|
| Physical state: | Liquid |
| Colour: | clear |
| Odour: | like: Methanol |
| Odour threshold: | No data available |
| Melting point/freezing point: | No data available |
| Boiling point or initial boiling point and boiling range: | ~65 °C |
| Flammability: | No data available |
| Lower explosion limits: | ~5.5 |
| Upper explosion limits: | ~44 |
| Flash point: | ~10 °C |
| Auto-ignition temperature: | ~420 °C |
| Decomposition temperature: | No data available |
| pH-Value: | No data available |
| Viscosity / kinematic: | No data available |
| Water solubility: | No data available |
| Solubility in other solvents | No data available |
| not determined | |
| Dissolution rate: | No data available |
| Partition coefficient n-octanol/water: | No data available |
| Dispersion stability: | No data available |
| Vapour pressure: | ~128 hPa |
| (at 20 °C) | |
| Vapour pressure: | No data available |
| (at 50 °C) | |
| Density: | No data available |
| Relative density: | No data available |
| Bulk density: | No data available |
| Relative vapour density: | No data available |
| Particle characteristics: | No data available |

Safety Data Sheet

according to Regulation (EC) No 1907/2006

2-Methylbutane standard solution

Revision: 30.10.2025

Product code: AC18.19492

Page 8 of 13

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

Vapours can form explosive mixtures with air.

Sustained combustibility:

Sustained combustibility

Self-ignition temperature

Solid:

not applicable

Gas:

not applicable

Oxidizing properties

not determined

Other safety characteristics

Evaporation rate:

No data available

Solvent separation test:

No data available

Solvent content:

No data available

Solid content:

No data available

Sublimation point:

No data available

Softening point:

No data available

Pour point:

No data available

No data available:

Viscosity / dynamic:

No data available

Flow time:

No data available

Further Information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Highly flammable.

Vapours can form explosive mixtures with air.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Oxidising agent, Nitrogen oxides (NOx), Potassium chlorate, peroxides, for example hydrogen peroxide, Nitric acid, sulphuric acid, sodium hypochlorite, Acid halogen, Acetic anhydride, Maleic anhydride, Reducing agent, Acid, Bromine, Chlorine, Chloroform, Fluorine, Alkali metals, Alkaline earth metal;

10.4. Conditions to avoid

Vapours can form explosive mixtures with air.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

Plastic articles

Zinc

10.6. Hazardous decomposition products

in case of fire, see:

SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Safety Data Sheet

according to Regulation (EC) No 1907/2006

2-Methylbutane standard solution

Revision: 30.10.2025

Product code: AC18.19492

Page 9 of 13

Toxicokinetics, metabolism and distribution

Avoid exposure - obtain special instructions before use.

Acute toxicity

Toxic if inhaled.

Toxic in contact with skin.

Toxic if swallowed.

Irritation to respiratory tract

ATEmix calculated

ATE (oral) 100,3 mg/kg; ATE (dermal) 300,8 mg/kg

| CAS No | Chemical name | | | | |
|---------|-------------------------|-----------------|---------|---|--|
| | Exposure route | Dose | Species | Source | Method |
| 67-56-1 | methanol | | | | |
| | oral | LD50 6000 mg/kg | Monkey | Amer J Ophthalmol 40: 76-83 (cited in DG) | Determination of the acute toxicity of t |
| | dermal | ATE 300 mg/kg | | | |
| | inhalation (4 h) vapour | LC50 128,2 mg/l | Rat | Study report (1980) | Study performed according to internal co |
| | inhalation dust/mist | ATE 0,5 mg/l | | | |

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Has degreasing effect on the skin.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Causes damage to organs. (methanol)

eyes, central nervous system

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

There are no data available on the mixture itself.

Specific effects in experiment on an animal

There are no data available on the mixture itself.

Additional information on tests

There are no data available on the mixture itself.

Practical experience

There are no data available on the mixture itself.

11.2. Information on other hazards

Safety Data Sheet

according to Regulation (EC) No 1907/2006

2-Methylbutane standard solution

Revision: 30.10.2025

Product code: AC18.19492

Page 10 of 13

Endocrine disrupting properties

There are no data available on the mixture itself.

Other information

Irritation to respiratory tract

Repeated exposure may cause skin dryness or cracking.

Causes damage to organs.

Organs affected:

Liver and kidney damage

eyes

heart

Irreversible damage to the optic nerve.

Further information

Irritant, Dizziness, Dizziness, Anaesthetic state, Agitation, Spasms, Inebriation, Vomiting, Headache, Impairment of vision

Repeated exposure may cause skin dryness or cracking.

The substance has delayed effects.

Other dangerous properties cannot be excluded.

SECTION 12: Ecological information**12.1. Toxicity**

Based on available data, the classification criteria are not met.

| CAS No | Chemical name | Aquatic toxicity | Dose | [h] [d] | Species | Source | Method |
|---------|--------------------------|----------------------|------|-----------|---------------------------------|--|--|
| 67-56-1 | methanol | | | | | | |
| | Acute fish toxicity | LC50 15400 mg/l | 96 h | | Lepomis macrochirus | Bulletin of Environmental Contamination | other: EPA-660/3-75-00 9, 1975 |
| | Acute algae toxicity | ErC50 ca. 22000 mg/l | 96 h | | Pseudokirchneriella subcapitata | Ecotoxicology and Environmental Safety 7 | OECD Guideline 201 |
| | Acute crustacea toxicity | EC50 > 10000 mg/l | 48 h | | Daphnia magna | Water Research 23(4): 495-499 (1989) | other: DIN 38412 Teil 11 |
| | Fish toxicity | NOEC 446,7 mg/l | 28 d | | Pimephales promelas | SAR and QSAR in Environmental Research, | Calculation performed with ECOSAR |
| | Crustacea toxicity | NOEC 208 mg/l | 21 d | | Daphnia magna | OECD QSAR Toolbox Report (2013) | Toxicity of the target chemical is predi |

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|---------|---------------|---------|
| 67-56-1 | methanol | -0,77 |

Safety Data Sheet

according to Regulation (EC) No 1907/2006

2-Methylbutane standard solution

Revision: 30.10.2025

Product code: AC18.19492

Page 11 of 13

BCF

| CAS No | Chemical name | BCF | Species | Source |
|---------|---------------|-----|-----------------|----------------------|
| 67-56-1 | methanol | 1 | Cyprinus carpio | Comparative Biochemi |

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Avoid release to the environment.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of contents/container to hazardous or special waste collection point.

Do not allow to enter into surface water or drains.

Contaminated packaging

This material and its container must be disposed of as hazardous waste.

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

| | |
|--|----------|
| <u>14.1. UN number or ID number:</u> | UN 1230 |
| <u>14.2. UN proper shipping name:</u> | METHANOL |
| <u>14.3. Transport hazard class(es):</u> | 3 |
| <u>14.4. Packing group:</u> | II |
| Hazard label: | 3+6.1 |
| Classification code: | FT1 |
| Special Provisions: | 279 |
| Limited quantity: | 1 L |
| Excepted quantity: | E2 |
| Transport category: | 2 |
| Hazard No: | 336 |
| Tunnel restriction code: | D/E |

Inland waterways transport (ADN)

| | |
|--|----------|
| <u>14.1. UN number or ID number:</u> | UN 1230 |
| <u>14.2. UN proper shipping name:</u> | METHANOL |
| <u>14.3. Transport hazard class(es):</u> | 3 |
| <u>14.4. Packing group:</u> | II |
| Hazard label: | 3+6.1 |
| Classification code: | FT1 |
| Special Provisions: | 279 802 |
| Limited quantity: | 1 L |
| Excepted quantity: | E2 |

Safety Data Sheet

according to Regulation (EC) No 1907/2006

2-Methylbutane standard solution

Revision: 30.10.2025

Product code: AC18.19492

Page 12 of 13

Marine transport (IMDG)

| | |
|--|----------|
| 14.1. UN number or ID number: | UN 1230 |
| 14.2. UN proper shipping name: | METHANOL |
| 14.3. Transport hazard class(es): | 3 |
| 14.4. Packing group: | II |
| Hazard label: | 3+6.1 |
| Special Provisions: | 279 |
| Limited quantity: | 1 L |
| Excepted quantity: | E2 |
| EmS: | F-E, S-D |

Air transport (ICAO-TI/IATA-DGR)

| | |
|--|----------|
| 14.1. UN number or ID number: | UN 1230 |
| 14.2. UN proper shipping name: | METHANOL |
| 14.3. Transport hazard class(es): | 3 |
| 14.4. Packing group: | II |
| Hazard label: | 3+6.1 |
| Special Provisions: | A113 |
| Limited quantity Passenger: | 1 L |
| Passenger LQ: | Y341 |
| Excepted quantity: | E2 |
| IATA-packing instructions - Passenger: | 352 |
| IATA-max. quantity - Passenger: | 1 L |
| IATA-packing instructions - Cargo: | 364 |
| IATA-max. quantity - Cargo: | 60 L |

14.5. Environmental hazards

| | |
|----------------------------|----|
| ENVIRONMENTALLY HAZARDOUS: | No |
|----------------------------|----|

14.6. Special precautions for user

Warning: Combustible liquid. Toxic.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 69

Information according to Directive

H2 ACUTE TOXIC

2012/18/EU (SEVESO III):

Additional information: P5c

Additional information

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

National regulatory information

Skin resorption/Sensitization: Permeates easily through outer skin and causes poisoning.

SECTION 16: Other information

Safety Data Sheet

according to Regulation (EC) No 1907/2006

2-Methylbutane standard solution

Revision: 30.10.2025

Product code: AC18.19492

Page 13 of 13

Abbreviations and acronyms

Flam. Liq. 2: Flammable liquids, hazard category 2
Acute Tox. 3: Acute toxicity, hazard category 3
STOT SE 1: Specific target organ toxicity - single exposure, hazard category 1
ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

| Classification | Classification procedure |
|--------------------|--------------------------|
| Flam. Liq. 2; H225 | On basis of test data |
| Acute Tox. 3; H331 | Calculation method |
| Acute Tox. 3; H311 | Calculation method |
| Acute Tox. 3; H301 | Calculation method |
| STOT SE 1; H370 | Calculation method |

Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour.
H301 Toxic if swallowed.
H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.
H311 Toxic in contact with skin.
H331 Toxic if inhaled.
H370 Causes damage to organs (eyes, central nervous system).
H370 Causes damage to organs.

Further Information

Provide appropriate information, instructions and training to users

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)