

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### VFA-Standardlösung "REF2" 1000mg Essigsäure /l als Natriumacetat in Wasser zur FOS-/TAC-Bestimmung..

Revision date: 22.02.2024

Product code: 33189

Page 1 of 8

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

VFA-Standardlösung "REF2" 1000mg Essigsäure /l als Natriumacetat in Wasser zur FOS-/TAC-Bestimmung..

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

###### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

###### Uses advised against

Do not use for private purposes (household).

##### 1.3. Details of the supplier of the safety data sheet

|                         |                                  |                              |
|-------------------------|----------------------------------|------------------------------|
| Company name:           | AnalytiChem GmbH                 |                              |
|                         | ACD                              |                              |
| Street:                 | Stempelstraße 6                  |                              |
| Place:                  | D-47167 Duisburg                 |                              |
| Telephone:              | 0203/5194-0                      | Telefax: 0203/5194-290       |
| E-mail:                 | info@analytichem.de              |                              |
| Contact person:         | Abteilung Produktsicherheit      | Telephone: 0203/5194-107/117 |
| E-mail:                 | produktsicherheit@analytichem.de |                              |
| Internet:               | www.analytichem.de               |                              |
| Responsible Department: | Abteilung Produktsicherheit      |                              |

##### 1.4. Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

##### Further Information

This product is a mixture. REACH Registration Number see section 3.

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

##### 2.2. Label elements

##### 2.3. Other hazards

No data available

#### SECTION 3: Composition/information on ingredients

##### 3.2. Mixtures

###### Chemical characterization

Mixtures in aqueous solution

###### Relevant ingredients

none (according to Regulation (EC) No 1907/2006 (REACH))

###### Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### VFA-Standardlösung "REF2" 1000mg Essigsäure /l als Natriumacetat in Wasser zur FOS-/TAC-Bestimmung..

Revision date: 22.02.2024

Product code: 33189

Page 2 of 8

#### SECTION 4: First aid measures

##### 4.1. Description of first aid measures

###### General information

No data available

###### After inhalation

Provide fresh air.

###### After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

###### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

Remove contact lenses, if present and easy to do. Continue rinsing.

###### After ingestion

Rinse mouth immediately and drink plenty of water.

Call a doctor if you feel unwell.

##### 4.2. Most important symptoms and effects, both acute and delayed

No data available

##### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

#### SECTION 5: Firefighting measures

##### 5.1. Extinguishing media

###### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

###### Unsuitable extinguishing media

no restriction

##### 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids

##### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

###### Additional information

Use water spray jet to protect personnel and to cool endangered containers.

#### SECTION 6: Accidental release measures

##### 6.1. Personal precautions, protective equipment and emergency procedures

###### For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray.

###### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

##### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### VFA-Standardlösung "REF2" 1000mg Essigsäure /l als Natriumacetat in Wasser zur FOS-/TAC-Bestimmung..

Revision date: 22.02.2024

Product code: 33189

Page 3 of 8

#### **6.3. Methods and material for containment and cleaning up**

##### **For cleaning up**

Clean contaminated articles and floor according to the environmental legislation.

##### **Other information**

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### **6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

### **SECTION 7: Handling and storage**

#### **7.1. Precautions for safe handling**

##### **Advice on safe handling**

Handle and open container with care.

Do not breathe vapour/aerosol.

Avoid contact with skin, eyes and clothes.

##### **Advice on protection against fire and explosion**

Usual measures for fire prevention.

##### **Advice on general occupational hygiene**

Wash contaminated clothing prior to re-use.

Do not breathe vapour/aerosol.

Avoid contact with skin, eyes and clothes.

##### **Further information on handling**

Wash contaminated clothing before reuse.

Wash hands before breaks and after work.

#### **7.2. Conditions for safe storage, including any incompatibilities**

##### **Requirements for storage rooms and vessels**

Keep container tightly closed.

##### **Hints on joint storage**

No data available

##### **Further information on storage conditions**

Store in a dry place.

#### **7.3. Specific end use(s)**

Laboratory chemicals

### **SECTION 8: Exposure controls/personal protection**

#### **8.1. Control parameters**

#### **8.2. Exposure controls**

##### **Appropriate engineering controls**

Technical measures and the application of suitable work processes have priority over personal protection equipment.

##### **Individual protection measures, such as personal protective equipment**

##### **Eye/face protection**

goggles

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### VFA-Standardlösung "REF2" 1000mg Essigsäure /l als Natriumacetat in Wasser zur FOS-/TAC-Bestimmung..

Revision date: 22.02.2024

Product code: 33189

Page 4 of 8

#### Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: [vertrieb@kcl.de](mailto:vertrieb@kcl.de) With specification (test according to EN374):

By long-term hand contact

Recommended glove articles: KCL 741 Dermatril® L  
Recommended material: NBR (Nitrile rubber) 0,11 mm  
Wearing time with permanent contact: > 480 min

By short-term hand contact

Recommended glove articles: KCL 741 Dermatril® L  
Recommended material: NBR (Nitrile rubber) 0,11 mm  
Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

#### Skin protection

Wear suitable protective clothing.  
Wash hands before breaks and after work.

#### Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

#### Environmental exposure controls

Discharge into the environment must be avoided.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|   |                   |                   |
|---|-------------------|-------------------|
| Physical state:   | Liquid            |                   |
| Colour:   | clear             |                   |
| Odour:  | odourless         |                   |
| Odour threshold:  | No data available |                   |
| Melting point/freezing point:                             |                   | No data available |
| Boiling point or initial boiling point and boiling range: |                   | No data available |
| Flammability:   |                   | No data available |
| Lower explosion limits:                                   |                   | No data available |
| Upper explosion limits:                                   |                   | No data available |
| Flash point:  |                   | No data available |
| Auto-ignition temperature:                                |                   | No data available |
| Decomposition temperature:                                |                   | No data available |
| pH-Value:   |                   | No data available |
| Viscosity / kinematic:                                    |                   | No data available |
| Water solubility:   |                   | No data available |
| Solubility in other solvents                              |                   |                   |
|   | No data available |                   |
| Dissolution rate:   |                   | No data available |
| Partition coefficient n-octanol/water:                    |                   | No data available |
| Dispersion stability:                                     |                   | No data available |
| Vapour pressure:  |                   | No data available |

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**VFA-Standardlösung "REF2" 1000mg Essigsäure /l als Natriumacetat in Wasser zur FOS-/TAC-Bestimmung..**

Revision date: 22.02.2024

Product code: 33189

Page 5 of 8

|                           |                   |
|---------------------------|-------------------|
| Vapour pressure:          | No data available |
| Density:                  | No data available |
| Relative density:         | No data available |
| Bulk density:             | No data available |
| Relative vapour density:  | No data available |
| Particle characteristics: | No data available |

**9.2. Other information**

**Information with regard to physical hazard classes**

|                           |                   |
|---------------------------|-------------------|
| Explosive properties      | No data available |
| Sustaining combustion:    | No data available |
| Self-ignition temperature |                   |
| Solid:                    | No data available |
| Gas:                      | No data available |
| Oxidizing properties      |                   |
| No data available         |                   |

**Other safety characteristics**

|                          |                   |
|--------------------------|-------------------|
| Evaporation rate:        | No data available |
| Solvent separation test: | No data available |
| Solvent content:         | 0                 |
| Solid content:           | 0                 |
| Sublimation point:       | No data available |
| Softening point:         | No data available |
| Pour point:              | No data available |
| No data available:       |                   |
| Viscosity / dynamic:     | No data available |
| Flow time:               | No data available |

**Further Information**

No data available

**SECTION 10: Stability and reactivity**

**10.1. Reactivity**

No data available

**10.2. Chemical stability**

No data available

**10.3. Possibility of hazardous reactions**

No data available

**10.4. Conditions to avoid**

No data available

**10.5. Incompatible materials**

No data available

**10.6. Hazardous decomposition products**

No data available

**Further information**

No data available

**SECTION 11: Toxicological information**

**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### VFA-Standardlösung "REF2" 1000mg Essigsäure /l als Natriumacetat in Wasser zur FOS-/TAC-Bestimmung..

Revision date: 22.02.2024

Product code: 33189

Page 6 of 8

#### Toxicokinetics, metabolism and distribution

There are no data available on the mixture itself.

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Information on likely routes of exposure

There are no data available on the mixture itself.

#### Specific effects in experiment on an animal

There are no data available on the mixture itself.

#### Additional information on tests

There are no data available on the mixture itself.

#### Practical experience

There are no data available on the mixture itself.

#### 11.2. Information on other hazards

##### Endocrine disrupting properties

There are no data available on the mixture itself.

##### Other information

There are no data available on the mixture itself.

#### Further information

There are no data available on the mixture itself.

### SECTION 12: Ecological information

#### 12.1. Toxicity

Based on available data, the classification criteria are not met.

#### 12.2. Persistence and degradability

There are no data available on the mixture itself.

#### 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

#### 12.4. Mobility in soil

There are no data available on the mixture itself.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**VFA-Standardlösung "REF2" 1000mg Essigsäure /l als Natriumacetat in Wasser zur FOS-/TAC-Bestimmung..**

Revision date: 22.02.2024

Product code: 33189

Page 7 of 8

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**12.7. Other adverse effects**

There are no data available on the mixture itself.

**Further information**

Discharge into the environment must be avoided.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

**Contaminated packaging**

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

**SECTION 14: Transport information****Land transport (ADR/RID)**

|  |  |
|--|--|
| <b>14.1. UN number or ID number:</b>     | No dangerous good in sense of this transport regulation. |
| <b>14.2. UN proper shipping name:</b>    | No dangerous good in sense of this transport regulation. |
| <b>14.3. Transport hazard class(es):</b> | No dangerous good in sense of this transport regulation. |
| <b>14.4. Packing group:</b>              | No dangerous good in sense of this transport regulation. |

**Inland waterways transport (ADN)**

|  |  |
|--|--|
| <b>14.1. UN number or ID number:</b>     | No dangerous good in sense of this transport regulation. |
| <b>14.2. UN proper shipping name:</b>    | No dangerous good in sense of this transport regulation. |
| <b>14.3. Transport hazard class(es):</b> | No dangerous good in sense of this transport regulation. |
| <b>14.4. Packing group:</b>              | No dangerous good in sense of this transport regulation. |

**Marine transport (IMDG)**

|  |  |
|--|--|
| <b>14.1. UN number or ID number:</b>     | No dangerous good in sense of this transport regulation. |
| <b>14.2. UN proper shipping name:</b>    | No dangerous good in sense of this transport regulation. |
| <b>14.3. Transport hazard class(es):</b> | No dangerous good in sense of this transport regulation. |
| <b>14.4. Packing group:</b>              | No dangerous good in sense of this transport regulation. |

**Air transport (ICAO-TI/IATA-DGR)**

|  |  |
|--|--|
| <b>14.1. UN number or ID number:</b>     | No dangerous good in sense of this transport regulation. |
| <b>14.2. UN proper shipping name:</b>    | No dangerous good in sense of this transport regulation. |
| <b>14.3. Transport hazard class(es):</b> | No dangerous good in sense of this transport regulation. |
| <b>14.4. Packing group:</b>              | No dangerous good in sense of this transport regulation. |

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**14.6. Special precautions for user**

No dangerous good in sense of this transport regulation.

**14.7. Maritime transport in bulk according to IMO instruments**

No dangerous good in sense of this transport regulation.

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### VFA-Standardlösung "REF2" 1000mg Essigsäure /l als Natriumacetat in Wasser zur FOS-/TAC-Bestimmung..

Revision date: 22.02.2024

Product code: 33189

Page 8 of 8

Information according to Directive 2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

#### National regulatory information

Water hazard class (D):

-- non-hazardous to water

#### Additional information

No data available

### SECTION 16: Other information

#### Changes

This data sheet contains changes from the previous version in section(s): 12.

#### Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*